

# Index

**A**

- Acanthamoeba* species  
 general description, 6, 20, 68-69, 72-73  
 procedures for diagnosis, 462  
 cysts, 74, **75**  
 trophozoites, 74, **75**  
*astronyxis*, 74, 75  
*castellanii*, 74, 75  
*culbertsoni*, 73  
*hatchetti*, 73  
*polyphaga*, 73  
*rhysodes*, 73  
*Acanthocephala*, 236  
 Acetic Acid fixative, 472  
 Acid-fast stain  
 procedures, 428-432  
 stained organisms, **109, 113, 117**  
*Aedes* species, 252, 259  
 Agar plate culture for  
 Free-living amebae, 461-462  
*Strongyloides*, 439, **440**  
 70% Alcohol and 5% Glycerin fixative, 472  
 Alcohol, Formalin and Acetic Acid (AFA) fixative,  
 472  
 Algae  
 in fecal specimen, 392, 393, 394, **395**, 406, **407**  
 Algorithm for diagnosis of coccidia and  
 microsporidia, 436  
*Alternaria conidium* in fecal specimen, 392, **393**  
 Amastigotes,  
*Leishmania* species, 158, **159**  
 Amebae  
 intestinal  
 cyst morphology, 5  
 general description, 3-6  
 trophozoite morphology, 4  
 Amebiasis  
 liver and lung specimens, 450-451  
 sigmoidoscopy for, 446-447  
 sputum specimen, 444  
*Anatrichosoma* species  
 general description, 182, 240  
 eggs, 240, **241**  
*Ancylostoma*  
*braziliense*, 221  
*caninum*, 221, 224, **225**  
*ceylanicum*, 221  
*duodenale*  
 general description, 180-181, 184, 185,  
 221, 222  
 eggs, 217-218, **219**  
 larvae, 184, 185, 222, **223**  
*tubaeforme*, 221  
*Angiostrongylus*  
*cantonensis*, 449  
*costaricensis*, 451  
*Anisakis simplex*  
 general description, 182  
 larvae, 182  
*Anopheles* species, 252, 259  
 Apicomplexan parasites,  
 blood, 12, 14-17  
 intestine and tissues, 12, 18-21, 20-21  
 Arthropods, 374-381, **377, 379, 381**  
 Artifacts, 384-413, 385, **389, 391, 393, 395, 397,**  
**399, 401, 403, 405, 407, 409, 413**  
 in blood, 408, **409**, 410, **411**, 412, **413**  
 in feces, 388, **389**, 390, **391**  
 amebalike, 385, 404, **405**  
 egglike, 390, **391**, 392, **393**, 394, **395**, 396, **397,**  
**398, 399**, 406, **407**  
 larvalike, 400, **401**  
 microfilariallike, 412, **413**  
 malarialike, 408, **409**  
 wormlike, 400, **401**, 402, **403**, 412, **413**  
 Ascarids, animal, 179  
*Ascaris* species, 179, 218, **219**, 390  
 larvae, 248-250, **251**  
*Ascaris lumbricoides*  
 general description, 180-181, 197, 384  
 eggs, 180, 197-198, **199**, 200, **201**  
 Aspirates from  
 cerebrospinal fluid, 448  
 lymph nodes, 448  
 skin ulcers, 448  
 small intestine, 445-446  
*Giardia*, 445-446  
*Strongyloides*, 445  
 sputum, 444-445  
 Auramine-Rhodamine stain, **109**  
 Autofluorescence  
 procedures, 434-435  
 stained organisms,

**B**

- Babesia*, 12, 148-149  
*bigemina*,  
 stages in thin blood films, 150, **151**  
*divergens*,  
 stages in thin blood films, 150, **151**, 152, **153**  
*duncani*,  
 stages in thin blood films, 152, **153**  
*equi* (see *Theileria equi*)  
*gibsoni*, 152  
*microti*, 380  
 stages in thin blood films, 150, **151**, 152,  
**153**
- Bacillary exudate  
 in fecal smear, 404, **405**
- Baermann funnel technique, 226, 443
- Balamuthia mandrillaris*  
 general description, 6, 20, 72-73
- Balantidium coli*  
 general description, 2, 97  
 cysts, 24, 98, **99**  
 trophozoites, 22, 98, **99**
- Baylisascaris procyonis*  
 general description, 182, 242-244, **245**, 246, **247**  
 eggs, 244, **245**, 246, **247**
- Bean sprouts  
 in fecal specimen, 388, **389**
- Beaver body, 384, 392, **393**
- Bedbug, 375-376, **377**
- Bee pollen  
 in fecal specimen, 394, **395**
- Bertiella* species  
 general description, 334, 367  
 eggs, 367-368, **369**  
 larvae, 334  
*mucronata*, 367  
*studerii*, 367
- Biomphalaria* species, 317
- Blastocystis hominis*  
 general description, 34, **35**, 103-104, **105**
- Blastomyces*, 167
- Blood  
 concentration procedures, 458-461  
 cultures (see blood flagellates)  
 smear  
 artifacts and cellular elements, 386, 408,  
**409**, 410, **411**, 412, **413**  
 microfilariallike artifacts, 412, **413**  
 preparation, 452
- Blood examination, 452-461  
 blood film preparation, 452  
 blood film staining, 454-457  
 blood film examination, 457  
 concentration, 458-461
- Blood flagellates, in vitro culture of, 463-465
- Blood fluke, 299
- Bone marrow specimen examination, 448
- Borrelia burgdorferi*, 149
- Brachiola* species, 19, 123
- Brugia*  
*malayi*, 188, 256, **257**, 259, **260**, 262, **263**, 265,  
 268, 291  
 microfilariae, 182, 266, **267**  
*timori*, 259, 265  
 microfilariae, 182, 266, **267**
- Buffy coat concentration procedure, 458
- Bulinus* species, 321

**C**

- Cabot ring, 384, 408, **409**
- Calcofluor white, staining procedure for  
 microsporidia, 435-436
- Calliphora vomitoria*  
 general description, 376, **377**
- Candida* species, 168
- Capillaria*  
*aerophila* (= *Eucoleus aerophila*), 321  
*hepatica*, 208-209, **208**  
 eggs, 179, **208**, 210, **211**  
 larvae, 182  
*philippinensis*, 208  
 eggs, 179, 208, 210, **211**  
 larvae, 182, 208, 210, **211**
- Carmine stain  
 procedure, 475-476  
 staining, **329**, **331**, **333**, **339**, **345**, **361**, **365**
- Catastomus commersoni*, 308
- Cellular artifacts  
 in blood, 408, **409**  
 in fecal smears, 384-386, **385**
- Cellophane-covered thick smear technique,  
 Kato-Katz procedure, 436-437
- Cellophane tape for perianal skin, 443-444

- Center for Disease Control (CDC), serologic tests, 477-478
- Centrocestus formosanus*, 301
- Cerebrospinal fluid specimen examination, 448-449
- Cestodes (see also specific organisms), 334-371  
 fixation and study of, 476-477  
 general description, 334, **335**  
 uncommon, 367-369, **369**
- Chagas disease, see *Trypanosoma cruzi*
- Charcoal culture for nematode larvae, 441
- Charcot-Leyden crystals  
 in fecal specimen, 104, **105**, 384
- Chemicals, dangerous, 482-483
- Chilomastix mesnili*  
 general description, 6, 87  
 cysts, 8, 24, 88, **89**, 90, **91**  
 trophozoites, 7, 22, 88, **89**, 90, **91**, 100, **101**
- Chromotrope stain  
 procedures, 432-434
- Chrysops* species, 269
- Ciliary tufts  
 in fecal smear, 404, **405**
- Ciliophora, 2
- Cimex*  
*hemipterus*, 375-376, **377**  
*lectularius*, 375
- Citrus particles  
 in fecal specimen, 388, **389**
- Clonorchis*  
 metacercariae, 308  
*sinensis*  
 general description, 298, 299, 308-309  
 adult worms, 299, 330, **331**  
 eggs, 299, 300, 302, **303**, 310, **311**
- Coccidia  
*Cryptosporidium*, 106-108, **109**  
*Cyclospora*, 110-113, **113**  
*Isospora*, 114-116, **117**  
*Sarcocystis*, 114-116, **117**  
*Toxoplasma*, 118-120, **121**
- Coenurus, 370, **371**
- Columnar epithelial cells,  
 in fecal smear, 384, **385**, 404, **405**
- Combination iron hematoxylin/acid-fast stain,  
 procedures, 428-429
- stained organisms, **109**
- Concentration procedures  
 for blood, 458-461  
 buffy coat, 458  
 Knott, 460  
 membrane filtration, 460-461  
 microhematocrit, 458  
 triple centrifugation, 458
- Conidium  
 in fecal specimen, 392, **393**
- Contracecum*, 249
- Cryptosporidium* species, 108, **109**, 110-111  
*canis*, 13, 20, 106  
*felis*, 13, 20, 106  
*hominis*, 13, 20, 106  
 oocysts, 106-107  
*meleagridis*, 13, 20, 106  
*muris*, 13, 20, 106  
*parvum*  
 general description, 12-13, 106-107  
 oocysts, 25, 104, **105**
- Crystals, 384
- Ctenocephalides* species  
 general description, 374, 380, **381**
- Culex* species, 252
- Culicoides* species, 275, 279, 287
- Culture methods  
 for blood flagellates, 463-465  
 NNN medium, 463  
 nutrient blood agar, 463-464  
 USAMRU blood agar, 464  
 Schneider *Drosophila* medium, 464-465  
 for cestode eggs, 466  
 for free-living amebae, 452  
 for nemaode eggs, 465  
 for trematode eggs, 466
- Culture of nematode eggs, 465
- Cultures and animal inoculations, 461-466
- Cuterebra* species, 378, **379**
- Cyclospora cayetanensis*  
 general description, 13, 20, 110-111  
 oocysts, 25, 107, 112, **113**
- Cysticercus* (see also *Taenia*)  
*bovis*, 335, 342  
*cellulosae*, 335, 347, 370
- Cysts  
*Acanthamoeba* species, 74, **75**

- Balantidium coli*, 98, **99**  
*Chilomastix mesnili*, 88, **89**, 90, **91**  
*Endolimax nana*, 58, **59**, 60, **61**  
*Entamoeba*  
     *coli*, 48, **49**, 50, **51**  
     *dispar*, 48, **49**  
     *hartmanni*, 42, **43**  
     *histolytica*, 34, **35**, **36**, **37**  
     *polecki*, 54, **55**  
*Enteromonas hominis*, 94, **95**  
*Giardia duodenalis*, 82, **83**, 84, **85**, 88, **89**  
*Iodamoeba buetschlii*, 64, **65**, 66, **67**  
*Naegleria fowleri*, 70, **71**  
*Pneumocystis carinii*, 168, **169**  
*Retortamonas intestinalis*, 94, **95**
- D**  
D'Antoni iodine solution, 417  
Delafield hematoxylin stain  
    procedures, 456-457  
    stained organisms, **255**, **261**, **267**, **271**, **277**,  
    **281**, **285**, **289**  
Delusional parasitosis, 386-387  
*Demodex* species  
    general description, 375-376, **377**  
*Dermatobia hominis*  
    general description, 374  
    larva & maggot, 376, **377**, 378, **379**  
Diagnostic examination  
    blood, 452-461  
    fecal specimens, 416-436  
    fluids, 444, 448-449  
    tissues, 445-448, 450-451  
Diatom  
    in fecal specimen, 390, **391**  
*Dicrocoelium dendriticum*  
    general description, 298, 308  
    adult worms, 308, 330, **331**  
    eggs, 308, 310, **311**  
*Dientamoeba fragilis*  
    general description, 3, 6, 9, 77  
    cysts, 8  
    trophozoites, 7, 23, 78, **79**, 100, **101**  
Dimethyl sulfoxide (DMSO) stain, 432  
*Diocetophyme renale*  
    general description, 182, 236  
    eggs, 238, **239**
- Dipetalonema* species, 182, 290  
*Diphyllobothrium*  
   *latum*  
      general description, 299, 335, 337, 367  
      adult worms, 299, 335, 337, 338, **339**  
      eggs, 299, 305-306, 312, 314, **315**, 335,  
      337, 340, **341**  
      proglottids, 338, **339**  
   *nihonkaiense*, 337  
   *pacificum*, 337  
   *scoticum*, 337  
   *yonagoense*, 337  
*Diplogonoporus grandis*  
    general description, 334, 367  
    eggs, 367-368, **369**  
*Dipylidium caninum*  
    general description, 334, 335, 359, 374  
    adult worms, 334, 335, 359-360, **361**  
    eggs, 335, 359-360, **361**  
    proglottids, 338, **339**  
*Dirofilaria*  
    general description, 182, 291, 294  
    adult worms, 291, 294, **295**  
    filariae, 182  
    *immitis*, 294, **295**  
    *repens*, 291, 294, **295**  
    *striata*, 291  
    *tenuis*, 291, 294, **295**  
    *ursi*, 291  
Double coverglass method for wet mounts, 470  
*Dracunculus*,  
    adult worms, 182, 297, **297**  
Duodenal capsule technique, 441
- E**  
*Echinococcus*  
   *granulosus*  
      general description, 334, 342, 362-363  
      adult worms, 362, 364, **365**  
      hydatid sand, 362, 364, **365**  
   *multilocularis*, 363  
   *oligarthrus*, 363  
   *vogeli*, 363  
*Echinostoma*  
   *hortense*, 298, 300-301  
      eggs, 302, **303**  
   *ilocanum*, 302

- adult worms, 328, **329**
- Ectoparasites, fixation, 497
- Eggs
- Anatrichosoma* species, 177, 237, 240, **241**
- Ancylostoma duodenale*, 174, 214, **215**, 217-218, **219**, 221-222, **223**
- animal ascarids, 179
- Ascaris* species, 172, 173, 174, 176
- Baylisascaris procyonis*, 244, **245**, 246, **247**
- Bertiella* species, 175, 367-368, **369**
- Capillaria*
- hepatica*, 172, 177
- philippinensis*, 172, **177**
- Clonorchis*
- metacercariae, 308
- sinensis*, 172, 173, 178, 298, 308
- Dicrocoelium dendriticum*, 178, 298, 308
- Diocotphyne renale*, 174
- Diphyllobothrium latum*, 172, 173, 177, 312, 314, **315**, 335, 340, **341**, 368
- Diplogonoporus grandis*, 177, 367-368, **369**
- Dipylidium caninum*, 178, 335, 359-360, **361**
- Echinococcus granulosus*, 362-363, **364**
- Echinostoma*
- bortense*, 177, 298, 300-302, **303**
- ilocanum*, 302, **303**
- Enterobius vermicularis*, 173, 175, 191-192, **193**
- Fasciola*
- hepatica*, 173, 177, 298, 304-306, **307**, 312
- Fascioloides*
- magna*, 299
- Fasciolopsis buski*, 173, 177, 298, 304-306
- Gastrodiscoides hominis*, 177, 298, 304, 306, **307**
- Gongylonema* species, 175, 237, 240, **241**
- helminth (see also specific organism), 172-178, 173, 174-178
- Heterodera* species, 384, 396, **397**
- Heterophyes heterophyes*, 178, 298, 300-302, **303**
- hookworm, 173, 217-218, **219**
- Hymenolepis*
- diminuta*, 173, 175, 334, **335**, 356, **357**
- nana*, 173, 175, 334, **335**, 351-352, **353**
- Inermicapsifer* species, 178, 367-368, **369**
- intestinal flukes, 299, 300-302, **303**, 304, 317-318, **319**, 321, **321**, 322, **323**, 325-326, **327**, 328, **329**
- Macracanthorhynchus hirudinaceus*, 178, 237-238, **239**
- Mesocestoides* species, 175, 367-368, **369**
- Metagonimus* species, 173, 177, 298, 300-301, 302, **303**
- mite, 374, **375**, 376, **377**, 396, **397**
- Moniliformis moniliformis*, 175, 237-238, **239**
- Nanophyetus salmincola*, 177, 298, 304-306, **307**
- Necator americanus*, 174, 217-218, **219**, 221-222, **223**
- Neodiplostomum seoulense*, 298, 300-302, **303**
- Oesophagostomum* species, 174, 236, 238, **239**
- Opisthorchis*
- felineus*, 308
- viverrini*, 172, 178, 298, 302, **303**, 209
- Paragonimus*, 174, 177, 298, 312-313
- africanus*, 298, 312, 314, **315**
- caliensis*, 312
- ecuadoriensis*, 312
- kellicotti*, 298, 313-314, **315**
- mexicanus*, 298, 312, 314, **315**
- peruviensis*, 312
- uterobilateralis*, 298, 312, 314, **315**
- westermani*, 173, 298, 312-314, **315**
- Phaneropsolus bonnei*, 178, 300-302, **303**
- Physaloptera* species, 175, 236, 238, **239**
- Prosthodendrium molenkampii*, 178, 298, 300-302, **303**
- Pygidiopsis summa*, 178, 298, 300-301
- Schistosoma*
- bovis*, 176, 298, 321
- haematobium*, 173, 174, 176, 298, **299**, 321
- intercalatum*, 173, 176, 298, 321
- japonicum*, 173, 176, 298, 299, 325-326, **327**
- mansoni*, 173, 176, 298, 299, 317-318, **319**
- mekongi*, 176, 298, 299, 325-326, **327**
- Spirometra mansonioides*, 337, 340, **341**
- Strongyloides*
- fuelleborni*, 175, 237-238, **239**
- stercoralis*, 174, 226
- Taenia*
- saginata*, 172, 173, 334, 335, 342-344, **345**, 347-348, **349**
- solium*, 172, 173, 334, 335, 342-344, **345**, 347-348, **349**, 370, **371**

- Ternidens deminutus*, 175, 236, 238, **239**  
*Toxascaris leonina*, 242, 244, **245**  
*Toxocara*  
     *canis*, 242, 244, **245**  
     *cati*, 242, 244, **245**  
*Trichostrongylus* species, 173, 174  
*Trichuris*  
     *trichiura*, 172, 173, 176, 179, 203-204, **205**,  
     206, **207**, 390, **391**  
     *vulpis*, 176, 179, 203-204, **205**, 206, **207**
- Ekbom disease, 386  
*Encephalitozoon*, 123-125  
     *hellem*, 21  
         spores, 123, 126, **127**  
     *cuniculi*, 21  
         spores, 126, **127**  
     *intestinalis*, 21  
         spores, 123, 126, **127**
- Endolimax nana*  
     general description, 6, 57, 77  
     cysts, 5, 24, 58, **59**, 60, **61**, 93  
     trophozoites, 4, 23, 58, **59**, 60, **61**, 64, 100, **101**
- Entamoeba*  
     *coli*, 3, 6, 30, 34, 45, 53  
         cysts, 5, 24, 48, **49**, 50, 51  
         trophozoites, 4, 23, 46, **47**, 100, **101**  
     *dispar*, 3, 6, 26-27  
         cysts, 5, 25, 48, **49**  
         trophozoites, 4, 23  
     *gingivalis*, 6  
         trophozoites, 23, 36, **37**  
     *hartmanni*, 3, 39-43, **41**  
         cysts, 5, 25, 42, **43**  
         trophozoites, 4, 23, 40, **41**, 42, **43**, 100,  
         **101**  
     *histolytica*, 3, 26-37, **29**, **31**, **33**, **35**, 39, 53  
         cysts, 5, 25, 32, **33**, 34, **35**, 36, **37**  
         trophozoites, 4, 23, 28, **29**, 30, **31**, 36, **37**,  
         100, **101**  
     *polecki*, 3, 6, 53  
         cysts, 5, 24, 54, **55**  
         trophozoites, 4, 23, 54, **55**
- Enterobius vermicularis*  
     general description, 179, 180-181, 191  
     adult worms, 180-181, 191, 194, **195**  
     eggs, 179, 180, 191-192, **193**
- Enterocytozoon bienewisi*  
     general description, 19, 21, 123-125  
     spores, 123, 126-127
- Enteromonas hominis*  
     general description, 19, 21, 123-125  
     cysts, 8, 24, 94, **95**  
     trophozoites, 7, 22, 94, **95**
- Epifluorescence, use of, **113**, **117**  
 Epimastigotes,  
     *Trypanosoma cruzi*, 164, **165**
- Epithelial cells  
     in fecal smear, 384, **385**, 404, **405**
- Equipment, 482-483  
 Erythrocytes  
     artifacts in blood smear, 408, **409**, 410, **411**
- Euparal, mounts of cestodes, 477  
*Eustrongylides* larvae, 248-250, **251**  
 Eye specimen examination, 451-452
- ## F
- Fasciola*  
     *gigantica*, 305  
     *hepatica*  
         general description, 298, 299, 304-305, 384  
         adult worms, 299, 304, 330, **331**  
         eggs, 299, 306, **307**, 312
- Fascioloides*  
     *magna*, 299
- Fasciolopsis buski*  
     general description, 298, 299, 304-305  
     adult worms, 299, 304, 328, **329**  
     eggs, 299, 306, **307**
- Fecal cultures of nematode larvae  
     Harada-Mori, 438  
     filter paper/slant, 438-439  
     agar plate, 439-440  
     charcoal, 441  
     recovery techniques  
         Baermann funnel, 442  
         isolation from soil, 442-443
- Fecal examination  
     direct wet mount, 416  
     concentration  
         sedimentation, 417-419  
         flotation, 419-421  
     preservation of feces, 421-422

- permanent stained smears  
 preparation of smears, 422-423  
 staining of smears  
   combination iron hematoxylin/  
   acid-fast stain, 428-429  
   trichrome stain, 424-427  
   iron hematoxylin stain, 427-429  
   acid-fast stain, 428-429  
   chromotrope stain, 432-434  
   autofluorescence, 434-435  
 algorithm for coccidian and microsporidia  
 diagnosis, 436
- Feces  
 artifacts and pseudoparasites, 384-386, 385  
 examination, 416-436  
 intestinal protozoa, 470-471  
 parasitlike objects, 384-386, 385  
 preservation, 470-471  
 specimen collection and handling, 416  
 specimen processing,  
   concentration, 417-421  
   fluorescent brighteners and ultraviolet  
   microscopy, 435  
   permanent stains, 425-429  
   special procedures, 436-437  
   wet mount examinations, 416-417  
 wormlike artifacts, 384-386, 385, 388, **389**, 400,  
**401**, 402, **403**
- Fibers  
 in blood smear, 386, 410, **411**  
 in fecal specimen, 384, 386, 402, **403**
- Field stain for malaria, 455-456
- Filarial worms. See also Microfilariae  
 general description, 182-190, 183, 184, 185,  
 186-187, 186, 188-190
- Filter paper slant culture procedure, 438-439
- Fixation methods for  
 arthropods, 477  
 cestodes, 476-477  
 feces, 468-469  
 molluscs, 477  
 nematodes, 471-474  
 protozoa, 420-421  
 stool specimens, 467-469  
 trematodes, 475
- Flagellates  
 blood and tissue, 9-12  
 morphologic stages, 7, 8, 11  
 intestinal and atrial, 6-9  
 cyst morphology, 8  
 trophozoite morphology, 7
- Flea, 374, 380, **381**
- Flies (see also specific organism), 374, 376, **377**,  
 378, **379**, 380, **381**
- Flotation concentration procedures, 417-421
- Flukes, 298-333, 299, **333**  
 blood, 299  
 intestinal, 299, 300-302, **303**, 304, 317-318,  
**319**, 321, **321**, 322, **323**, 325-326, **327**, 328,  
**329**  
 liver, 299, 304-306, **307**, 308-310, **311**, 317-318,  
**319**, 330, **331**  
 lung, 299, 312-314, **315**
- Fly (see also specific organism)  
 adult, 374  
 larvae, 374, 376, **377**, 378, **379**
- Formalin-Ethyl Acetate sedimentation, 417-419
- Formol-saline solution, 468
- Free-living nematodes, 388, **389**, 400, **401**
- Fungi  
 in blood smear, 386, 412, **413**  
 in fecal specimen, 384, 392, **393**, 406, **407**
- ## G
- Gametocytes  
*Plasmodium*  
   *falciparum*, 134, **135**, 144, **145**  
   *malariae*, 138, **139**  
   *ovale*, 142, **143**  
   *vivax*, 130, **131**, 144, **145**
- Gastrodiscoides hominis*  
 general description, 298, 304-305  
 eggs, 304
- Giardia duodenalis*  
 general description, 6, 81  
 cysts, 24, 82, **83**, 84, **85**, 88, **89**  
 trophozoites, 22, 82, **83**, 84, **85**, 100, **101**
- Giemsa stain,  
 procedures, 453-455  
 stained organisms, **95**, **121**, **127**, **131**, **135**, **139**,  
**143**, **145**, **151**, **153**, **159**, **165**, **169**, **231**, **257**,  
**263**, **267**, **273**, **277**, **281**, **285**, **289**, **293**
- Glossina* species, 161
- Glycerin jelly mounts, 473-474

- Gongylonema* species  
 general description, 182, 237  
 adult worms, 240, **241**  
 eggs, 240, **241**
- Gordius* species, 384, 388, **389**
- Gram-chromotrope stain for microsporidians, 434
- Gymnophylloides seoi*, 301
- ## H
- Harada-Mori filter paper strip culture, 438
- Hammondia hammondi*, 119
- Haplorchis* species, 301
- Hartmannella*, 73
- Helicosporium* species, 412, **413**
- Helminths  
 classification, 172-178  
 diagnosis of infections, 172  
 eggs, 172, 173
- Hemoflagellates, 9
- Heterodera* species, 384  
 eggs, 396, **397**  
 larvae, 400, **401**
- Heterophyes heterophyes*  
 general description, 298, 299, 300-301  
 adult worms, 299, 328, **329**  
 eggs, 299, 302, **303**
- Histoplasma capsulatum*  
 general description, 167
- Hookworm. See also *Ancylostoma duodenale*;  
*Necator americanus*  
 general description, 179-182, 180-181  
 eggs, 214, **215**, 217-218, **219**, 226-227,  
 406  
 larvae, 222, **223**, 224, **225**
- Horsehair worm  
 in fecal specimen, 384, 388, **389**
- Howell-Jolly body, 408, **409**
- Hoyer mounting medium, 474-475
- Hydatid sand, 362, 364, **365**
- Hymenolepis*  
*diminuta*, 334, 335, 351-352, 355  
 eggs, 335, 352, **353**, 355-356, **357**  
*nana*, 334, 335, 351-352, 355  
 eggs, 335, 351-352, **353**, 355-356, **357**
- Hyphae  
 in blood smear, 412, **413**
- Hypnozoites, 12
- Hypoderma* species  
 general description, 374
- Hysterothylacium*, 249
- ## I
- Immunodiagnosis procedures, 477-478
- Inermicapsifer* species  
 general description, 334, 367  
 eggs, 367-368, **369**  
 proglottids, 367-368  
*cubanensis*, 367  
*madagascariensis*, 367
- Intestinal flukes (see also specific organisms),  
 298-301, 299  
 adult worms, 328, **329**, 330, **331**, 332, **333**  
 eggs, 302, **303**, 306, **307**, 310, **311**, 314, **315**,  
 318, **319**, 326, **327**
- Intestinal nematodes (see also specific organisms)  
 adult worms, 180-181  
 eggs, 180-181  
 larvae, 180-181, 182, 183, 184, 185, 186-187,  
 186
- Intestinal tract examination, 445-447
- Iodamoeba buetschlii*  
 general description, 3, 4, 5, 32, 63  
 cysts, 5, 24, 64, **65**, 66, **67**  
 trophozoites, 4, 64, **65**, 66, **67**, 100, **101**
- Iodine staining, **193**, **223**, **229**, **319**, **416**, **417**
- Iron hematoxylin stain,  
 procedures, 427-429  
 stained organisms, **37**, **43**, **47**, **55**, **61**, **67**, **79**,  
**85**, **91**, **95**, **101**, **105**
- Isolation of eggs and larvae from soil, 442-443
- Isopora belli*  
 general description, 13, 20, 114-115  
 oocysts, 25, 107-108, **109**, 116, **117**  
 trophozoites, 23
- Ixodes scapularis*  
 general description, 149, 380, **381**
- ## K
- Kato-Katz  
 procedure, 436-437  
 organisms demonstrated, **199**, **201**, **205**, **319**,  
**323**, **327**, **349**, **353**
- Keys for identification of  
 infective larvae, 185

- intestinal helminths, 174-178  
intestinal protozoa, 22-25  
microfilariae, 188-190  
Kinyoun acid-fast stain,  
procedures, 431  
stained organisms, **199, 113, 117**  
Knott concentration procedure, 460
- ## L
- Laboratory safety, 479-483  
Lactophenol, clearing agent, 474  
La Fuente concentration procedure, 458  
*Lagochilascaris* larva, 246, **247**  
Large intestine specimen examination, 446  
Larvae  
*Anisakis simplex*, 248-250, **251**  
*Ascaris* species, 246, **247**  
*Baylisascaris procyonis*, 246, **247**  
*Capillaria*  
*hepatica*, 182  
*philippinensis*, 179, 208, 210, **211**  
*Dioctophyme renale*, 236-237  
*Dipylidium* species, 334  
*Diphyllobothrium latum*, 334  
*Eustrongylides* species, 248-250, **251**  
fly, 374, 376, **377, 378, 379**  
*Heterodera* species, 384  
*Hymenolepis* species, 334  
hookworm, 221-222, **223, 224, 225**  
*Lagochilascaris* species, 246, **247**  
*Oesophagostomum* species, 236, 238  
*Physaloptera* species, 236-237, 238, **239**  
*Pseudoterranova decipiens*, 182, 248-250, **251**  
*Strongyloides*  
*fuelleborni*, 227  
*stercoralis*, 179, 180, 184, 185, 222, **223,**  
226, 230, **231**  
*Taenia* species, 334  
*Toxocara* species, 246, **247**  
*Trichinella*  
*britovi*, 232  
*murrelli*, 232  
*nativa*, 232  
*nelsoni*, 232  
*papuae*, 232  
*pseudospiralis*, 232-233, **232**  
*spiralis*, 232, **232**  
*zimbabwensis*, 232
- Leishmaniasis  
cutaneous and mucocutaneous, **11**  
visceral, **11**
- Leishmania* species  
general description, 9, 10, **11, 155-157**  
amastigotes, **11, 158, 159**  
epimastigotes, **11**  
morphologic stages, **11, 155**  
promastigotes, **11, 158, 159**  
trypomastigotes, **11**  
*aethiopica*, 155  
*amazonensis*, 155  
*braziliensis*, 155  
*chagasi*, 155  
*donovani*, 155, 158, **159**  
*guyanensis*, 155  
*infantum*, 155  
*major*, 155  
*mexicana*, 155  
*panamensis*, 155, 158, **159**  
*pifanoi*, 155  
*tropica*, 155, 158, **159**
- Lice, 374, 380, **381**  
Liver flukes, 298, 299, 304, 308-309, 317  
adult worms, 317-318, **319, 330, 331**  
eggs, 304-306, **307, 310, 311**  
Liver specimen examination, 450-451  
*Loa loa*  
general description, 186, 188, 269  
microfilariae, 186, 188, 270, **271, 272, 273**  
*Loaina* species, 291  
Lung flukes, 298, 299, 312-313  
adult worms, 332, **333**  
eggs, 314, 315  
Lung specimen examination, 450-451  
Lymph node specimen examination, 448
- ## M
- Macracanthorhynchus hirudinaceus*  
general description, 237  
eggs, 238, **239**
- Macrophages,  
in fecal smear, 384, 385, 386, 404, **405**  
Maggot, 374, 376, **377, 378, 379**

- Malaria forms, unusual  
in blood smears, 144, **145**
- Malarialike artifacts  
in blood smears, 384-386, 385, 408, **409**, 410, **411**
- Malaria parasites. See *Plasmodium* species
- Mansonella*  
*ozzardi*, 183, 186, 279  
microfilariae, 183, 186, 280, **281**  
*perstans*, 183, 186, 188, 287, 290, 292, **293**  
microfilariae, 183, 186, 188, 270, **271**,  
275-276, **277**  
*rodbaini*, 287  
microfilariae, 182, 190  
*streptocerca*, 183, 186, 189, 190, 283, 287  
microfilariae, 183, 186, 189, 288, **289**
- Mansonia* species, 252, 259
- Matchbox syndrome, 386
- Maurer dots or clefts, 12-17, 134, **135**
- Measurement of parasites, 483-484
- Meloidogyne* species, 384, 396, **397**, 400, **401**
- Membrane filtration blood concentration, 460-461
- Meningoencephalitis  
eosinophilic, 449  
primary amebic, 68-69
- Meningonema peruzzii*  
general description, 188, 290-292, **293**  
microfilariae, 188
- Mesocostoides* species  
general description, 334  
eggs, 334
- Metagonimus* eggs, 310, **311**
- Metagonimus yokogawai*  
general description, 298, 299, 300-301  
adult worms, 299, 328, **329**  
eggs, 299, 302, **303**, 310, **311**
- Metorchis conjunctus*, 308
- Microfilaria bolivarensis*  
general description, 182, 290
- Microfilariae  
*Brugia*  
*malayi*, 188, 260, **261**, 262, **263**  
*timori*, 188, 265, **266**  
Delafield hematoxylin stain  
procedure, 456-457  
stained organisms, **255**, **261**, **276**, **271**,  
**277**, **281**, **285**, **289**  
*Dirofilaria* species, 291  
Key to identification of, 188-190  
*Loa loa*, 188, 269-270, **271**, 272, **273**  
*Mansonella*  
*ozzardi*, 189, 279, 280, **281**  
*perstans*, 189, 270, **271**, 275-276, **277**, 279,  
290, 292, **293**  
*rodbaini*, 189, 288, **289**  
*streptocerca*, 189, 283, 287-288, **289**  
*Meningonema peruzzii*, 188, 291-292, **293**  
Mf. *bolivarensis*, 182, 189, 290, 292, **293**  
Mf. *semiclarum*, 182, 189, 275, 290, 292, 293  
*Onchocerca volvulus*, 189, 283-284, **285**  
periodicity, 187  
uncommon and poorly known, 188, 290-292,  
**293**  
*Wuchereria bancrofti*, 188, 252-254, **255**, 256,  
**257**, 260
- Microfilarialike artifacts  
blood smears, 408, **409**, 410, **411**
- Microfilaria semiclarum*  
general description, 182, 189, 275, 290, 292, 293
- Microspora, 2
- Microsporidians  
general description, 12-13, 18-21, 20, 21
- Microsporidium* species  
general description, 19, 20, 21, 123-125
- Miracidia, 298
- Mite, 374, **375**, 376, **377**, 384, 396, **397**  
eggs, 392, **393**
- Molluscs, fixation of, 477
- Moniliformis moniliformis*  
general description, 237  
eggs, 238, **239**
- Morel mushroom spore  
in fecal specimen, 392, **393**
- Morgellons disease, 387
- Mounting methods for  
cestodes, 477  
Euparal, 477  
nematodes, 473-474  
glycerin jelly, 474  
Hoyer medium, 474
- Mucus casts  
in fecal specimen, 388, **389**
- Mudbug, 392, **393**

Mushroom spore  
in fecal specimen, 392, **393**  
Myiasis, 374, 378, **379**

## N

*Naegleria fowleri*  
general description, 6, 20, 68-69, 72-73  
cysts, 70, **71**  
trophozoites, 70, **71**

*Nanophyetus salmincola*  
general description, 249, 298, 304-305  
adult worms, 304  
eggs, 304

*Necator americanus*  
general description, 180-181, 217-218, 221, 224  
adult worms, 224, **225**  
eggs, 180, 217-218, **219**, 221  
larvae, 184-185, 217, 221, 222, **223**

Nematoda, 172

Nematodes, 179-303, 180-181, 183, 184, **185**, **186**,  
188-190  
fixation and study of, 471-475  
free-living, 179-182  
general description, 179-190, 180-181, 183, 184,  
185, 188-190

*Neodiplostomum seoulense*  
general description, 298, 300-301  
adult worms, 332, **333**  
eggs, 300, 302, **303**

Neutrophils  
in blood smear, 408, **409**  
in fecal smear, 404, **405**

NNN medium, 463

*Nosema*  
*corneum* (*Vittaforma corneum*)  
general description, 21

Nutrient blood agar medium, 463-464

## O

Ocular micrometer, 483-484

*Oesophagostomum* species  
general description, 182, 184, 185, 224  
adult worms, 224, **225**  
eggs, 236-237, 238, **239**  
larvae, 184, 185, 236-237, 238,  
*bifurcum*, 236, 238,

*Oestrus ovis*  
general description, 374

*Onchocerca volvulus*  
general description, 182, 183, 186, 189, 283,  
287, 291  
microfilariae, 183, 186, 189, 284, **285**

*Oncomelania* species, 325

Onion skin  
in stool specimen, 384

Oocysts  
*Cryptosporidium* species, 25, 104, **105**  
*Cyclospora cayetanensis*, 25, 107, 112, **113**  
*Isospora belli*, 25, 107-108, **109**, 116, **117**  
*Sarcocystis cruzi*, 25, 116, **117**  
*Toxoplasma gondii*, 18, 120, **121**

Ookinetes  
*Plasmodium*, 144, **145**

*Opisthorchis*  
general description, 298, 300, 308  
*felineus*, 308  
*viverrini*  
adult worms, 308, 330, **331**  
eggs, 308, 310, **311**

## P

*Panstrongylus* species, 162

Pappenheimer body, 408, **409**

*Paragonimus*  
*africanus*, 298, 312  
eggs, 314, **315**  
*caliensis*, 312  
*ecuadoriensis*, 312  
*kellicotti*, 298, 313  
eggs, 314, **315**  
*mexicanus*, 298  
eggs, 312, 314, **315**  
*peruviansis*, 312  
*uterobilateralis*, 298  
eggs, 312, 314, **315**  
*westermanni*, 298, 299, 312-313  
adult worms, 299, 312, 332, **333**  
eggs, 299, 310, **311**, 312, 314, **315**, 337,  
340

*Paragordius* species, 384, 388

Parasitosis, delusional, 386-387

Peach fuzz  
in fecal specimen, 384, 402, **403**

- Pediculus*  
*humanus capitis*, 380, **381**  
*humanus humanus*, 380, **381**
- Pentatrichomonas hominis*  
 general description, 9, 92-93  
 trophozoites, 7, 22, 94, **95**
- Perianal skin examination, 443-444
- Periodicity, of microfilariae, 187
- Personnel, proficiency of, 479-480
- Phaneropsolus bonnei*  
 general description, 298, 300-301  
 eggs, 300, 302, **303**
- Phosphate buffer solutions for Giemsa stain, 454
- Phthirus pubis*  
 general description, 380, **381**
- Physaloptera* species  
 general description, 182  
 eggs, 238, **239**  
*caucasica*, 238
- Pineapple crystals  
 in fecal specimen, 384
- Pinworm, see *Enterobius vermicularis*
- Plant cells/material  
 in fecal specimen, 179, 182, 384, 388, **389**, 390,  
**391**, 392, **393**
- Plasmodium*  
*falciparum*, 12-17, 14, 134, 148  
 displaced forms, 144, **145**  
 gametocytes, 15, 134, **135**, 144, **145**  
 schizonts, 15, 134, **135**  
 thick blood films, 16-17, 146, **147**  
 thin blood films, 14-15, 134, **135**, 408  
 trophozoites, 14, 16, 134, **135**  
*malariae*, 14, 137, 141  
 gametocytes, 15, 17, 138, **139**  
 schizonts, 15, 17, 138, **139**  
 thick blood films, 16-17, 146, **147**  
 thin blood films, 14-15, 138, **139**  
 trophozoites, 14, 16, 138, **139**  
*ovale*, 14, 133, 141  
 gametocytes, 15, 142, **143**  
 schizonts, 15, 17, 142, **143**  
 thick blood films, 16-17, 146, **147**  
 thin blood films, 14, 15, 142, **143**  
 trophozoites, 14, 16, 142, **143**  
*vivax*, 14, 129, 133, 141  
 gametocytes, 15, 17, 130, **131**, 144, **145**  
 schizonts, 15, 17, 130, **131**  
 thick blood films, 16-17, 146, **147**  
 thin blood films, 14-15, 130, **131**, 408  
 trophozoites, 14, 16, 130, **131**, 144, **145**
- Platelets  
 in blood smear, 386, 408, **409**, 412, **413**
- Platyhelminthes, 172
- Pleistophora* species  
 general description, 19, 21
- Pneumocystis*  
*carinii*,  
 general description, 19, 166-167  
 cysts, 168, **169**  
 trophozoites, 168, **169**  
*jiroveci*, 167  
 f.sp. *hominis*, 167
- Pollen grain  
 in fecal specimen, 392, **393**, 394, **395**, 396, **397**,  
 402, **403**, 406, **407**
- Polymorphonuclear leukocytes  
 in fecal smear, 384, 385, 386
- Polyvinyl alcohol, see PVA
- Preparation of parasites for study, 466-474
- Preservation methods (see fixation methods)
- Proglottids
- Taenia*  
*saginata*, 335, 342-343, 344, **345**, 347, 348, **349**  
*solium*, 335, 342-343, 344, **345**, 347, 348
- Promastigotes,  
*Leishmania* species, 158, **159**
- Prosthodendrium molenkampi*  
 general description, 298, 300-301  
 eggs, 300, 302, **303**
- Protozoa classification,  
 cytoplasm, 2  
 diagnosis of infections, 22-25  
 intestinal, 2-6  
 motility, 2  
 nuclei, 2, 3  
 size, 2
- Pseudoparasites, 384-411, 385
- Pseudoterranova decipiens*  
 general description, 182, 248  
 larvae, 248-250, 251
- Psorospermium haeckelii*  
 in fecal specimen, 384-385, 392, **393**

Psyllium cast  
in fecal specimen, 388, **389**

PVA procedures, 421-423

*Pygidiopsis summa*

general description, 298, 300-301  
adult worms, 332, **333**  
eggs, 300, 302, **303**

## Q

Quality control in laboratory, 479-482

## R

Relaxation of parasites, methods, 479-482

*Retortamonas intestinalis*

general description, 9, 92-93  
cysts, 8, 24, 94, **95**  
trophozoites, 7, 22, 94, **95**

*Rhodnius* species, 162

Rosebud, 538

## S

*Sarcocystis*

*cruzi*

general description, 13, 114-115  
oocysts, 25, 116, **117**

*hominis*, 114

*suihominis*, 114

Sarcomastigophora, 2

*Sarcophaga* species

general description, 374

*Sarcoptes scabiei*

general description, 374-376, **377**

Schaudinn fixative, 422

*Schistosoma*

*bovis*, 298, 321-322

eggs, 322, **323**

*haematobium*, 298, 299, 321-322, 390

eggs, 299, 321-322, **323**

*intercalatum*, 298, 321

eggs, 322, **323**

*japonicum*, 298, 299, 325

adult worms, 299, 325, 332, **333**

eggs, 299, 325-326, **327**

*mansoni*, 298, 299, 317, 390

eggs, 299, 317-318, **319**

*mekongi*, 298, 325

eggs, 299, 325-326, **327**

Schizonts

*Plasmodium*

*falciparum*, 134, **135**

*malariae*, 138, **139**

*ovale*, 142, **143**

*vivax*, 130, **131**

Schneider *Drosophila* culture medium, 474-475

Schneider Acetocarmine stain, 475-476

Schüffner stippling or dots, 14-17, 129-130, **131**,  
141-142, **143**

*Septata intestinalis*. See *Encephalitozoon intestinalis*

Sheather sugar flotation technique, 421

*Shigella* species, 404, **405**

Sigmoidoscopy material, 446-447

*Simulium* species, 279

Skin ulcer specimen examination, 448

Small intestine specimen examination, 445-446

Sparganum, 337, 370, **371**

*Sphaerita*, 46, **47**

*Spirometra mansonioides*

eggs, 337, 340, **341**

Spleen specimen examination, 448

Spores

*Encephalitozoon*

*bellem*, 126, **127**

*cuniculi*, 126, **127**

*intestinalis*, 126, **127**

*Enterocytozoon bienersi*,

in fecal specimen, 126, **127**

Sputum examination, 444-445

Squamous epithelial cells, 384-386

in fecal smear, **385**, 404, **405**

Stains

acetocarmine, 475-476

acid-fast, 428-432

Field, 455-456

Giemsa, 453-456

hematoxylin

Delafield, 456-457

iron, 427-429

trichrome, 424-427

Starch cells

in fecal specimen, 390, **391**

Starch granules, 385

*Stellantchasmus falcatus*, 301

Stomach specimen examination, 447-448

- Strongyloides*  
*fuelleborni*, 227  
*stercoralis*  
 general description, 179, 180-181, 217, 222, 226, 228, 400  
 adult worms, 180-181, 226, 228, 229  
 larvae, 179, 180, 184, 185, 222, 223, 226, 230, 231, 402
- Study material, 470-477
- T**
- Tachyzoites  
*Toxoplasma gondii*, 120, 121
- Taenia*  
*multiceps*, 370, 371  
*saginata*, 172, 173, 334, 335, 342, 347  
 adult worms, 334, 335, 342-344, 345, 347  
 eggs, 334, 335, 342, 347-348, 349, 362, 364  
 proglottids, 334, 335, 344, 345, 347-348, 349  
*saginata asiatica*, 342-343  
*solium*, 334, 342, 347, 370, 371  
 adult worms, 334, 335, 342-344, 345, 347  
 eggs, 334, 335, 342, 347-348, 349, 362, 364  
 proglottids, 334, 335, 344, 345, 347-348, 349  
*solium cysticerci*, 343
- Tapeworms, see Cestodes
- Tapeworms, scoleces, search for, 437
- Ternidens deminutus*  
 general description, 182, 184, 185, 236-237  
 adult worms, 224, 225  
 eggs, 238, 239  
 larvae, 184, 185, 236
- Theileria equi* (= *Babesia. equi*), 148-149  
 stages in thin blood films, 150, 151
- Tick, 374, 380, 381
- Tomato skin  
 in fecal specimen, 384
- Toxascaris leonina*  
 general description, 242-244  
 eggs, 244, 245
- Toxocara*  
*canis*, 182, 242, 392, 393  
 eggs, 179, 244, 245, 246, 247  
*cati*, 182, 242, 244  
 eggs, 179, 244, 245, 246, 247
- Toxoplasma gondii*  
 general description, 20, 118-119  
 oocysts, 18, 120, 121  
 tachyzoites, 120, 121
- Trachipleistophora hominis*  
 general description, 19, 21, 123-125
- Trematodes (see also specific organisms)  
 Fixation and study of, 475-476  
 general description, 298, 299
- Triatomid, 162, 375-376, 377
- Trichinella*  
*britovi*, 232  
*murrelli*, 232  
*nativa*, 232  
*nelsoni*, 232  
*papuae*, 232  
*pseudospiralis*, 232-233, 232  
 larvae, 232, 234, 235  
*spiralis*, 232  
 adult worms, 232, 234, 235  
 larvae, 179, 232  
*zimbabwensis*, 232
- Trichomonas*  
*vaginalis*  
 general description, 9, 92-93  
 trophozoites, 7, 94, 95  
*tenax*, 9
- Trichostrongylus* species  
 general description, 179, 184, 185, 213, 396  
 adult worms, 213  
 eggs, 179, 213-214, 215  
 larvae, 184, 185  
*axei*, 210  
*colubriformis*, 210  
*orientalis*, 210
- Trichrome stain,  
 procedures, 424-427  
 stained organisms, 29, 31, 35, 41, 47, 51, 55, 59, 65, 71, 79, 83, 89, 95, 99, 101, 105, 127, 207
- Trichuris*  
*trichiura*, 203, 240  
 adult worms, 203, 203, 204, 205  
 eggs, 172, 179, 203, 204, 205, 206, 207, 390, 391

- vulpis*  
eggs, 179, 203, 204, **205**, 206, **207**
- Trophozoites  
*Acanthamoeba* species, 74, **75**  
*Balantidium coli*, 98, **99**  
*Chilomastix mesnili*, 88, **89**, 90, **91**, 100, **101**  
*Dientamoeba fragilis*, 78, **79**, 100, **101**  
*Endolimax nana*, 58, **59**, 60, **61**, 100, **101**  
*Entamoeba*  
*coli*, 46, **47**, 100, **101**  
*dispar*, 28, **29**, 30, **31**, 36, **37**, 100, **101**  
*gingivalis*, 36, **37**  
*hartmanni*, 40, **41**, 42, **43**, 100, **101**  
*histolytica*, 28, **29**, 30, **31**, 36, **37**, 100, **101**  
*polecki*, 54, **55**  
*Enteromonas hominis*, 94, **95**  
*Giardia duodenalis*, 82, **83**, 84, **85**, 100, **101**  
*Iodamoeba buetschlii*, 64, **65**, 66, **67**, 100, **101**  
*Naegleria fowleri*, 70, **71**  
*Pentatrichomonas hominis*, 94, **95**  
*Plasmodium*  
*falciparum*, 134, **135**  
*malariae*, 138, **139**  
*ovale*, 142, **143**  
*vivax*, 130, **131**, 144, **145**  
*Pneumocystis carinii*, 168, **169**  
*Retortamonas intestinalis*, 94, **95**  
*Trichomonas vaginalis*, 94, **95**
- Truffle spore  
in fecal specimen, 392, **393**
- Trypanosoma*  
*brucei gambiense*, 10, 11, 161-163  
morphologic stages, 161  
trypomastigotes, 164, **165**  
*brucei rhodesiense*, 10, 11, 161-163  
morphologic stages, 161  
*cruzi*, 10, 11, 161-163, 375  
epimastigotes, 164, **165**  
morphologic stages, 161  
trypomastigotes, 164, **165**  
*evansi*, 163  
*rangeli*, 10, 11, 161-163, 375  
morphologic stages, 161  
trypomastigotes, 164, **165**
- Trypomastigotes,  
*Trypanosoma brucei gambiense*, 11, 164, **165**  
*Trypanosoma brucei rhodesiense*, 11, 164, **165**  
*Trypanosoma cruzi*, 11, 164, **165**  
*Trypanosoma rangeli*, 11, 164, **165**
- Turbatrix aceti*  
in fecal specimen, 400, **401**
- U**  
Urogenital specimen examination, 449-450
- V**  
*Vahlkampfia*, 73  
Vegetable spiral  
in fecal specimen, 390, **391**  
Vinegar eel, 400, **401**  
*Vittaforma corneae*  
general description, 19, 21, 123
- W**  
Washings  
wormlike artifacts, 384-386, 388, **389**, 400, **401**  
Weber stain for microsporidia, 432-433  
*Woblfabrtia* species  
general description, 374  
larvae, 378, **379**  
*Wuchereria bancrofti*  
general description, 183, 186, 188, 252-253,  
259, 265, 269  
microfilariae, 183, 186, 188, 254, **255**, 256, **257**,  
260, 266, **267**, 280, **281**
- X**  
*Xenopsylla cheopis*  
general description, 374
- Y**  
Yeasts,  
in fecal specimen, 104, **105**, 384-386, 385
- Z**  
Zinc sulfate flotation, 419-421  
“Ziploc bag” syndrome, 386