

# Index

Note: **f** refers to figures, **t** refers to tables.

## A

- A blood group, 110, 110t
- AAT deficiency, 414t
- AB blood group, 110, 110t
- ABO blood group system, 106-116, 106f, 107t, 108f, 109-110, 109t, 110t, 111t, 113t, 136
- Abetalipoproteinemia,
- Abnormal localization of immature precursors (ALIP), 300
- Abnormal transepithelial nasal potential difference (NPD) measurement, 411
- Absidia*, 208, 209f
- Acanthamoeba*, 158, 186
- Accuracy, 438
- Acetaminophen, 51-52
- Acetoacetic acid, 65
- Acetone, 65
- Acetylcholinesterase (AChE), 38
- Acid-base disorders, 28-29
- Acid elution test, see Kleihauer-Betke.
- Acidemia, 28
- Acid-fast stain, 183, 214
- Acidified serum test, 256
- Acidosis, 27-28, 30, 30t, 49, 52-53, 64
- Acid phosphatase (ACP), 2, 4
- Acinetobacter*, 153, 218t, 224
  - baumanii*, 153
- Acquired immunodeficiency syndrome (AIDS), see HIV and Human T-lymphotrophic virus.
- Acremonium*, 205, 206f
- Acrocentrics, 391
- Acrodynia*, 54
- Acromegaly, 80
- Actinobacillus actinomycetemcomitans*, 160t
- Actinomyces*, 162t, 208-209, 212t, 220, 232
- Activated clotting time (ACT), 326
- Activated partial thromboplastin time (aPTT), 326
- Activated protein C resistance (APCR), 329, 350
- Acute coronary syndrome (ACS), 13
- Acute fatty liver of pregnancy, 42
- Acute hemolytic transfusion reactions, 136
- Acute hepatic cell crisis, 259
- Acute intoxication, 44
- Acute interstitial nephritis, 86
- Acute lymphoblastic leukemia, 402t. See also lymphoblastic leukemia.
- Acute myeloid leukemias (AML), 139, 303, 305, 307-308, 310
  - acute erythroid leukemia, 307
  - acute myelogenous leukemia (AML-M1), 253t, 256, 402t
  - acute promyelocytic leukemia (APML), 253t, 303, 305
- Acute phase reactants, 17, 19, 19f, 20
- Acute rheumatic fever (ARF), 233
- Acute severe anemia, 270, 270t
- Acute tubular necrosis, 86
- ADAMTS-13, 344
- Addison disease, 24, 78
- Additive solutions, blood components, 129t
- Adenosine deaminase deficiency (ADA), 372
- Adenosine diphosphate (ADP), 322, 325
- Adenosine triphosphate (ATP), 322
- Adenovirus, 149, 151, 153, 164t, 165t, 171
- Adrenal cortex, 77-78
- Adrenal medulla, 78
- Adrenocorticotrophic hormone, 81
- Adsorption, 329
- Adult polycystic kidney disease. See Polycystic kidney disease.
- Adult T-cell leukemia/lymphoma (ATCL), 181, 294
- Adulterant detection, 44
- Aedes aegypti* and *albopictus*, 163t
- Aerobic culture, 213

## Aerobic—Angioblastic

- Aerobic gram-negative bacilli, 152-153
- Aeromonas hydrophila*, 160, 217, 223
- Afibrogenemia, 348
- African sleeping sickness (African trypanosomiasis), see *Trypanosoma*.
- Agammaglobulinemia tyrosine kinase (Atk), 371
- Agnetogenic myeloid metaplasia (AMM), see Myelofibrosis with myeloid metaplasia.
- Alagille syndrome, 8, 414
- Alanine aminotransferase (ALT/SGPT), 3, 9, 10
- ALAS2*, 257
- Albumin, 7, 17, 28t, 40, 83, 89
- Albumin:globulin (A/G) ratio, 7, 32
- Alcohol, 5, 45-46, 45t, 48, 57, 257
- Alder-Reilly anomaly, 373
- Alk gene, 296
- Alkalemia, 28
- Alkaligenes*, 215
- Alkaline phosphatase, 2, 4, 4f, 5, 7f, 42, 72
- Alkalosis, 27-28, 30, 30t, 53
- Alloproteinuria, 420t
- Allergic bronchopulmonary aspergillosis (ABPA), 205
- Allergic transfusion reactions, 138
- Alloantibodies, 259
- Allogeneic donor testing, 104-106, 105t
- Alloimmune thrombocytopenia, 344
- Alloimmunization, HLA, 34, 127
- $\alpha_1$ -acid glycoprotein, 18
- $\alpha_1$ -antichymotrypsin, 66
- $\alpha_1$ -antitrypsin (AAT), 18, 20, 414
- $\alpha$  fetoprotein (AFP), 17, 66, 70
- $\alpha$ -globin chains, 253t
- $\alpha$ -methyl dopa (aldomet), 378
- $\alpha_2$ -macroglobulin, 19
- $\alpha$ -thalassemia, 263t
- Alport syndrome, 416
- Altered cobalt binding assay (ACB), 13
- Alternaria*, 198t, 205, 207, 207f
- Alternate pathway, 323
- Alveolar rhabdomyosarcoma, 403t
- Alveolar soft part sarcoma (ASPS), 399, 403t
- Alzheimer disease, 405
- early onset familial (EOFAD), 405
- Amblyomma americanum*, 163t
- American trypanosomiasis, see Chagas disease.
- Amino acid disorders, 420t
- Aminoglycosides, 55
- Amiodarone, 56, 77
- AML1, 291, 304
- Ammonia, 5, 31, 420t
- Amniotic fluid
- AFP, 404
- bilirubin, 34
- lecithin/sphingomyelin ratio, 39
- phosphatidylglycerol (PG), 39
- Amphetamines, 43t
- Amsterdam criteria, 395
- Amylase, 9-10, 89
- Amyloid, 17
- Amyloidosis, 17, 332t
- Anaerobes
- culture of, 213
- indigenous, 213
- Anaphylactoid reaction, 83
- Anaphylaxis, 83, 383
- Anaplasma*, 230
- Anaplastic large cell lymphoma (ALCL), 253t, 296
- Ancylostoma*
- braziliensis***, 160t, 192
- duodenale***, 192
- Androgen insensitivity syndrome (AIS), 416
- Anopheles* mosquito, 163t
- Anemia, 268
- Anemia of chronic disease (ACD), 268t, 271, 272f
- Aneuploidy, 391
- Angelman syndrome, 422, 423t
- Angioblastic lymphadenopathy (AILD),

## Angiocentric—Aplastic

---

- Angiocentric T-cell lymphoma, 297  
 Angioimmunoblastic lymphadenopathy (ATL), 295  
 Angioimmunoblastic T-cell lymphoma (AITCL), 295  
 Angiolymphoid hyperplasia with eosinophilia,  
 Angiomatoid foci, 286  
 Angiotensin converting enzyme (ACE), 377  
 Anion gap, 29, 46-47, 49, 65, 446  
 Anisakiasis, 194  
 Ankyrin, 252  
 Anterior pituitary, 80  
 Antibody-mediated cellular cytotoxicity, 379  
 Antibody panel, 107, 107t, 108, 108f, 121t  
 Antibody screen, 106, 106f, 107, 107t  
 Anti-cardiolipin antibody (ACA), 329, 333, 353, 353t  
 Anti-centromere antibody, 375t, 376  
 Anticoagulation, 321, 328t  
 Anti-diuretic hormone, 81  
 Anti-double-stranded DNA (dsDNA) antibodies, 375t  
 Anti-endomyseal antibodies, 375t, 377, 381  
 Anti-factor VIII antibodies, 328, 330  
 Antigen frequencies, 142  
 Antigen presenting cells, 364, 366  
 Anti-gliadin antibodies, 381  
 Anti-glomerular basement membrane (GBM) antibody,  
 375t  
 Anti-H antibody, 265  
 Anti-hemophilic factor, 324t  
 Anti-histone antibodies, 375t, 377  
 Anti-human globulin (AHG), 116, 116f, 374  
 Anti-I antibody, 265  
 Anti-i antibody, 265  
 Anti-IH antibody, 265  
 Anti-insulin antibodies, 62  
 Anti-insulin receptor antibodies (AIRAs), 63  
 Anti-intrinsic factor antibody (AIF), 375t, 376t  
 Anti-Jo1, 375t, 383  
 Anti-La antibody, 383  
 Anti-liver-kidney microsomal (LKM) antibodies, 374,  
 377, 382  
 Anti-microsomal antibodies, 76, 375t  
 Anti-mitochondrial antibodies (AMA), 5, 374, 375t, 377  
 Anti-MuSK antibody, 383  
 Anti-myeloperoxidase antibody, 377  
 Anti-neutrophil cytoplasmic antibodies (ANCA), 374,  
 377  
 Anti-nuclear antibodies (ANA), 374, 375t, 382  
 Anti-nucleolar antibodies, 375t  
 Anti-P antibody (APA), 267, 374  
 Anti-pareital cell antibodies, 375t, 377  
 Anti-phospholipid antibody (APL) syndrome, 329, 333,  
 353  
 Anti-PL7 antibody, 383  
 Anti-PM1 antibody, 375t  
 Anti-Pr antibody, 265  
 Anti-proteinase, 377  
 Anti-ribonucleoprotein (RNP), 375t  
 Anti-Ro antibodies, 383  
 Anti-Scl 70 antibody, 375t  
 Anti-Smith (Sm), 375t  
 Anti-smooth muscle antibodies (ASMA), 374, 375t, 377,  
 382  
 Anti-soluble liver antigen/liver pancreas (SLA/LP)  
 antibody, 382  
 Anti-SS-A/SS-B, 375t  
 Anti-synthetases, 383  
 Anti-thrombin (AT), 324, 330, 351  
 Anti-thyroglobulin antibodies, 68-69, 76, 375t, 377  
 Anti-thyroid antibodies, 374, 381  
 Anti-thyroid microsomal antibodies, 377  
 Anti-Titan antibody, 383  
 Anti-transglutaminase antibodies, 381  
 Anti-Xa assay, 327  
*API2* gene, 284  
*APOE* gene, 405  
*APP* gene, 405  
 Aplastic anemia, 176, 256-258, 310

Aplastic—*Bartonella*

- Aplastic crises, 259
- Apolipoprotein, 56, 59, 59t
- Arachis hypogaea*, 163t
- Arbovirus, 157, 179-180
- Arenavirus, 180-181
- Arrhythmogenic right ventricular dysplasia (ARVD), 409
- Arsenic, 53
- Arterial blood gases, 29
- Arthroconidia, 209
- Ascaris lumbricoides*, 192, 193f
- Ascorbic acid, 84
- Aseptate molds, 208
- Asialated transferrin, 87
- Aspartate aminotransferase (AST/SGOT), 2-3, 9
- Aspergilloma (fungus ball), 205
- Aspergillus*, 155-156, 198t, 199, 204, 204f, 209, 212  
*flavus*, 204f, 205  
*fumigatus*, 204-205, 204f  
*niger*, 162t, 204f, 205  
*terreus*, 204f, 205
- Aspirin, 325-326, 340  
 Astrocytomas, 400  
 Astroviruses, 151
- Ataxia-telangiectasia (AT), 258, 372, 424
- Atherosclerosis, 59
- Atk, 371
- ATM* gene, 372
- Atomic absorption spectrophotometry (lead measurement), 50
- Atrophic gastritis, 380t
- Atypical chronic myelogenous leukemia (aCML), 253t, 300
- Atypical lymphocytes (ATL), 273
- Auer rods, 274, 304t, 305
- Auramine-rhodamine stain, 214
- Aureobasidium pullulans*, 207f, 208
- Autoantibodies, 122-127, 374. See also specific antibody.
- Autohemolysis test, 254-255
- Autoimmune cholangitis, 382
- Autoimmune disease, 40, 378-383, 379t, 380t, 381t, 383t
- Autoimmune hemolytic anemia, 123-124, 295, 380t
- Autoimmune hepatitis, 380t, 382
- Autoimmune insulin syndrome (AIS), 62
- Autoimmune pancreatitis, 381-382
- Autoimmune thyroid disorders, 381t
- Autoimmunity, 374-383
- Autosomal chromosomes, 391  
 dominant, 392, 392t  
 recessive, 392, 392t
- Autosomal dominant polycystic kidney disease (ADPKD), 417
- Autosomal recessive polycystic kidney disease (ARPKD), 416
- Avian influenza (H5N1), 178
- Azotemia, 31-32
- B**
- B blood group, 110, 110t
- Babesiosis (*Babesia microti*), 140, 163t, 184, 191, 228, 310
- Bacillary angiomatosis, 229t, 231
- Bacillus*, 212t, 220  
*anthracis*, 172t, 220  
*cereus*, 149, 161t, 220
- Bacitracin susceptibility test, 216
- Bacteria, 212-232  
 culture, 214-217
- Bacterial contamination of blood products, 137
- Bacterial stains, 213-214
- Bacteroides fragilis*, 161t, 215, 221, 233
- Bacteruria, 148
- B-acute lymphoblastic leukemia/lymphoma, see Lymphoblastic leukemia/lymphoma.
- Bak<sup>a</sup>/Bak<sup>b</sup>, 322
- Balantidium coli*, 187, 187f
- Bannayan-Riley-Ruvalcaba syndrome, 397
- Bartonella*, 154, 156, 230  
*bacilliformis*, 161t, 163t, 229t, 231  
*henselae*, 155, 163t, 229t, 231, 278  
*quintana*, 155, 163t, 229t, 231  
 Bartonellosis, 229t

## Bartter—Blood

- Bartter syndrome, 30
- Basophilia, 301
- Basophilic stippling, 49
- Basophils, 243, 366
- B-cell defects, 370
- B-cell maturation, 248t
- B-cell neoplasms, 279
- Bcl-1, 249, 252t, 279, 282-283, 286
- Bcl-2, 249, 276, 279
- Bcl-6, 249, 279, 283
- BCL1* gene, 388
- BCL6* gene, 288
- BCR/ABL, 291
- Beauveria*, 206f
- Becker muscular dystrophy, 407
- Beckwith-Weidman syndrome, 402
- Bence-Jones protein, 22, 32-33
- Bennett-Goodspeed (Bg) antigen, 115
- Berlin syndrome, 424
- Bernard-Soullier syndrome (BSS), 326, 336, 337t, 341, 344t
- $\beta\gamma$ -antibody, 119
- $\beta\gamma$ -bridging, 20
- $\beta$ -globin chains, 253t
- $\beta$ -hydroxybutyrate, 65
- $\beta$ -lipoprotein, 18
- $\beta_2$ -microglobulin (?2M), 33, 71, 292, 367
- $\beta$ -thalassemia, 264, 264t
- Bethesda guidelines, 395
- Bicarbonate, 65
- Bilateral acoustic neuromas, 398
- Bile esculin test, 216
- Bile solubility test, 217
- Bilirubin
  - amniotic fluid, 34, 42
  - conjugated (direct), 6, 8, 271
  - $\delta$ -bilirubin, 7
  - serum, 6
  - transcutaneous, 8
  - unconjugated (indirect), 6, 8
  - urine, 6, 83
- Binet staging, 280, 281t
- Bioterrorism agents, 172t, see also specific agents.
- Biotinidase deficiency, 418
- Bipolaris*, 198t, 205, 207, 207f
- Birt-Hogg-Dube syndrome, 398
- Bisalbuminemia, 17, 20
- Bite cells (degmacytes), 255
- Biuret method, 14
- BK virus, 171
- Blackfan-Diamond syndrome, 257, 275
- Black creek virus, 180
- Black fly, 163t
- Black piedra, 162t
- Bladder tumor antigen (BTA), 73
- Blasts, 246
- Blastoid variant of MCL,
- Blastomyces dermatitidis*, 198t, 200, 200f, 201t, 202, 202t, 203, 211
- Bleeding disorders, 336t
- Bleeding time, 335-336
- Blister cells, 255
- Blood
  - alcohol, 45-46, 45t
  - bacterial contamination, 137
  - collection, 104-106, 105t
  - components, 128-135, 129t, 130t, 131t
  - culture, 156, 213
  - frozen, 130
  - gases, measurement of, 47
  - group antigens, 109-115
  - irradiated, 130
  - lakes, 285
  - shelf-life, 129-130, 129t
  - storage, 129-130, 129t
  - transfusion products, 128-135
  - typing, 107-108
  - urea nitrogen (BUN), 28, 31-32, 65, 82
  - washed, 130
- Blood gas analyzer, 27
- Blood substitutes, 134-135

## Bloom—Carbon

- Bloom syndrome, 258, 424
- B lymphocytes, 248, 248t
- Body fluids, 83-90
- Bombay phenotype, 109-110
- Bordatella pertussis*, 160t, 215t, 218t, 225
- Borrelia*, 227
  - burgdorferi*, 163t, 227, 309
  - recurrentes*, 163t, 228, 309
- Botryomycosis, 160t
- Boutonneuse fever, 229t
- Bowenoid papulosis, 173
- Brachyspira*, 227
  - aalborgi*, 229
  - pilosicoli*, 229
- Branched DNA signal amplification, 390
- Branhamella*, 217
- BRC1* gene, 396
- BRC2* gene, 396
- Breast cancer, 399
- Brill-Zinsser disease, 229t
- Broad casts, 86
- Bromocresol green,
- Bronchiolitis,
- Brucella*, 156, 163t, 172t, 215t, 312
  - abortus*, 224
  - canis*, 161t, 163t, 224-225
  - melitensis*, 161t, 163t, 224-225
  - suis*, 161t, 163t, 224
- Brugia malayi*, 163t, 184, 193t, 193f, 310
- Brugada syndrome, 409
- Bruton disease (X-linked agammaglobinemia), 370-371
- B symptoms, 281, 298
- B-type natriuretic peptides (BNP), 13-14
- Budd-Chiari syndrome, 302
- Bullous pemphigoid, 379t
- Bunyavirus, 180
- Burkholderia*, 172t
- Burkitt lymphoma/leukemia, 253t, 283, 288-290, 291t, 402t
- Burkitt-like lymphoma, 288
- Burr cells, 255
- C**
- CADASIL, 406, 415
- Caffeic acid, 210, 212
- Caffeine-halothane contracture test, 409
- CAIHA. See Idiopathic cold autoimmune hemolytic anemia.
- Calcitonin, 72
- Calcium, 27-28
  - phosphate, 85
  - pyrophosphate, 90
  - pyrophosphate deposition disease, 90
- Calcium disodium ethylenediamine acid (CaNa-EDTA), 50
- Calcivirus, 149, 151
- Calcofluor white, 198
- California encephalitis, 157, 180
- Calymmatobacterium granulomatis*, 227
- CAMP test, 216
- Campy-BAP agar, 214
- Campylobacter*, 149, 151-152, 212t, 214, 216-217, 222
  - jejuni*, 150, 215t, 225
  - perfringens*, 149
- Cancer antigens (CA), 69-70
- CA 15-3, 70
- CA 19-9, 70
- CA 27.29, 70
- CA 125, 69
- Candida*, 149, 155-156, 198t, 209-210, 212
  - albicans*, 199, 209, 210f, 372
  - krusei*, 199, 209
- Cannabis, 43t
- C antigen, 119
- Capnocytophaga canimorsus*, 160t, 225
- Carbohydrate, 56, 60-65
- Carbohydrate antigens, 109, 109t
- Carbohydrate-deficient transferrin (CDT), 46
- Carbohydrate disorders, 420t
- Carbohydrate utilization tests,
- Carbon monoxide, 29, 49, 49t

## Carboxyhemoglobin—Cerebral

---

- Carboxyhemoglobin, 29, 48, 49
- Carcinoembryonic antigen (CEA), 68, 73, 372
- Carcinoid tumors, 72
- Cardiobacterium hominis*, 212t
- Cardiomyopathy, 407
- Cardiopulmonary bypass, platelet defect in, 341
- Carney complex, 397
- Carney triad, 397
- Carriage rates, of bacteria, 232t
- Carrion disease, 161t
- Cartwright (Yt), 119
- Castleman disease, 276, 289, 294
- Catalase test, 216, 219
- Catch 22 syndrome, 423t
- Cat scratch disease, 229t, 231, 278
- C3 convertase, 367
- C5 convertase, 367
- CCND1* gene, 282
- CD1, 248-249
- CD2, 248-249, 291, 294, 297, 300, 305
- CD3, 248-249, 291, 297, 366
- CD4, 182, 248-249, 294, 300, 365
- CD5, 248, 279, 281-283, 286, 288-289, 291, 294, 300
- CD7, 248-249, 291t, 294, 297
- CD8, 248-249, 294, 297, 365
- CD10 (CALLA), 248-249, 283, 286, 288-289, 291t
- CD11b (MAC1), 248-249, 305-306
- CD11c (C3r), 249, 279, 282-283, 286
- CD13, 248-249, 304, 306-308
- CD14, 248-249, 300, 305-307, 309
- CD15 (Leu-M1), 248-249, 296-297, 304, 307, 309
- CD16, 248-250, 256, 297
- CD19, 248-249, 279, 281, 293, 286, 288-289, 291t, 292, 309
- CD20, 248-249, 279, 281, 283, 286, 288-289, 291t, 292, 309
- CD21, 169, 292, 296
- CD22, 248, 250, 279, 283, 286, 288, 292
- CD23 (IgE receptor), 250, 279, 281-282, 286, 288
- CD25 (IL-2 receptor), 250, 286, 294, 309
- CD30 (ki-1, Ber-H2), 250, 289, 296-297
- CD33, 248, 250, 304-309
- CD34, 248, 250, 288, 290, 304, 305-306
- CD38, 248, 250, 279, 281, 292
- CD40, 248, 250
- CD41, 250, 308, 322
- CD42, 250
- CD43, 250, 279, 283, 286, 309, 372
- CD45 (LCA), 248, 250, 289, 296
- CD45-RO (UCHL-1), 250
- CD48, 256
- CD55, 256
- CD56, 248, 292, 297, 300
- CD57 (Leu-7), 250, 297
- CD59, 250, 256
- CD61, 250, 308, 322
- CD62, 337
- CD64, 248, 305, 307
- CD68, 250, 300
- CD79a, 248, 250, 279, 289
- CD99 (p30/32, mic-2, O-13), 251, 282, 290
- CD103, 251, 286
- CD117 (c-kit), 248, 251, 292, 307-309
- CD138, 248, 251, 292, 309
- CD235a, 308
- Celiac sprue, 381
- Central neurocytoma, 400
- Central pontine myelinolysis (CPM), 24
- Centroblast, 283
- Centroblastic lymphoma, 287
- Centrocyte, 283
- Centromere, 374
- Centromeric probe, 388
- Cerebellar hemangioblastoma, 301
- Cerebral autosomal dominant arteriopathy with subcortical infarcts and leukoencephalopathy, 406, 415

Cerebrospinal—*Chlonorchis*

- Cerebrospinal fluid  
 chemistry, 86-88, 87t, 88t  
 culture, 185, 213  
 differentials, 87  
 electrophoresis, 87  
 examination, 86, 185  
 leak, 87  
 meningitis in, 88t  
 oligoclonal bands, 87  
 prealbumin in, 18  
 protein electrophoresis, 4, 22  
 traumatic tap, 86  
 xanthochromia, 86
- Ceruloplasmin, 19, 413
- Cervical dysplasia,
- Cestodes, 195
- CFTR gene, 411
- CH50, 370, 373
- Chagas disease, 140
- Chain of custody, 44
- Chancroid, 160t
- Charcot-Marie-Tooth (CMT), 406
- CHARGE sequence, 423t
- Chediak-Higashi syndrome, 275, 276t, 336, 373
- Cherry-red skin (cyanide poisoning), 52
- Chido, 119
- Chigger, 163t
- Chilomastix mesneli*, 185f, 186
- Chloride, sweat, 82
- Chlamydia*, 149, 155, 231  
*pneumoniae*, 152-153, 161t, 230  
*psittaci*, 172t  
*trachomatis*, 42, 160t, 229
- Chlamydothila psittaci*, 152t, 156, 230
- Cholestasis, 42
- Cholesterol, 6f, 56-60, 57t, 58t, 60t, 62, 62t
- Cholinesterase, 54
- Chloroacetate esterase (CAE), 246
- Chloroma, 303
- CHO test, 218
- Choriocarcinoma, 37
- Chorionic villous sampling (CVS), 404
- Christmas factor, 324t, see Factor IX.
- Chromoblastomycosis,
- Chromogranin A (CGA), 72
- Chromosomal disorders  
 breakage syndromes, 422-425  
 instability syndromes, 423-425  
 structural anomalies, 421-422
- Chronic eosinophilic leukemia (CEL), 253t, 303
- Chronic granulomatous disease, 372
- Chronic idiopathic myelofibrosis (CIMF), see  
 Myelofibrosis with myeloid metaplasia.
- Chronic lymphocytic leukemia (CLL), 22, 279, 290t.  
 See also Small lymphocytic lymphoma (SLL).  
 staging, 281t
- Chronic lymphocytic leukemia/prolymphocytic leukemia  
 (CLL/PLL), 253t, 274
- Chronic myelogenous leukemia (CML), 253t, 301, 403t
- Chronic myelomonocytic leukemia (CMML), 253t, 274,  
 300
- Chronic neutrophilic leukemia, 303
- Chrysops* fly, 163t
- Chrysosporium parvum*, 162t, 202, 206, 206f
- Chylomicrons, 56
- Chylous pleural effusion, 89, 89t
- Ciliates, 187-188
- Circinella*, 209, 209f
- Circulatory overload, 141
- Cirrhosis, 6f, 7, 34
- Citrate effect, 106, 128
- Citrobacter*, 137, 214, 220t, 221-222
- Cladosporium carrionii*, 161t, 198t, 207f, 208
- Classic-type Hodgkin lymphoma, 298
- Clear cell sarcoma (malignant melanoma of soft parts),  
 401, 404t
- Clonidine, 45, 73
- Clonorchis sinensis*, 194t, 194f, 195

*Clostridium*—C-reactive

- Clostridium*, 152, 212t, 220  
*botulinum*, 172t, 220  
*difficile*, 149, 152, 160t, 161t, 213, 215t, 220, 232t  
*perfringens*, 161t, 172t, 220, 262  
*septicum*, 160t, 220  
*tetani*, 220
- Clopidogrel, 340
- Clot retraction test, 326
- Clot stability test, 329
- Clotting cascades, 323f
- Cluster designation, see CD.
- Clusterin, 251, 296
- C-myc, 251, 288
- CNS lymphoma, 288
- Coagulase test, 216
- Coagulation  
  bleeding, 322  
  common pathway, 322, 327  
  defects, 345-350  
  extrinsic pathway, 322  
  factors, 322, 324t  
  intrinsic pathway, 322, 327  
  physiology, 322
- Cocaine, 43t, 44
- Coccidia, 188-191
- Coccidioides* 201  
  *immitis*, 161t, 198t, 199-202, 200f, 202t, 278  
  *posadasii*, 201
- Coccidiomycosis, 152t
- Cockayne syndrome, 258
- Codocytes, see Target cells.
- Cofactors, 2
- Coefficient of variation (CV), 438, 446
- Cold agglutinins, 123, 256-266, 266t, 375t
- Cold agglutinin disease, 264t, 266t
- Cold-reacting antibodies, 118, 123-124
- Collagen, 325
- Collagen vascular disease, 89
- Colon cancer (colorectal carcinoma), 68
- Colony forming units (CFU), 148
- Colorimetry, 14
- Common ALL antigen (CALLA), see CD10.
- Common partial inversion, 345
- Common pathway, 322-323, 327
- Common variable immunodeficiency, 276, 371
- Complement, 366  
  deficiencies, 370, 373  
  pathways, 367  
  C 1 esterase inhibitor (C1Inh) deficiency, 373
- Conductivity, 243
- Confirmatory test,
- Congenital acute leukemia, 308
- Congenital adrenal hyperplasia (CAH), 78-79, 78t
- Congenital amegakaryocytic thrombocytopenia (CAMT), 276t, 344, 344t
- Congenital bilateral absence of vas deferens (CBAVD), 411
- Congenital dyserythropoietic anemia (CDA), 255-256
- Congestive heart failure, 5, 13, 88
- Conn syndrome, 79
- Controls, 441
- Coombs test, 118, 265
- Co-oximeter, 29, 47, 51-52, 262
- Copper, serum, 19, 413
- Core binding factor (CBF), 304-305
- Coronary artery disease, 60-61, 61t
- Corrected count increment (CCI), 446
- Correlation, 443, 443f
- Corticotrophin-releasing hormone (CRH), 77, 81
- Cortisol, 77
- Corynebacterium*, 149, 212t, 220  
  *diphtheria*, 149, 213, 213t, 215t, 221  
  *jeikeium*, 221
- Cosyntropin (cortosyn) stimulation test, 79
- Coulter, 243
- Coumadin, 332t, 334, 349, 352, 354, 356
- Coupled enzyme assay, 2
- Cowden syndrome, 397
- Coxiella burnetii*, 152t, 155-156, 163t, 172t, 229t, 230
- Coxsackie virus, 157, 160t, 162t, 164t, 179, 378
- C peptide (of insulin), 61-62
- C-reactive protein (CRP), 13, 20, 381

## Creatine—Dermatofibrosarcoma

- Creatine kinase (CK), 11-14  
 isoforms, 11-12  
 macro-CK, 12  
 mitochondrial, 12
- Creatinine ( $Cl_{Cr}$ ), 31-32, 82  
 clearance, 9, 446  
 creatinine phosphokinase (CPK), 407
- CREST syndrome, 376, 380t
- Creutzfeldt-Jacob disease (CJD), 140
- Cri-du-chat syndrome, 423t
- Crigler-Najar syndrome, 6f, 7f
- Crimean-Congo virus, 180
- Crithidia luciliae*, 374, 376
- Crohn disease, 85
- Crossmatch, 108-109, 120-121  
 unexpected incompatibility, 116-122, 117f
- Croup, 160t
- Cryoglobulin, 22-23, 176, 267, 367t
- Cryoprecipitate (cryoprecipitated anti-hemophilic factor), 133, 349
- Cryptococcus*  
*neoformans*, 152t, 158, 160t, 198t, 199, 209-210  
*gattii*, 210-211
- Cryptosporidium parvum*, 149, 183-184, 188f, 214
- Culicoides* midge, 163t
- Cunninghamella*, 198t, 209-210, 209f, 210f
- Curvularia*, 205, 207, 207f
- Cushing syndrome, 30, 78
- Cutaneous larva migrans (CLM), 160t
- Cutaneous T-cell lymphoma (CTCL), 294
- Cyanide, 47
- Cyanide-resistant myeloperoxidase, 303
- Cyanohemoglobin method, 242
- Cyclic neutropenia, 276t
- Cyclin D1, see bcl-1.
- Cyclospora*, 149, 183-184, 188
- CYP21A2* (6p21) gene, 416
- Cystathionine- $\beta$ -synthetase deficiency, 353
- Cystatin C, 32
- Cystic fibrosis (CF), 8, 411, 411t  
 transmembrane conductance regulator (*CFTR*), 10
- Cystic hygroma, 404
- Cystic renal dysplasia, 417
- Cystine stones, 85
- Cystinosis, 85, 420t, 421
- Cystinuria, 85, 420t
- Cystitis infectious, see urinary tract infection.
- Cytochemistry, 245, 246t
- Cytochrome a3, 52
- Cytochrome P<sub>450</sub>, 55
- Cytochrome oxidase test, 217
- Cytogenetics, 251, 388, 393, 404-405
- Cytomegalovirus (CMV), 125, 134, 140, 151, 164t, 165t, 166t, 168, 177, 278, 341

**D**

- DBA, 44, 286
- DDAVP, 339-341
- D-dimer, 331
- Decay accelerating factor, see CD55.
- Deer-fly fever, 161t, 163t
- Deer-tick, 163t
- Delayed hemolytic transfusion reactions (DHTR), 136
- Delayed type hypersensitivity, 370
- Deletions, 391
- $\Delta F508$  gene mutation, 403t
- Dematiaceous molds, 199, 207-208, 207f
- Dengue, 180
- Dense granules, 336
- Dent disease, 85
- Denys-Drash syndrome, 402
- Deoxyhemoglobin, 29
- DeQuervain thyroiditis, 381
- DeRitis ratio, 3
- Derivative (der), 392
- Dermatitis herpetiformis, 379t, 381
- Dermatofibrosarcoma protuberans, 403t

## Dermatomyositis—Ehrlichiosis

- Dermatomyositis (DM), 380t, 382
- Dermatopathic lymphadenitis/lymphadenopathy, 278, 294
- Dermatophytes, 198t, 203, 203f
- Desmoplastic small round cell tumor, 403t
- Dessicocytes, 255
- Diabetes insipidus, 25, 81
- Diabetes mellitus, 25, 33, 39-40, 63, 63t, 380t
- Diabetic ketoacidosis, 10
- Diagnostic peritoneal lavage, 89
- Diarrhea, 149-152
- Diazo-colorimetric methods, 6
- Dientamoeba fragilis*, 185f, 186
- Diffuse large B-cell lymphoma, 253t, 287
- DiGeorge syndrome, 28, 28t, 134, 371, 423t
- Digoxin, 54-55, 83
- Digoxin-like immunoreactive substances (DLIS), 54
- diGuglielmo syndrome, 307
- Dilute Russell Viper Venom Time (DRVVT), 333
- Dimeric inhibin A (DIA), 37
- Dimorphic fungi, 199-203, 200f, 202t
- Diphyllobothrium latum*, 194t, 194f, 196, 196f
- Dipylidium caninum*, 184, 196f, 197
- Direct antiglobulin test (DAT), 116, 116f, 118, 122, 124, 135-136, 254, 265
- Direct immunofluorescence (DIF), 374
- Direct sequence analysis (DNA sequencing), 390
- Dirofilaria immitis*, 163t, 194
- Disaturated phosphatidylcholine (DSPC), 40
- Disseminated intravascular coagulation (DIC), 42, 133, 136, 139, 305, 332t, 341, 348-349, 349t
- Dithionate solubility test, 258
- DNA, see Nucleic acids.
- DNAase test, 218
- DNA viruses, 165t
- Döhle bodies, 273, 309, 341
- Donath-Landsteiner antibody, 115, 124, 124t, 267, 267t
- Donor testing, 104-106, 105t
- Donovaniasis, 227
- Dosage, antigenic, 446
- Down syndrome, 37-38, 257, 308, 404, 421
- Drechslera*, 207
- Dressler syndrome, 88
- Drug-resistant tuberculosis, 172t
- Drugs
  - of abuse testing, 42-48, 43t, 48t
  - therapeutic monitoring, 54-56
- Duchenne muscular dystrophy, 407
- Duffy (Fy) blood group, 108f, 114, 117f, 119, 136, 190
- Duke bleeding time, 325
- Duke criteria, 155
- Duncan disease, 169, 372
- Duplication (dup), 392
- Dutcher bodies, 287
- D-xylose absorption test, 381
- Dye binding techniques, 14
- Dysembryoblastic neuroectodermal tumor (dnet), 400
- Dysfibrinogenemia, 20, 334, 348
- Dyskeratosis congenital, 257, 276t
- Dyspoiesis, 299
- Dystrophin muscular dystrophies, 407
- E**
- E6, E7 genes (of HPV), 4.9
- E antigen, 119
- Eastern equine encephalitis, 157, 160t
- Ebola virus, 180
- Echinococcus*, 197
- Echinocytes, 255
- Echovirus, 160t, 164t
- Ectopic pregnancy, 10
- Edward syndrome, 37-38, 421
- Edwardsiella*, 214-215, 220t, 221-222
- Ehrlichia*, 230
  - chaffeensis*, 163t, 229t
  - phagocytophilia*, 163t
- Ehrlichiosis, 229t, 230, 309

*Eikenella*—Esculin

- Eikenella*, 215t, 222
- ELA2* gene, 275
- Elastase-1, 10
- Elective chronic transfusion, 127
- Electrophoresis, 3,4,58,58t,87,258
- amylase, 9
  - capillary, 16
  - cerebrospinal fluid protein, 23, 23f, 87
  - creatine kinase, 11f
  - definition of, 14
  - hemoglobin variants, 244f, 245f
  - lipoprotein, 57-59
  - serum protein, 15, 18f
  - urine protein (UPEP), 22-23, 23f, 83
- ELISA, 181
- Ellinghausen-McCullough-Johnson-Harris (EMJH) medium, 228
- Elliptocytes (ovalocytes), 255
- Elution, 119
- Emden-Meyerhoff pathway, 255
- Emergency transfusion, 127-128
- Emperipolesis, 311
- Encephalitis viruses, 172t
- Endogenous digoxin-like substances (EDLS), 54
- Endogenous erythroid colony formation, 302
- Entamoeba*, 149
- coli*, 184t, 185
  - hartmanni*, 184t, 185
  - histolytica*, 151, 184t, 185
  - nana*, 185
- Enterobacter*, 149, 152, 214, 217, 220t, 221-222
- Enterobacteriaceae*, 212t
- Enterobius vermicularis*, 184, 193, 193f
- Enterococcus*, 148, 216
- Enterogenous cyanosis, 262
- Enteropathy-associated T-cell lymphoma, 297, 312, 381
- Enterovirus, 157, 160t, 164t
- Enzymes, see also specific enzyme.
- cofactors, 2
  - diseases of, 12-13, 254-255
  - hepatic, 3
  - inhibition of, 2
  - competitive, 3, 3f
  - noncompetitive, 2, 3f
  - uncompetitive, 3, 3f
- macroenzymes, 2
- measurement of, 2-3
- Michaelis-Menton kinetics, 7
- myocardial, 10
- pancreatic, 9
- saturation of, 7
- Enzyme-linked antiglobulin test (ELAT), 214
- Eosinophils, 34, 87, 243, 366
- Eosinophilia, 273, 303, 371
- Eosinophiluria, 148
- Ependymal cells, 87
- Epidemic typhus, 229t
- Epidermal growth factor receptor (EGFR), 399
- Epidermodysplasia verruciformis, 171-172, 172t
- Epidermolysis bullosa acquisita, 379t
- Epidermophyton floccosum*, 161t, 198t
- Epinephrine, 73, 325
- Epithelial membrane antigen (EMA), 251
- Epitope, 364
- Epstein-Barr virus (EBV), 166t, 168t, 169-170, 169t, 170f, 177, 266t, 278, 288-289, 297-298, 372
- Erethism, 54
- Error, types of, 445
- Erysipelothrix rhusiopathiae*, 162t, 221
- Erythema chronicum migrans, 227
- Erythrocyte, see red blood cell.
- Erythrocyte sedimentation rate (ESR), 382
- Erythrocytosis, 273, 276t
- Eythroleukemia, 303, 307
- Erythropoietin, 302
- Escherichia coli*, 149-150, 152, 157-158, 160t, 161t, 214, 215t, 220t, 221-222, 372
- O157:H7, 215t
  - EAggEC, 223
  - EIEC, 223
  - EHEC, 223
  - EPEC, 223
  - ETEC, 223
- Esculin hydrolysis test, 217

## Essential—Fibronectin

- Essential thrombocythemia (ET), 302, 303t
- Estimated glomerular filtration rate (eGFR), 64
- Estrogen receptor (ER), 70
- Ethanol, 45, 48, 48t
- Ethylene glycol, 30t, 48, 48t, 49
- ETO gene, 304
- Euthyroid sick syndrome, 75-77, 75t
- Ewing/PNET, 401, 403t
- EWS* gene, 401
- Exophila jeanselmi*, 161t, 198t, 207f, 208
- Exserohilum*, 207, 207f
- Extractable nuclear antigens, 375t
- Extrahepatic biliary atresia, 8
- Extramedullary myeloid tumor, 363
- Extranodal NK/T cell lymphoma, 297, 312
- Extrinsic pathway, 322
- F**
- Fabry disease, 417, 420t, 421
- Factor assays, 331
- FI (fibrinogen), 324t
- FII (prothrombin), 324t
- FV, 323f, 324t, 345
- FVa, 323f
- FV Leiden, 329, 350-351 . See also Activated protein C resistance.
- FVII, 7, 332, 323f, 324t, 346
- FVIIa, 322, 323f
- Factor VIII (anti-hemophilic factor), 324t, 345, 347
- Factor VIII antibodies, 322, 323f, 324t, 335, 337
- FVIIIa, 323f, 345
- FIX (Christmas factor...bah, humbug), 322, 323f, 324t
- FIXa, 322, 323f, 345
- FX (Stuart-Prower factor), 322, 323f, 324t, 347-348
- FXa, 322, 323f
- FXI, 322, 323f, 324t, 347
- FXII (Hagemann factor), 322-323, 323f, 324t, 350, 353
- FXIIa, 323, 323f
- FXIII (fibrin stabilizing factor), 324t
- FXIII gene polymorphism (Val 34 Leu), 347
- Factor deficiencies, 332t, 345-347
  - contact, 348
  - fibrinogen, 348
  - inherited combined, 348
- Familial adenomatous polyposis, 395
- Familial amyloidosis, 407
- Familial dysautonomia, 407
- Familial hypocalciuric hypercalcemia, 25t
- Familial isolated hyperparathyroidism (FIHP), 396
- Fanconi anemia, 257, 275, 276t, 310, 424
- Fascin, 251, 298
- Fasciola hepatica*, 163t, 194-195, 194t, 194f
- Fasciolopsis buskii*, 194t, 194f, 195
- Fatty acids, 56, 60
- Fatty casts, 86
- Fava beans, 255
- Febrile non-hemolytic transfusion reactions, 136-137
- Fecal fat, 11
- Feer syndrome, 54
- Felty syndrome, 275
- Fentanyl, 44
- Ferritin, 271
- Ferrochelatase, 49
- Fetal fibronectin, 39
- Fetal hydantoin syndrome, 55
- Fetal lung maturity (FLM), 39
- Fetal-maternal hemorrhage, 38, 126-127, 244
- Fetal wastage syndrome, 354
- Fever of unknown origin (FUO), 311
- Fibrin degradation products, 323, 331
- Fibrin glue, 323f
- Fibrinogen, 19, 322-323, 323f, 332, 348-349. See also Factor I.
  - Clauss assay, 332
  - Ellis assay, 332
- Fibrinogen deficiency, 133
- Fibronectin, 39, 322

## Filaria—Glanders

- Filaria, 193, 193t
- Filovirus, 180
- FKHR* gene, 402
- Flagellar stain, 217
- Flagellates, 185f, 186-187
- Flavivirus, 228
- Flavobacterium meningosepticum*, 218t, 224
- FLII* gene, 401
- Flow cytometry, 243, 247, 280, 282
  - compensation, 247
  - gating, 246f
  - of APLM, 306
  - of FL, 284
  - of HCL, 287f
  - of MCL, 282f
  - of myeloma, 293f
  - of T-cell proliferation, 295f
- Fluorescence in situ hybridization (FISH), 74, 252, 252t, 291-292, 305, 388, 393, 405
- Fluorescence polarization assay, 40
- Fluorescent isothiocyanate (FITC), 247
- FMC-7, 251, 279
- FMRI* gene, 423
- Foam stability test, 39
- Folate, 268-269, 269t
  - deficiency, 269t, 308
- Follicle center lymphoma, see Follicular lymphoma.
- Follicle-stimulating hormone, 81
- Follicular lymphoma (FL), 253t, 283, 290t, 403t
- Fonsacaea pedrosi*, 161t, 198t, 207f, 208
- Forensic toxicology, 43-54
- Formaldehyde, 49
- Forward typing, 107, 107t, 121, 121t
- Fractional excretion of sodium (FENa), 446
- Fragile X syndrome, 423
- Francisella tularensis*, 152t, 156, 160t, 161t, 168t, 224, 231
- Free erythrocyte protoporphyrin (FEP), 268
- French-American-British (FAB), 304
- Fresh frozen plasma (FFP), 132-133, 349
- Friedewald equation, 57, 446
- Friedrich ataxia, 423
- Frozen red blood cells, 130
- Fungal culture, 198
- Fungal endocarditis, 155
- Fungus ball, 205
- Furazolidone susceptibility test, 216
- Fusarium*, 198t, 205-206, 206f, 212
- Fusobacteria*, 221
- Fy, see Duffy.
- G**
- Gaisbock syndrome, 273, 301
- Galactose uridyl transferase, 420t
- Galactosemia, 418, 420t
- Galactosidase, 420t
- $\gamma$  globulins, 7
- $\gamma$  glutamyl transferase (GGT), 5, 46
- Gammopathy, 22
- Gardnerella vaginalis*, 215t
- Gas chromatography/mass spectrometry, 43
- Gating. See Flow cytometry.
- Gaucher disease, 378, 418, 420t
- Gaussian distribution, 438f
- Gene rearrangement, 251, 393
- Genital pore, 183
- Geotrichum*, 198t, 209, 211
- German measles, 180, see also Rubella.
- Germ cell tumors, 71, 308
- Germ tube test, 209
- Germline, 394
- Gentamicin, 55
- Gestational trophoblastic disease (GTD), 35, 37
- Giant cell arteritis (GCA), 382
- Giardia lamblia*, 149, 184, 185f, 186, 368, 370-371
- Gigantism, 80
- Gilbert syndrome, 7f
- Glanders, 160t

## Glantzmann—Hemochromatosis

- Glanzmann dysfibrinogenemia, 337t  
 Glanzmann thrombasthenia, 326, 337, 340  
*Glucoladium*, 205, 206f, 208  
 Gliomas, 400  
 Glomerular filtration rate (GFR), 31, 40, 64  
 Glomerulocystic kidney disease (GCKD), 417  
 Glomerulonephritis, 86, 176  
 Glucose, 60-65, 63t, 82-83  
 Glucose-6-phosphate dehydrogenase (G-6PD), 190, 254  
 Glycogen, 60  
 Glycogen storage disease, 276t  
 Glycophorin, 308. See also CD235a.  
 Glycoproteins, see GP.  
 Glycosyl phosphatidyl inositol (GPI) anchors, 256  
 Glycosylated hemoglobin, 61  
 GP Ib/V/IX complex, 322, 336, 344  
 GP IIb/IIIa complex, 322, 355  
 GP Ia/IIa complex, 322  
 GP Ic/IIa complex, 322  
 GP IIIa polymorphisms, 355  
 GP IX, 336  
 Graft-vs-host disease, 134, 137-138, 371  
 Gram-negative bacilli, 152-153  
 Gram-negative cocci, 219  
 Gram-positive bacilli, 219-220  
 Gram-positive cocci, 218-219  
 Gram stain, 212-214  
     enteric organisms, stained by, 215  
     morphology, 212t  
 Granular casts, 86  
 Granulocyte, 248, 366  
 Granulocyte concentrates, 132  
 Granuloma, 311  
 Granuloma inguinale, 227  
 Granulomatous lymphadenitis, 278  
 Graves disease, 75, 380t, 381, 381t  
 Gregory (Gy), 119  
 Grey platelet syndrome, 336-337, 344t  
 Growth hormone (GH), 80  
     releasing hormone (GHRH), 80
- H**  
 H antigen, 109  
 HACEK, 154, 232  
 Haddad syndrome, 415  
*Haemophilus*, 214, 215t, 217-218, 225, 259  
     *aegyptius*, 160t, 218t  
     *aphrophilus*, 160t, 218t  
     *ducreyi*, 160t, 218t, 224t  
     *haemolyticus*, 160t, 218t, 224t  
     *influenzae*, 152, 152t, 154-159, 160t, 161t, 213, 218t, 224t, 371  
     *parahaemolyticus*, 160, 218t, 224t  
     *parainfluenza*, 160t, 218t, 224t  
*Hafnia*, 214, 217, 220t, 221  
 Hagemann factor, see Factor XII.  
 Hairy cell leukemia (HCL), 276, 285, 290t, 310  
 Half-life, 42  
 Ham test, see Acidified serum test.  
 Hansen disease (leprosy), 236, 312  
 Hantavirus, 152t, 153, 172t, 180, 309  
     pulmonary syndrome (HPS), 153, 273  
 Haptoglobin, 19, 271  
 Hashimoto thyroiditis, 73, 76, 377, 380t, 381, 381t,  
*HBB* gene, 262  
 Heavy chain, 364  
 Heavy chain disease, 294  
 Heck disease, 172t  
 Heinz body, 255  
*Helicobacter pylori*, 225-226, 312, 341  
 Helmet cells, see schistocytes.  
*Helminthosporium*, 207, 207f  
 Hemagglutination inhibition, 119  
 Hematocrit, 242  
 Hematogone, 311  
 Hematoma, donor, 106  
 Hematuria, 85, 148  
 Hemiglobin, 242  
 Hemochromatosis, 257, 412t  
     hereditary, 412, 412t

## Hemoglobin—Heparin

- Hemoglobin, 19, 242, 244, 258t
- A, 245, 258t
  - A<sub>2</sub>, 245, 258t
  - A<sub>2</sub>, 260
  - acid-elution, 244
  - Bart, 245
  - C, 245, 261
  - Harlem, 261
  - Chesapeake, 261
  - carboxyhemoglobin (HbCO), 29
  - Constant spring, 261
  - D, 245, 261
  - Denver, 261
  - deoxyhemoglobin, 29
  - E, 245, 261
  - electrophoresis, 244
  - F, 245, 258, 258t, 300
  - fetal, 244
  - G, 245, 261
  - Gower, 258t
  - H, 245
  - Hasharon, 262
  - hereditary persistence of fetal hemoglobin (HPFH), 244, 265
  - heterocellular, 244
  - high affinity oxygen, 261
  - Lepore, 245, 261
  - Koln, 262
  - M, 262
  - methemoglobin (Hi; hemoglobin), 29, 262
  - O-Arab, 245
  - oxyhemoglobin, 29
  - pancellular, 244
  - S, 189, 245, 258, 266
  - sickling test for, 244
  - solubility test for, 244
  - substitutes, 135
  - sulfhemoglobin, 29, 262
  - unstable, 261
  - urine, 83
  - variants, 244t
  - zurich, 262
- Hemoglobinopathies, 245, 262
- Hemoglobinuria, 123
- Hemolysis
- acute intravascular, 270
  - autoimmune, 270-271
  - haptoglobin in, 19
  - hyperbilirubinemia in, 6f
  - intravascular vs extravascular, 265, 269t
  - LDH, 4
  - PHH, 256
  - transfusion reactions, 116, 135-136
- Hemolytic anemia, 122, 413
- Hemolytic disease of the newborn, 8, 125-126, 404
- Hemolytic uremic syndrome (HUS), 150, 341, 343
- Hemophagocytic syndrome (HPS), 278, 307, 311-312
- Hemophilia A, 335-336, 339, 345-346, 402
- Hemophilia B, 336, 402
- Hemorrhage, 271
- Hemorrhagic cystitis, 171
- Hemorrhagic fever, 172t, 180
- Hemostasis, 322-345
- Henderson-Hasselbach equation, 29, 446
- Henoch-Schonlein purpura (HSP), 379
- Hepadnavirus, see HBV.
- Heparin
- as additive to blood, 129, 352, 356
  - alanine aminotransferase (ALT) elevation in, 3
  - aspartate aminotransferase (AST) elevation in, 3
  - coagulation defects with, 19
  - factor deficiencies with, 332t, 352
  - hypocalcemia, 28t
  - induced thrombocytopenia (HIT), 341-342
  - low molecular weight (LMWH), 330
  - monitoring, 327
  - prolonged clotting times in, 327-328
  - resistance due to ATIII deficiency, 327
  - resistance due to FVIII increase, 327
  - serum protein electrophoresis in, 18
- Heparin cofactor II, 353

## Hepatitis—Human

- Hepatitis, 137, 173f, 174-177, 413  
 autoimmune, 7, 380t  
 A virus (HAV), 9, 140, 173t, 177  
 B virus (HBV), 140, 173t, 174-175, 174f, 175t, 378  
 blood donor deferral, 104  
 C virus (HCV), 24, 140, 176-177, 176t, 279, 389  
 hepatic injury, 8  
 D virus (HDV), 173t  
 E virus (HEV), 173t, 177  
 G virus (HGV), 173t, 177
- Hepatocellular carcinoma  
 $\alpha$  fetoprotein in, 66, 71  
 Hepatorenal syndrome (HRS), 34
- Hepatosplenic T-cell lymphoma, 297
- Her-2, 70
- Hereditary angioedema (HAE), 373, 379, 383
- Hereditary cancer and tumor syndromes, 394-398  
 Bannayan-Riley-Ruvakaba, 397  
 bilateral acoustic neuromas, 398  
 Birt-Hogg-Dube, 398  
*BRCA1/BRCA2*, 396  
 Carney complex, 397  
 Cowden syndrome, 397  
 familial adenomatous polyposis (FAP), 395  
 juvenile polyposis, 397  
 Lynch syndrome, 394  
 Muir-Torre syndrome, 394  
 multiple endocrine neoplasia types 1&2 (MEN1&2), 396  
 nonpolyposis colorectal carcinoma (HNPCC), 394-395  
 neurofibromatosis types 1&2 (NF1&2), 398  
 Peutz-Jegher syndrome (PJS), 398  
 Proteus syndrome, 397  
 Sipple syndrome, 396  
 tuberous sclerosis, 395  
 Turcot syndrome, 394  
 von Hippel-Lindau disease, 395  
 von Recklinghausen disease, 398
- Hereditary elliptocytosis (HE), 254
- Hereditary fructose intolerance, 420t
- Hereditary hemochromatosis, 367
- Hereditary pyropoikilocytosis (HPP), 254
- Hereditary spherocytosis (HS), 252
- Hereditary stomatocytosis, 254
- Hermansky-Pudlak disease, 336
- Heroin, 44
- Herpes simplex virus (HSV), 157, 228, see also HHV.  
 type 1, 157, 160t, 162t, 164t, 165t  
 type 2, 157, 162t
- Heterophile antibodies, 35, 66, 170  
 interference, 444
- High-complexity test, 441
- High-density lipoprotein (HDL), 57, 57t, 60, 60t
- High molecular weight kininogen (HMWK), 322, 324t
- High pressure liquid chromatography (HPLC), 244, 245, 245f
- High-titer low-avidity (HTLA) antigens, 119
- Hirschsprung disease, 7f, 415
- Hirudin, 327, 332t
- Histamine, 383
- Histiocytoses, 311
- Histochemistry, 246, 246t
- Histone, 374
- Histoplasma capsulatum*, 152t, 186t, 198t, 200-202, 200t, 200f, 201t, 202t, 211, 310
- HIV, 140, 151, 157, 181-182, 182f, 276-277, 289, 389, see also Human T-lymphotrophic virus.
- Hoagland criteria, 169
- Hodgkin lymphoma (HL), 297, 312  
 lymphocyte depleted (LD), 298  
 lymphocyte predominant (LP), 297  
 lymphocyte rich (LR), 298  
 mixed cellularity (MC), 298  
 nodular sclerosis (NS), 298
- Holley (Hy), 119
- Homocysteinemia. See Hyperhomocysteinemia.
- Homocysteinuria, 353, 420t
- Homovanillic acid, 73
- Hook effect, 33, 66
- Hookworms, 192
- Human chorionic gonadotropin (HCG), 35-37, 71

## Human—Hypovolemia

- Human herpes virus (HHV), 157, 166-167  
 HHV-1 (HSV-1), 161t, 166, 166t  
 HHV-2 (HSV-2), 162t, 166t, 167  
 HHV-6, 157, 162t, 166t, 171  
 HHV-8, 166t, 171, 277, 289  
 Human granulocytic ehrlichiosis, 229t
- Human immunodeficiency virus (HIV), see Human T-lymphotrophic virus.
- Human leukocyte antigens (HLA), 115, 134, 138-139, 344, 367-368, 378  
 b27, 369  
 DQ2, 379  
 DR, 115-116, 248, 251, 273, 290, 291T, 304, 307  
 DR2, 378  
 DR3, 378  
 DR4, 378
- Human monocytic ehrlichiosis, 229t
- Human papillomavirus (HPV), 171, 172t
- Human placental lactogen (HPL), 40
- Human T-lymphotrophic virus (HTLV), 140, 181-183  
 HTLV1, 181, 294  
 HTLV3 (HIV1&2), 104, 181, 330
- Hunter disease, 417, 420t
- Huntington disease, 402, 405-406
- Hurler disease, 420t
- Hyaline casts, 34, 86
- Hyalinohyphomycoses, 205, 206f
- Hybrid capture, 390
- Hydralazine, 378
- Hydromorphone, 44
- Hydroxyindoleacetic acid (5-HIAA), 72
- Hydroxylase deficiency  
 11-, 79, 415  
 21-, 415
- Hydroxyprogesterone, 79, 415
- Hydroxytryptamine (5-HT), 72
- Hydroxytryptophane (5-HTP), 72
- Hymenolepis nana*, 196f, 197
- Hyperbilirubinemia, 6f  
 differential diagnosis, 6f, 7f  
 neonatal, 7f
- Hypercalcemia, 25-26, 25t, 289, 294
- Hypercholesterolemia, 59-60, 60t
- Hyperemesis gravidarum, 41
- Hyper eosinophilic syndrome (HES), 274, 303
- Hypergammaglobulinemia, 7
- Hyperglycemia, 64, 446
- Hyperglycemic hyperosmolar nonketonic coma (HHNC), 65
- Hyperhemolytic crisis, 259
- Hyperhomocysteinemia, 353
- Hyperkalemia, 25, 141
- Hyperlipidemia, 446  
 in pancreatitis, 11
- Hypermethylation, 394
- Hypernatremia, 24
- Hyperosmolarity, 65
- Hyperparathyroidism, 5, 25-26, 28, 41
- Hyperproteinemia, 446
- Hypersensitivity reactions, 379
- Hyperthyroidism, 75, 75t
- Hypertriglyceridemia, 60
- Hyperventilation, donor, 104
- Hyperviscosity, 22
- Hypervitaminosis D, 26
- Hypocalcemia, 28, 28t, 141
- Hypofibrinogenemia, 348
- Hypogammaglobulinemia, 22
- Hypoglycemia, 62-63, 80
- Hypokalemia, 25, 141
- Hypomagnesemia, 28, 64
- Hyponatremia, 24
- Hypoparathyroidism, 28
- Hypophosphatasia, 4
- Hypotension, 136
- Hypothermia, 141
- Hypothyroidism, 5, 75-76, 75t
- Hypovolemia, donor, 104

## i12p—Isochromosome

**I**

i12p, 308

I antigen, 118

i antigen, 256-257

Idiopathic cold autoimmune hemolytic anemia (CAIHA), 123

Idiopathic thrombocytopenic purpura (ITP), 40, 125, 380t

IgA deficiency, 371-372

IgE, 371

IL-2 receptor, 181, 372

IL-5 receptor, 274, 366

*IKBKAP* gene, 407

Immune complex, 24, 365t, 379

Immune thrombocytopenia (ITP), 342

Immunoblastic lymphadenopathy (IBL), 295

Immunoblastic lymphoma, 287

Immunodeficiency, 370-373

Immunoelectrophoresis (IEP), 16, 16f

Immunofixation electrophoresis (IFE), 16, 16f, 22

Immunofluorescence, 374

Immunoglobulin, 15-16, 251, 364, 369  
heavy chain (IgH) gene, 393

Immunoglobulin H chains, 253t

Immunohistochemistry, 247

Immunomodulation, 141

Immunophenotype, 247-251

Immunoreactive trypsinogen, 412

Immunosubtraction, 16, 17f, 22

Immunotyping, 16, 17f

Impaired glucose tolerance, 64

Impedance counting, 242

Inclusion body myositis (IBM), 382, 408

India ink, 198

Indirect antiglobulin test (IAT), 116, 118

Indirect immunofluorescence (IIF), 374

Indole test, 217

Infantile fibrosarcoma, 403t

Infectious disease screening, blood donation, 106, 340

Infectious mononucleosis, 123, 169

Infective endocarditis (IE), 154

Inflammatory myopathies, 382-383

Influenza A and B, 153, 160t, 164t, 165t, 172t, 178

Inhibitor, of clotting assays, 327-328

Inhibitor, time-dependent, 328

Insulin, 60-62

Insulin-dependent diabetes mellitus, 380t

Insulin resistance syndrome, 65

Insulinoma, 62

Interference, 444

Interleukin, see IL.

Intermediate density lipoprotein (IDL), 57, 57t

International normalized ratio (INR), 334, 446

International sensitivity index (ISI), 334

International standardization index, 446

International unit (IU), 3

Interstitial nephritis, 86

Intestinal amebae, 185

Intraabdominal desmoplastic small round cell tumor (IADSRCT), 401

Intravascular large B-cell lymphoma, 289

Intrinsic factor, 269

Inversion (inv), 392

*Iodamoeba butschlii*, 185

Iron

deficiency, 14, 49, 192, 267t, 268t, 356, 381

ferric, 242

ferrous, 242

indices, 273

overload, 141

serum, 268

total iron binding capacity (TIBC), 268

Irradiated blood products, 134

Irreversibly sickled cells, 259

Ischemia-modified albumin (IMA), 13-14

Islet  $\beta$  cells, 62

Isochromosome (i), 391

Isohemagglutinin—*Legionella*

Isohemagglutinin (anti-ABO) titer, 369  
 Isoniazid, 378  
 Isopropyl alcohol, 48, 48t, 49  
*Isospora belli*, 149, 183-184, 188, 188f  
 Isotype, 369  
 Ivy bleeding time, 325  
*Ixodes*, 163t

**J**

Jaffe reaction, 31  
*JAG1* gene, 414  
 JAK-2 (janus kinase 2), 301-302, 372  
 Jaundice, 7, 9, 42  
 JC virus, 171  
 Jervell & Lange-Nielsen syndrome, 410  
 Jk, see Kidd.  
 Job syndrome, 371  
 Jones criteria, 233  
 Jordan anomaly, 373  
 Juvenile chronic myelomonocytic leukemia (JMML), 300  
 Juvenile polyposis, 397

**K**

Kallikrein, 323  
 Kallman syndrome, 423  
 Kaposi sarcoma, 171  
 Kappa ( $\kappa$ ) light chains, 253t  
 Karyotype, 389, 391  
 Katal, 3  
 Katayama fever, 195  
 Kawasaki disease, 356  
 Kayser-Fleischer rings, 413  
 Kell (K), 108f, 114, 117f, 126, 136, 265  
 Kearns-Sayre syndrome, 425  
 Kernicterus, 8  
 Ketoacidosis, 30t  
 Ketones, 65, 83, 425  
 Ki-67, 276, 288  
 Kidd, 108f, 112, 117f, 136, 265

Kidney stones, 84  
 Kikuchi-Fujimoto disease, 278  
 Kimura disease, 277  
 Kjeldahl technique, 14  
*Klebsiella*, 149, 157-158, 214, 217, 221-222  
   *pneumoniae*, 152, 161t, 223, 378  
   *rhinosclerlomatousus*, 162t, 223  
 Kleihauer-Betke test, 127, 247  
 Kligler iron agar (KIA), 221  
 Klinefelter syndrome, 422  
 Kostman syndrome, 257, 275, 276t  
 Krabbe disease, 421

**L**

L-aspariginase, 330  
 LaCrosse virus, 157, 180  
 Lactate, 90  
 Lactate dehydrogenase (LDH), 3, 253, 271, 343  
   isoenzymes, 3  
 Lactic acidosis, 30t  
 Lactoferrin, 152  
*Lactobacillus*, 220  
 Lacunar cell, 298  
 LAMB syndrome, 397  
 Lambda ( $\lambda$ ) light chains, 253t  
 Lamellar body number density (LBND), 40  
 Large granular lymphocyte leukemia (LGL), 257, 296  
 Lassa fever virus, 180  
 Latex agglutination, 87  
 Lead, 49  
 Leber hereditary optic neuropathy, 425  
 LE cell, 377  
 Lecithin, 39  
 Lecithin cholesterol acyl transferase (LCAT), 57  
 Lecithin/sphingomyelin (L/S) ratio, 39  
 Lectins, 119-120, 120t  
*Legionella*, 155, 212-213, 213t, 214, 215t  
   *micdadei*, 225  
   *pneumophila*, 152t, 153-154, 161t

*Leishmania*—Lysozyme

- Leishmania*, 163t, 184, 185f, 186-187, 186t, 312
- aethiopica*, 187
  - braziliensis*, 187, 311
  - donovani*, 187, 311
  - major*, 187
  - mexicana*, 187
- Lennert-like variant, 294
- Leprosy, 236, 378, see also Hansen disease.
- Leptospira interrogans*, 227-228
- Lesch-Nyhan syndrome, 417, 421
- Lethal midline granuloma, 297
- Leuconostoc*, 219
- Leukocyte
- alkaline phosphatase (LAP), 247, 256, 273, 301
  - count, 242
  - differential, 243, 243f
  - indices, 243
- Leukocyte esterase, 84, 148
- Leukocyte reduction, 130, 134
- Levey-Jennings chart, 441, 442f
- Lewis (Le), 5, 108f, 112-113, 113t, 117f, 118
- Light chains, 364, see also Kappa ( $\kappa$ ) and Lambda ( $\lambda$ ).
- Light criteria, 88
- Liley chart, 35
- Lineage infidelity, 251
- Linearity, 443
- Lineweaver-Burke plot, 2, 3f
- Lipase, 10
- Lipid-associated sialic acid-P (LASA-P), 71
- Lipids, 56-60, 58t, 59t,
- Lipoprotein lipase, 57
- Lipoproteins, 56-59, 57t, 63, 63t
- Liposarcoma, 404t
- Listeria monocytogenes*, 157-158, 160t, 212t, 216, 220
- Lithium, 55-56
- Liver disease, coagulation defects in, 348
- Liver function tests, 3
- Liver transaminases, 3
- LMAN1* gene, 348
- Loa loa*, 163t, 184, 193t, 193f, 194, 310
- Loboa lobo*, 161t, 212
- Lobomycosis, 161t, 212
- Loeffler syndrome, 274
- Lone star tick, 163t
- Long-acting thyroid stimulating antibody (LATS), 381
- Long QT syndrome, 410
- Loss of heterozygosity (loh) studies, 390
- Louis-Bar syndrome, 372
- Louse, 163t
- Low-density lipoprotein (LDL), 57, 57t, 61, 61t
- Low-incidence antigens, 119
- Lupus, see systemic lupus erythematosus.
- Lupus anticoagulant (LAC), 328-329, 332t, 333, 353, 353t
- Lutheran (Lu), 108f, 114, 117f, 118
- Lyme disease, 228
- Lymphangiogram effect, 277
- Lymphoblastic lymphoma/leukemia, 289-290, 291t, 308
- Lymphocytes, 87, 243
- atypical, 273
  - B lymphocytes, 364, 365
  - maturation, 364-365
  - molecular techniques, 251
  - NK lymphocytes, 364
  - T lymphocytes, 364-365, 364t
- Lymphocytic choriomeningitis virus (LCM), 157-158, 180
- Lymphocytosis, 273, 310
- Lymphogranuloma venereum, 160t, 229, 278
- Lymphomatoid granulomatosis (LG), 289
- Lymphoid clonality, 393
- Lymphomatous polyposis, 312
- Lymphopenia, 276, 368
- Lymphoplasmacytic lymphoma (LPL), 22, 253t, 287
- Lysozyme, 274, 305

## Machupo—Microalbuminuria

**M**

- Machupo virus, 180
- McLeod phenotype, 373
- Macroamylasemia, 10
- Macrocytic anemia, 272f
- Macrocytosis, 273
- Macroglobulinemia, 22
- Mad hatter's disease, 54
- Madura foot, 208
- Madurella*, 208
- Maduromycosis, 208
- Major breakpoint region (MBR), 283
- Major histocompatibility complex (MHC), 115-116, 322, 367, 378
- Major outer membrane protein (MOMP), 229
- Major translocation cluster (MTC) region, 282
- Malaria, 140, 189-191, 310
- Malassezia furfur*, 161t, 198t, 211-212
- Malignancy-associated myositis, 382
- Malignant histiocytosis, 312t
- Malignant hyperthermia (MH), 408
- MALT lymphoma, 253t, 284, 312, 403t
- MALT1* gene, 284
- Mansonella perstans*, 163t, 193t, 193f, 194
- Mantle cell lymphoma (MCL), 253t, 281, 290t, 388, 403t
- Maple syrup urine disease (MSUD), 419
- Marginal zone lymphoma, 284-285, 296
- Mast cells, 364, 366
- Mastocytosis, 285, 309, 383
- Maternal immune thrombocytopenic purpura (ITP), 125
- Mature B-cell neoplasms, 290t
- May-Hegglin anomaly, 341, 344, 344t, 373
- McCoy cells, 229
- McLeod syndrome, 406
- Mean, 438
- Mean corpuscular hemoglobin concentration (MCHC), 242-243, 253
- Mean corpuscular volume (MCV), 46, 242
- Measles, see Rubeola.
- Meconium, 39
- Median, 438
- Mediastinal large B-cell lymphoma, 289
- Mediterranean lymphoma, 312
- Mediterranean thrombocytopenia, 344
- Medium-chain acyl-coenzyme A dehydrogenase (MCAD) deficiency, 410
- Medullary thyroid carcinoma, 28t, 72
- Mees lines, 53
- Megathrombocytes, 341
- Meig syndrome, 88
- Melanocyte stimulating hormone, 78
- Melioidosis, 160t
- Membrane inhibitor of reactive lysis, see CD59.
- Mendelian disorders, 392t, 402-405
- Meningioma, 400, 404t
- Meningitis, 155-156
- Menke syndrome, 19
- Mercury, 54
- Merlin protein, 400
- Messenger RNA (mRNA), 393
- Metabisulfite sickling test, 258
- Metabolic syndromes, 65-66, 417-421, 420t
- Metabolism, inborn error of, 5
- Metacentrics, 391
- Metanephrines, 73
- Metapneumovirus, 179
- Metazoa, 191-197
- Methadone, 45
- Methanol, 30, 48-49, 48t
- Methemoglobin (Hi; hemoglobin), 29, 47
- Methylation, 390
- Methylene tetrahydrofolate reductase (MTHFR) deficiency, 353
- Methyl red (MR) test, 217
- Metyrapone stimulation test, 77
- Microalbuminuria, 33

## Microangiopathic—Myasthenia

---

- Microangiopathic hemolytic anemia, 341, 343
- Micrococci, 216
- Microcytosis, 272f
- Microcytic anemia, 272f
- Microdeletion/microduplication syndromes, 422, 423t
- Microfilaria, 193
- Microlymphototoxicity assay, 368
- Microsatellite instability (MSI), 390-391, 394
- Microscopic polyangiitis, 377
- Microscopic polyarteritis, 379t
- Microsporidium*, 149, 184, 188, 188f
- Microsporium*, 198t
  - canis*, 161t
  - gypseum*, 161t, 203
- Microthrombocytes, 341
- Mielke bleeding time, 325
- Milk-alkali syndrome, 26, 30t
- Miller-Dieker syndrome, 423
- Mitochondrial encephalopathy with lactic acidosis and stroke-like episodes, (MELAS), 425
- Mitochondrial inheritance, 425
- Mitochondrial neurogastrointestinal encephalopathy (MGNIE), 425
- Mixed cellularity (MC), 298
- Mixed connective tissue disease (MCTD), 380t
- Mixed lineage acute leukemia, 291
- Mixed lymphocyte culture (MLC) test, 368
- Mixing studies, 328
- Mixed-type autoantibodies, 123
- MLH1* gene, 394, 395t
- MLH3* gene, 395t
- MLL* gene, 291, 305
- MNS, 108f, 114, 117f, 118-119
- Mode, 438
- Moderate complexity test, 44
- Molecular cytogenetics, 388
- Molluscum contagiosum, 174
- Monoclonal protein/M protein/monoclonal gammopathy, 21, 21f, 22
- Monoclonal gammopathy of unknown significance (MGUS), 293
- Monocytes, 87, 243, 248
- Monocytoid B-cell
  - hyperplasia, 284
  - lymphoma, see Marginal zone lymphoma.
- Monocytopenia, 276, 285
- Monocytosis, 274
- Monosomy, 391
- Moraxella catarrhalis*, 152, 218t, 219-220, 222
- Morganella morganii*, 220t, 221
- Morphine, 43, 44
- M-protein, 22
- MSH2* gene, 394, 395t
- MSH3* gene, 394
- MSH6* gene, 394, 395t
- MTHFR (methylenetetrahydrofolate reductase) gene, 353
- Mucin dot test, 90
- Mucocutaneous candidiasis, 368
- Mucopolysaccharidoses, 420t
- Mucor*, 198t, 208-209, 209f
- Mucosa-associated lymphoid tissue, see MALT lymphoma.
- Muir-Torre syndrome, 394
- Multiple endocrine neoplasia (MEN)
  - MEN1, 66, 396
  - MEN2, 396
- Multiple myeloma (MM), 290-291, see also Plasma cell neoplasms.
- Multiple sclerosis, 22
- Mummified cell, 298
- Mumps, 157, 164t, 179
- Murine typhus, 229t
- MuSK, 383
- Mutation, 393
- Myasthenia gravis, 380t, 383, 383t

*Mycobacterium*—Neurofibromatosis*Mycobacterium*, 233-235, 235t*asiaticum*, 234*avium-intracellulare* (MAI), 151, 226, 234, 235t, 278*bovis*, 234*chelonei*, 160t, 234, 235t, 236*flavescens*, 234*fortuitum*, 160t, 234, 235t, 236*gordonae*, 234*kansasii*, 233-234, 235t, 278*leprae*, 160t, 161t, 214, 236*marinum*, 160t, 216, 233-234, 235t, 236*scrofulaceum*, 234, 235t, 278*simiae*, 234*szulgae*, 234*tuberculosis*, 84, 233-234, 235t, 278*ulcerans*, 160t, 235t, 236*xenophi*, 234, 235t

Mycology, 198-209, 198t

*Mycoplasma**hominis*, 149, 232*pneumoniae*, 152-153, 161t, 232, 259, 264t, 266t, 371

Mycosis fungoides, 294-295

Myelocyte bulge, 273

Myelodysplasia, 253t, 256, 272f

Myelodysplastic/myeloproliferative disorders, 300

Myelodysplastic syndromes (MDS), 298, 299t, 310, 403t

Myelofibrosis with myeloid metaplasia (MMM), 303

Myeloma, see Plasma cell neoplasms.

Myeloperoxidase (MPO)

blast staining with, 246, 246t

deficiency, 370

Myeloproliferative disorders (MPD), 301, 310, 326, 340, 356

Myocardial enzymes, 11

Myocardial infarction, serum markers of, 4, 12-14

Myoglobin, 12, 14, 19

Myoglobinuria, 83

Myotonic muscular dystrophy, 408

Myxoid chondrosarcoma, 403t

Myxoid liposarcoma, 403t

**N**

N-acetylcysteine, 52

N-acetyl-p-benzoquinoneimine (NAPQI), 52

N-acetylprocainamide (NAPA), 55

NADPH oxidase, 2, 372

Naegleria fowleri, 157-158, 186

Nalmefene, 44

Naloxone (narcane), 44

NAME syndrome, 397

Natriuretic peptides, 13-14

Natural killer (NK) cells, 248

Natural killer (NK) cell leukemia, see Large granular lymphocyte leukemia.

Natural killer (NK) cell lymphoma, 364

*Necatur americanus*, 192

Negative predictive value, 439

Negri bodies, 180

*Neisseria*, 212t, 214, 215t, 217, 219*gonorrhoea*, 84, 160t, 213, 218-219, 373*lactamica*, 218-219*meningitidis*, 157-159, 160t, 218-219, 232t, 368, 373

Nemaline rod myopathy, 408

Nematodes, 191-193

Neonate

alloimmune thrombocytopenia (NATP), 40, 125, 341-342

transfusion of, 125

*Neorickettsia*, 230

Nephrogenous cAMP, 25

Nephrolithiasis, 84

Nephronophthisis, 417

Nephrotic syndrome

antithrombin III deficiency in, 330

SPEP in, 20

Neural tube defect, 37-38, 269

prenatal screening, 37

Neuroblastoma, 401, 403t

Neuroendocrine tumors, 72

Neurofibromatosis, 301, 398

Neurologic—*Paecilomyces*

Neurologic abnormalities, 343  
 Neuron-specific enolase (NSE), 73  
 Neutralizing substances, 120t  
 Neutropenia, 275, 276t, 368  
 Neutrophils, 87, 243, 366, 370  
 Neutrophil chemotaxis defects, 373  
 Neutrophil defects, 372-373  
 Neutrophilia, 273  
*NF1* gene, 398  
*NF2* gene, 398  
 Niemann-Pick disease, 418, 420t  
 Nitrate reduction test, 217  
 Nitrite, 84, 148  
 Nitroblue tetrazolium (NBT), 372  
 Nitrogen, 14  
   nonprotein (NPN), 31  
 NK cells, 366, 370  
*Nocardia*, 162t, 208-209, 212t, 213t, 214, 220-221, 232  
 Nodular lymphocyte predominant Hodgkin lymphoma (NLPHL), 297  
 Nodular sclerosis (NS), 298  
 Nongonococcal urethritis, 232  
 Nonroutine antibody panel, 118  
 Nonspecific esterase (NSE), 246, 246t, 304t  
 Noonan syndrome, 422  
 Norepinephrine, 73  
 Normocytic anemia, 272  
 Noroviruses, 149, 151  
 Norwalk virus, 149, 151  
 Norwalk-like viruses, 151  
*NOTCH3* gene, 406  
 Novobiocin susceptibility test, 216  
 NPM (nucleophosmin) gene, 296  
 NSAID, 325, 340  
 Nuchal fold thickness, 37  
 Nuclear matrix protein 22 (NMP22), 73

## O

O blood group, 110, 110t  
 Oil red O, 11, 42, 58  
 Oligoclonal bands, 22  
 Oligodendrogliomas, 400, 404t  
*Onchocerca volvulus*, 163t, 193t, 193f, 194  
 Opiates, 44-45  
 Opsonization, 366  
 Oral glucose tolerance test (OGTT), 63, 63t  
 Orbivirus, 180  
 Order of draw, 445  
 Organic acidemias, 419, 419t  
 Organophosphates, 54  
*Orientia tsutsugamushi*, 229t, 230  
 Ornithine transcarboxylase (OCT), 419  
 Oroya fever, 229t, 231  
 Orthomyxovirus, 177-178  
 Osler-Weber-Rendu syndrome, 322, 335  
 Osmolal gap, 30, 30t, 47, 47t, 446  
 Osmotic fragility test, 253  
 Osteoblast, 310  
 Osteoclast, 310  
 Osteomalacia, 5  
 Osteosclerotic myeloma, 294  
 Ovalocytes, see Elliptocytes.  
 Ovarian carcinoma, 69  
 Overdose, 42, 46-54  
 Oxalate, 49  
 Oxycodon (oxycontin), 44  
 Oxygen saturation gap, 48  
 Oxyhemoglobin, 29

## P

P blood group, 108f, 115, 117f  
 p24 antigen, 181  
 p24 protein, 182  
 Packed red cells, 130, 130t  
*Paecilomyces*, 198t, 206, 206f

## Paget—Phycoerythrin

- Paget disease, 5, 25t
- Pancreas, 7t, 9, 10-11
- Pancreatitis,  
  cysts, 11, 11t  
  enzymes, 9  
  familial recurrent, 10  
  hypertriglyceridemia in, 59  
  lipid disorder, 59, 59t  
  TATI, 69
- Pancreatobiliary adenocarcinoma, 70
- Panel reactive antibody (PRA) test, 368
- Panel, red cell, 117
- Panhypopituitarism, 80
- Pantoea, 220t
- Pantothenate kinase-associated neurodegeneration, 406
- Papovavirus, 171
- PAPP-A, 37
- Pappenheimer body, 255
- Paracoccidioides braziliensis*, 198t, 200f, 201t, 202-203, 202t
- Paraganglioma, 73
- Paragonimus westermani*, 185, 194t, 194f, 195
- Parainfluenza, 153, 160t, 164t, 178
- Paramyxovirus, 178-179
- Parapneumonic pleural effusion, 88
- Paraprotein, 21, see also Monoclonal (M) protein.
- Paraproteinemia, 21f, 22
- Parasitology, 183-197
- Parathyroid adenoma, 25t
- Parathyroid carcinoma, 25t
- Parathyroid hormone (PTH), 25-26, 27t
- Parathyroid hormone related protein (PTHrP), 27
- Paratope, 364-365
- Parkinson disease, 405-406
- Paroxysmal cold hemoglobinuria (PCH), 115-116, 123-124
- Paroxysmal nocturnal hemoglobinuria (PNH), 256, 264t, 267, 271, 310, 353
- Parvovirus B19, 162t, 164t, 171, 257-259
- Pasteurella multocida*, 160t, 217
- Patau syndrome, 421
- Paul-Bunnell heterophile antibodies, 169-170
- PAX3* gene, 402
- PAX5* gene, 287
- PAX6* gene, 402
- PCNA, 288
- PCP, 43t, 45
- Pearson syndrome, 257
- Pedigree, 393
- Pediococcus*, 219
- Pelger-Huet anomaly, 373
- Pemphigus vulgaris, 379t
- Penicillamine, 378
- Penicillium*, 198t, 204, 206, 206f, 212  
  *marneffeii*, 206, 212
- Percutaneous umbilical blood sampling (PUBS), 404
- Periodic-acid Schiff (PAS), 246
- Peripheral T-cell lymphoma, 294  
  interfollicular variant, 294  
  Lennert-like variant, 294
- Peritoneal fluid, 89-90
- Peutz-Jegher syndrome, 398
- PFA-100, 325
- pH, urine, 84
- Phaeoannelomyces werneckii*, 161t, 207f, 208
- Phencyclidine (PCP), 45
- Phenol oxidase, 199, 210
- Phenylketonuria (PKU), 418, 420t
- Phenytoin, 55
- Pheochromocytoma, 73
- Phialophora*, 161t, 198t, 207f, 208
- Philadelphia chromosome, 300-301, 303, 394
- Phosphate, 28
- Phosphatidylglycerol (PG), 39
- Phosphatidyl inositol glycan class A (*PIG-A*) gene, 256
- Phospholipid, 56
- Phycoerythrin (PE), 247

## Picornaviruses—Positive

- Picornaviruses, 179
- Piedraia hortae*, 161t
- Pigmented molds, see Dematiaceous molds.
- Pilocarpine iontophoresis, 411
- Pinworm, 184
- Pituitary, 41, 80
- PL<sup>A1</sup>(HPA-1a), 322, 355
- PL<sup>A2</sup>(HPA-1b), 322, 355
- Plague, 172t
- Plantar wart, 172t
- Plasma
- adsorbed, 329
  - aged, 329
  - transfusion, see Fresh frozen plasma.
- Plasma cells, 248, 248t
- Plasma cell labeling index, 292
- Plasma cell leukemia, 292-293
- Plasma cell myeloma, 291
- Plasma cell neoplasms, 403t
- Plasmacytoma, 22
- Plasmin, 325
- Plasminogen activator inhibitor (PAI-1), 325, 333, 353
- Plasmodium* species, 140, 163t, 184, 189, 191t, see also Malaria.
- falciparum*, 189-191, 191t
  - malariae*, 189, 191t
  - ovale*, 189-191, 191t
  - vivax*, 189, 191t, 254
- Platelet, 242-243
- activating factor, 322
  - adhesion, 322
  - alloantibodies, 138
  - aggregation studies (aggregometry), 322, 325, 327f
  - agonists, 322
  - bleeding, 325
  - count, 243
  - degranulation, 32
  - disorders, 336
  - factor 4 (PF4), 322
  - flow cytometry, 326
  - granules, 322, 326
  - mean volume (MPV), 322
  - refractoriness, 139, 344
  - satellitosis, 341
  - survival time, 322
  - transfusion, 131-132, 131t
  - von Willebrand disease, 327f
- Platelet-derived growth factor (PDGF), 322
- Platelet refractoriness, 139
- Platelet-rich plasma, 131t, 325
- Platelet-type von Willebrand disease, 329
- Plesiomonas*, 223
- Pleural fluid, 88-89
- Plumbism, see Lead.
- PML* gene, 305
- PMP22* gene, 405
- PMS2* gene, 394, 395t
- PNET/Ewings, see Ewings/PNET.
- Pneumococcus*, 158
- Pneumocystis carinii*, 185, 191, 371-372
- Pneumonia, 152-154, see also specific infectious agents.
- POEMS syndrome, 277, 294
- Poliovirus, 164t, 179
- Polyagglutination, 119
- Polyarteritis nodosum (PAN), 377, 379t
- Polycystic kidney disease, 416
- autosomal dominant (ADPKD), 417
  - autosomal recessive (ARPKD), 416
- Polycythemia vera (PV), 276t, 301, 302t
- Polymerase chain reaction (PCR), 252, 252t, 389-390, 393, 402, 405
- Polymorphic reticulosis, 297
- Polymyalgia rheumatica (PMR), 382
- Polymyositis, 380t, 382
- Polyomavirus, 171
- Polyploidy, 391
- Porphyromonas*, 221
- Positive antibody screen, 116
- Positive crossmatch, 120
- Positive predictive value (PPV), 66, 439

## Posterior—Prothrombin

- Posterior pituitary, 80
- Postmortem chemistry, 82-83, 82t
- Postpartum pituitary apoplexy, 41
- Postpolycythemic myelofibrosis with myeloid metaplasia (PPMM), 302
- Post-transfusion purpura (PTP), 138, 342
- Post-transplant lymphoproliferative disorder (PTLD), 289
- Potassium, 25, 65, 82
- Poxviruses, 173t
- PRAD 1, see bcl-1.
- Prader-Willi syndrome, 422, 423t
- Prealbumin, 17, 22, 74
- Preanalytic variable, 444
- Precision, 438
- Precursor B-lymphoblastic leukemia/lymphoma, see Lymphoblastic leukemia/lymphoma.
- Precursor T-lymphoblastic leukemia/lymphoma, see Lymphoblastic leukemia/lymphoma.
- Pregnancy
  - acute fatty liver in, 42
  - alkaline phosphatase in, 4-5
  - ceruloplasmin in, 19
  - ectopic, 10, 35
  - heteropic, 35
  - karyotyping, 42
  - lab tests in, 6f, 34, 40, 40t, 339
  - sickle cell disease in, 260
  - TTP in, 343
- Prekallikrein, 322-323, 324t
- Premature rupture of membranes, 39
- Prenatal diagnosis, 404
- Preterm labor (birth), 38
- Pretest probability, 439
- Pretransfusion testing, 106-109
- Prevalence, 66, 439
- Prevotella*, 22
- Priapism, 260
- Primary biliary cirrhosis (PBC), 377-378, 380t, 382
- Primary effusion (body cavity) lymphoma (PEL), 289
- Primary pulmonary hypertension, 355
- Primary sclerosing cholangitis (PSC), 377
- Procainamide, 55, 378
- Proficiency testing, 441
- Progesterone receptor (PR), 70
- Progressive multifocal leukoencephalopathy (PML), 171
- Progressive transformation of germinal centers, 297
- Prolactin, 80-81
- Prolactinoma, 80
- Proliferating cell nuclear antigen (PCNA), see Ki-67.
- Prolonged PTT, 328t
- Polymphocyte, 279-280
- Polymphocytic leukemia (PLL), 285-286, 290t
- Pro-opio melanocortin (POMC), 81
- Propionibacterium*, 212t, 220
  - acnes*, 159
- Propoxyphene, 45
- Prospect hill hantavirus, 180
- Prostate cancer, 66-68, 74
- Prostate cancer 3 gene, 74
- Prostate specific antigen (PSA), 66-68
- Prostatic acid phosphatase, 4
- Protein, 17-20, 83, see also specific protein.
  - antigens, 109, 109t
  - 4.2, 252
  - Kjeldahl technique, 14
  - protein/creatinine ratio, 32
  - quantitation of, 14
  - urine, 32, 83
- Protein C, 324t, 333, 352
- Protein S, 324t, 333, 352
- Proteinuria
  - glomerular, 23, 32
  - overflow, 23
  - tubular, 23
- Proteus mirabilis/vulgaris*, 85, 214, 215t, 220t, 221-222
- Proteus syndrome, 397
- Protoplasmic astrocytoma, 400
- Protoporphyrin, 49
  - zinc (ZPP), 49
- Prothrombin, 323f, see factor II.
- Prothrombin fragment (PF 1+2), 334
- Prothrombin G220210A mutation, 351

## Prothrombin—Refsum

Prothrombin time (PT), 334  
 Prothrombin variant (20210), 334  
 Protine (PT), 7, 9, 328t  
*Prototheca whickerhamii*, 201, 212  
 Protozoa, 185-191  
*Providencia stuartii*, 214-215, 220t, 221-222  
 Provider performed microscopy (PPM), 441  
 Proviral DNA, 182  
 Pruritis, 6f  
*PSENI* gene, 405  
*Pseudoallescheria boydii*, 161t, 198t  
 Pseudo-Chediak-Higashi granules, 304  
 Pseudocysts, 9  
*Pseudomonas*, 137, 217, 221, 224  
   *aeruginosa*, 152t, 153, 158, 160t, 161t, 215t, 218t  
   *cepacia*, 152t, 218t, 233, 372, 412  
   *fluorescens*, 216  
   *mallei*, 160t  
   *pseudomallei*, 160t  
*PTEN* gene, 397  
 PTEN-related disorders, 397  
*PTPNII* gene, 422  
 PTT, see Activated partial thromboplastin test.  
 Pulmonary embolism (PE), 88, 331  
 Pulse oximeter, 29, 51  
 Pure red cell aplasia, 257  
 Purine nucleoside phosphorylase (PNP) deficiency, 372  
 Punnett square, 439f  
 Purkinje cells, 180  
 Pyelonephritis, 148  
 Pyrrolidonyl- $\beta$ -naphthylamide (PYR) test, 216  
 Pyruvate kinase (PK) deficiency, 255  
 Pyuria, 148

## Q

Q fever, 229t, 230, 330  
 QT interval, 410  
 Quality control, 440  
 Quinidine, 54-55  
   thrombocytopenia, induced by, 344

## R

Rabies, 165t, 172t  
 Radioactive iodine uptake (RAIU), 75  
 Radioallergosorbent test (RAST), 369  
 Rai staging, 280, 280t  
 Ramsay Hunt syndrome, 168  
 Ranson criteria, 10, 10f  
 Rapidly progressive glomerulonephritis (RPGN), 86  
 Raynaud syndrome, 376  
*RBI* gene, 400  
 Reactive follicular hyperplasia (RFH), 276  
 Receiver operating characteristic curve (ROC), 439  
 Recurrent respiratory papillomavirus (RRP), 172  
 Red blood cell  
   antigen associations, 143  
   antigen frequencies, 142t  
   casts, 86  
   components, 128-135, 129t, 130t, 131t  
   count, 242  
   dimorphism, 34  
   disorders, 252-273  
   distribution width (RDW), 242  
   fragments, see Schistocytes.  
   frozen, 130  
   indices, 242  
   irradiated, 130  
   mass, 302  
   morphologic abnormalities, 270t  
   panel, 107  
   transfusion, 135-141  
   washed, 130  
 Reduviid bug, 163t  
 Reed-Sternberg (RS) cell, 297  
 Reference intervals, 440  
 Refractory anemia (RA), 299t  
   with excess blasts (RAEB), 299t  
   with ringed sideroblasts (RARS), 299t  
 Refractory cytopenia with multilineage dysplasia (RCMLD), 299t  
   with ringed sideroblasts (RCMLD-RS), 299t  
 Refsum disease, 418

Regan—*RYRI*

- Regan isozyme, 4
- Reider cells, 274
- Relative risk, 439
- Renal cell carcinoma, 69, 301, 399  
   clear cell, 404t  
   papillary, 404t  
   translocation in, 404t
- Renal failure, 32-34, 33t
- Renal function tests, 31-33, 33t, 54
- Renal infarction, 4
- Renal insufficiency, 9, 33t
- Renin, 79
- Reptilase time, 334
- Respiratory distress syndrome (RDS), 39
- Respiratory syncytial virus (RSV), 153, 160t, 164t, 165t, 179
- Restriction enzymes, 390
- Restriction fragment length polymorphisms (RFLP), 252, 252t, 402
- Reticular dysgenesis, 257, 276t
- Reticulocytes, 243  
   corrected count (CRC), 243, 271
- Reticulocyte proliferation index, 243, 445
- Retinoblastoma, 400
- Retinoic acid receptor, 305
- Retrovirus, 181
- Reverse typing, 107, 107t, 121, 121t
- Reye syndrome, 410
- R factor, 269
- Rh, 35, 106-116, 108f, 110-112, 110t, 117f, 265
- Rh D sensitization, 126
- Rh null, 111
- Rhabdomyolysis, 45
- Rhabdomyosarcoma, 402
- Rheumatic fever, 233
- Rheumatoid arthritis (RA), 276, 279, 380t
- Rheumatoid factor (RF), 375t
- Rh immune globulin, 126-127
- Rhinosporidium seeberi* (rhinosporidiosis), 161t
- Rhinovirus, 179
- Rhizomucor*, 198t
- Rhizopus*, 198t, 208, 209f
- Rhodococcus equi*, 221
- Rhodotorula*, 198t, 199, 209, 211-212
- Ribosome-lamellar complexes, 286
- Rickettsia*, 230, 312  
   *akari*, 163t, 229t  
   *conorii*, 163t, 172t, 229t  
   *prowazekii*, 163t, 172t, 229t  
   *rickettsiae*, 160t, 163t, 229t  
   *tsutsugamushi*, 163t  
   *typhi*, 163t, 229t
- Rickettsial pox, 229t
- Rift valley fever virus, 180
- Riley-Day syndrome, 415
- Ring chromosome (r), 391
- Ringed sideroblasts, 299, 299t
- Ristocetin, 325, 336-337  
   cofactor assay, 335
- RNA, 243, see also nucleic acids.
- RNA viruses, 165
- Robertsonian translocation, 391
- Rocky Mountain spotted fever, 160t, 229t
- Romano-Ward syndrome, 410
- Rosai-Dorfman disease, 277
- rosebud, 478
- Roseola infantum, 171
- Rotavirus, 149, 151, 161t, 180
- Rotor syndrome, 7f
- Rubella, 162t, 180, 341
- Rubeola, 157, 162t, 165t, 179, 278
- Rumack-Matthew nomogram, 51, 51f
- Russel Viper Venom Time, 333
- RYRI* gene, 409

## Sabia—Small

**S**

- Sabia virus, 180
- Saccharomyces*, 198t, 209, 212
- St Louis encephalitis, 157, 160t
- Salicylates, 30t, 53, see also Aspirin.
- Salmonella*, 149-150, 152, 158, 172t, 214, 216, 221-222, 259
- choleraesuis*, 220t, 223t
  - enteritidis*, 220t
  - paratyphi*, 220t, 223t
  - typhi*, 215t, 220t, 223
- Salivary enzymes, 9
- Sandfly, 163t
- Sandhoff disease, 418
- Sapporo-like viruses, 151
- Sapoviruses, 151
- Sarcocystis*, 188, 188f
- Sarcoidosis
- angiotensin converting enzyme in, 377
  - hypercalcemia in, 26
  - SC disease, 260
- Scedosporium apiospermum (P boydii)*, 199, 202, 204, 206, 206f, 208
- Schistocytes, 343
- Schistosoma*, 163t, 195, 195f
- hematobium*, 195, 195f
  - intercalatum*, 195
  - japonicum*, 195
  - mansoni*, 195, 195f
  - mekongi*, 195
- Sda antibodies, 119
- Schwachman-Diamond syndrome, 257, 275, 275t
- Scleroderma, 374, 380t
- Sclerosing mediastinitis, 288
- Sclerosing pancreatitis, 381
- SCN5A* gene, 409
- Scombroidosis, 383
- Scopulariopsis, 206, 206f
- Scrub typhus, 229t
- Secretor (Se), 113, 113t
- Seemanova syndrome, 424
- Sensitivity, clinical, 438
- Sensitivity, analytical, 443
- Sensitivity ratio, 329
- Sepedonium*, 206, 206f
- Sepsis, 8
- Seronegative spondylarthropathies, 380t
- Serotonin, 72
- Serotonin release assay, 343
- SER-PINAI (P1)* gene, 414
- Serratia*, 137, 152, 214, 217, 220t, 221-223
- marcescens*, 153, 158, 220t, 223
- Serum, 273
- Serum-ascites albumin gradient, 89
- Serum autoantibodies 375t, 376t
- Serum erythropoi (EPO), 273
- Serum protein electrophoresis (SPEP), 15, 15f, 18f
- Serum viscosity, 22
- Severe acute respiratory syndrome (SARS), 154, 275
- Severe combined immunodeficiency (SCID), 371
- Serum soluble transferring receptor, 268
- Sézary syndrome, 294-295
- Sheehan syndrome, 41, 80
- Shiga toxin, 150
- Shigella*, 149, 151-152, 214, 215t, 216, 221-222
- Shingles, 167
- Shprintzen syndrome, 371
- Shulman syndrome, 274
- SH2DIA* gene, 372
- Sickle cell disease, 127, 258-259
- Sickle cell trait, 260
- Sideroblastic anemia, 256-257
- Simple tandem repeats (STRs), 390
- Sin Nombre virus, 180
- Sister chromatid exchanges (SCEs), 424
- Sjögren syndrome, 276, 380t, 383
- Small lymphocytic lymphoma (SLL), 22, 279, see also Chronic lymphocytic leukemia (CLL).

Smith—*Syncephalastrum*

- Smith-Lemli-Optiz syndrome, 38, 415
- Smith-Magenis syndrome, 423t
- Smoldering myeloma, 293
- Smudged cells, 279
- Sodium fluoride (NaF), 246
- Sodium phosphate, 128
- Solitary plasmacytoma, 293
- Solvent exclusion effect, 444
- Somatostatin, 80
- Southern blot, 252, 252t, 390, 393, 402, 405
- Spatz syndrome, 406
- Specific gravity, 84
- Specificity, 439
- Spectral karyotyping, 389
- Spectrin, 252
- Spectrophotometry, 6, 14, 242
- Spherocytes, 254
- Sphingolipidoses, 420t
- Spirochetes, 213t, 227
- Splenic lymphoma with villous lymphocytes, 284-285
- Splenic sequestration crisis, 259
- Spontaneous abortion, 37
- Spontaneous bacterial peritonitis (SBP), 34
- Spontaneous chromosomal breakage, 258
- Sporothrix shenckii* (sporotrichosis), 161t, 198t, 200f, 202, 202t
- Spur cells, see Acanthocytes.
- Sputum examination, 154, 185
- SSX1* gene, 402
- SSX2* gene, 402
- Stalk effect, 80
- Standard deviation, 438, 446
- Standard deviation index (SDI), 443
- Staphylococcus*, 216
  - aureus*, 149, 152t, 154-155, 159, 160t, 161t, 162t, 215t, 216, 218-219, 232t, 233, 412
  - delphini*, 219, 233
  - epidermidis*, 155, 216, 219
  - hyicus*, 219, 233
  - intermedius*, 160t, 219, 233
  - saphrophyticus*, 148, 149, 216, 219
- Steinert disease, 408
- Stem cells (hematopoietic), 247
- Stemphilium*, 208
- Sticky platelet syndrome, 355
- STK11* gene, 398
- Stodtmeister cell, 373
- Stokes shift, 247
- Stool, 201, 213
- Storage pool defect, 340
- Strand displacement amplification (SDA), 390
- Streptobacillus moniliformis*, 161t, 215t
- Streptococcus*, 218
  - agalactiae* (group B strep), 158-159, 160t, 219
  - anginosus*, 219
  - bovis*, 154-155, 160t, 216, 219
  - epidermidis*, 154
  - faecalis*, 154
  - milleri*, 154-155
  - mitis*, 154, 219
  - mutans*, 154-155, 219
  - pneumoniae*, 152, 152t, 155, 157, 159, 160t, 161t, 162t, 212t, 217, 219, 232t, 259, 368, 371-372
  - pyogenes* (group A strep), 160t, 161t, 162t, 219
  - salivarius*, 155, 219
  - sanguis*, 154-155, 219
- Streptomyces*, 162t, 208, 221
- Strongyloides stercoralis*, 184, 192, 193f, 236
- Struvite, 85
- Subcutaneous panniculitic T-cell lymphoma, 297
- Submetacentrics, 391
- Sucrose hemolysis test, 256
- Sudden cardiac death, 13
- Sulfhemoglobin (SHb), 29, 242
- Sulfmethemoglobin, 47
- Superoxol test, 218
- Supravital dye, 243
- Sustained virologic response, 177
- Sweat chloride tests, 411-412
- Synaptophysin, 72
- Syncephalastrum*, 209, 209f

## Syndrome—Ticlopidine

---

Syndrome of inappropriate antidiuretic hormone (SIADH), 65, 84

Syndrome of persistent polyclonal B lymphocytes, 273

Syndrome X, 65

Synovial fluid, 90, 90t

Synovial sarcoma, 402, 404t

Syphilis, 140, 226, 226t, 227t, 267, 276

Systemic lupus erythematosus (SLE), 40-41, 81, 354  
drug-induced, 377, 380t

## T

T activation, 119

T-acute lymphoblastic lymphoma/leukemia, see  
Lymphoblastic leukemia/lymphoma.

*Taenia*, 183-184

*saginata*, 184, 195-196, 196f

*solium*, 163t, 184, 196, 196f

Tamm-Horsfall protein, 32, 83

Tapeworms, 195-197, 196f

*Taq* polymerase, 389

Target cells (codocytes), 260

Tartrate resistant acid phosphatase (TRAP), 4

Tau protein, 19

Tay-Sachs disease, 418, 420t

T cell, 248, 248t, 365, 370

defects, 371-372

maturation, 248, 248t

neoplasms, 294

receptor (TCR), 251, 253t, 365

gene, 39

T-cell-rich B-cell lymphoma, 287

Teardrop cells, see Dacrocytes.

TEL gene, 291, 300

Temporal artery biopsy, 382

Tenase complex, 323

Terminal deoxynucleotidyl transferase (TdT), 248, 288,  
290, 291t, 311

Tetraploid (4n), 391

*TFE3* gene, 399

T- $\gamma$  lymphoproliferative disorder, 296

Thalassemia, 262-263, 272f

Thayer-Martin medium, 214

Therapeutic drug monitoring (TDM), 54

*Thermus aquaticus*, 389

Thiocyanate, 52

Thrombin, 323f

Thrombin time, 334

Thrombocytopenia, 138, 273, 341, 343, 344t, 368

-absent radii (TAR) syndrome, 257, 336, 344, 344t

Thrombocytosis, 301, 356

Thrombophilia, 350-251

Thrombomodulin, 323

Thromboplastins, 334

Thrombopoietin receptor (*MPL*) gene, 344

Thrombosis, 40, 259, 302, 350-355, 348, 350t

Thrombotic thrombocytopenic purpura (TTP), 341, 343,  
349, 349t

Thromboxane A<sub>2</sub> (TXA<sub>2</sub>), 322, 340

Thymoma, 257, 383

Thymus, 371

Thyroglobulin, 68-69

Thyroid-binding globulin (TBG), 40-41, 74, 77

Thyroid carcinoma, 68, 381

Thyroid chemistry, 74

Thyroid disorders, 41

Thyroid function tests, 74-75, 75t

T3 resin uptake (T3RU), 74

free T4/free T3 (FT4/3), 74

Thyroid releasing hormone (TRH), 75, 75t

Thyroid stimulating antibody, 375t

Thyroid stimulating hormone (TSH), 75, 75t, 381

Thyroid stimulating immunoglobulin (TSI), 75, 381  
long lasting (LATS) antibodies, 75

Thyrotropin (TSH), 69

Thyroxin-binding prealbumin (TBPA), 17

Ticlopidine, 340

## Tinea—Tzanck

- Tinea*  
*capitis*, 204  
*corporis*, 204  
*cruris*, 204  
*pedis*, 204  
*unguium*, 204
- Tinea versicolor, 161t, 212
- Tissue plasminogen activator (tPA), 325, 335, 353
- TMP-SXT, 216
- Togavirus, 180
- Torulopsis glabrata*, 155-156, 198t, 210
- Total iron binding capacity (TIBC), 268
- Toxic granulation, 273, 309
- Toxicology, 42-56
- Toxidrome, 46, 47t
- Toxocara*, 194
- Toxoplasma gondii* (toxoplasmosis), 185, 186t, 188, 188f, 341
- Transaminases, 6f, 8-9, 42
- Transcobalamin, 269, 269t
- Transcription-mediated amplification (TMA), 389
- Transferrin, 19, 22
- Transfusion-associated acute lung injury (TRALI), 115, 138  
 graft-vs-host disease, 115, 134, 137  
 metabolic derangements, 141
- Transfusion complications, 141t
- Transfusion reactions, 122, 135
- Transient erythrocytopenia of childhood (TEC), 257
- Transient myeloproliferative disorders (TMD), 308
- Translocations, 391  
 Robertsonian, 391
- Transplantation, 369
- Transretinoic acid, 305
- Transthyretin (TTR), 17, 74
- Trematodes, 194-196
- Trench fever, 229t
- Treponema pallidum*, 140, 227, see also Syphilis.
- Trichinella spiralis*, 194
- Trichomonas vaginalis*, 185f, 186
- Trichophyton*, 161t, 198t, 199, 204  
*rubrum*, 201, 203, 203f  
*mentagrophytes*, 203f  
*tonsurans*, 203f
- Trichosporon beigelii*, 161t, 198t, 199, 209, 211
- Trichuris trichiura*, 191-192
- Tricyclic antidepressants, 53
- Triglyceride, 40, 56-57, 57t
- Trinucleotide repeats, 422-423
- Trisomy, 399
- Tropheryma whippelii*, 155-156, 226, 278, see also Whipple disease.
- Troponins, 12-14
- Trypanosoma*, 184, 187, 310  
*brucei*, 162t, 163t, 187  
*cruzii*, 140, 162t, 163t, 185f, 186t, 187, see also Chagas disease.
- Trypsin, 10
- Trypsinogen, 10  
*PRSS-1*, 10
- Tryptase, 383
- Tsetse fly, 163t
- TTR gene, 407
- Tuberculosis, see *Mycobacterium tuberculosis*.
- Tuberous sclerosis, 395
- Tubular casts, 86
- Tularemia, 160t
- Tumor-associated trypsin inhibitor (TATI), 69
- Tumor markers, 66-74, see also specific markers.
- Tumor necrosis factor (TNF), 115, 367
- Turcot syndrome, 394
- Turner syndrome, 38, 345, 421
- TWAR bacillus, 230
- Typhus, 229
- Tyrosinemia, 420t
- Tzanck smear, 167

## Ulcerative—von Willebrand

## U

Ulcerative colitis, 377, 380t  
 Ulcerative jejunoileitis, 297  
 Ulceroglandular fever, see Tularemia.  
 Uhl anomaly, 409  
*Ulocladium*, 207-208, 207f  
 Ultracentrifugation, 58  
 Unconjugated estriol, 37  
 Undulant fever, 161t  
 Uniparental (paternal) disomy, 422  
 Urate, 90  
 Urea, 5, 31, see also Blood urea nitrogen (BUN).  
 Urea cycle disorders, 419, 419t  
*Ureaplasma urealyticum*, 42, 149, 232  
 Urease test, 199, 217  
 Uremia, 30, 30t, 341  
 Urethritis, 148  
 Urinalysis, 34  
 Urinary tract infection, 41, 84, 148-149  
 Urine  
   alcohol, 34  
   ascorbic acid, 84  
   bilirubin, 84, 84t  
   chemistry, 83-85  
   crystals, 85t  
   culture, 213  
   cytogenetics, 404  
   glucose, 83  
   hemoglobin, 83  
   ketones, 83  
   leukocyte esterase, 84  
   microscopy, 85-86, 86t  
   nitrite, 84  
   PCA3/DD3, 74  
   pH, 84  
   protein, 29, 83  
   protein electrophoresis, 27-29, 83  
 Urobilinogen, 6, 84, 84t  
 Urothelial carcinoma, 73

## V

V factor, 218t  
 Vanillylmandelic acid (VMA), 73  
 Variant cluster region (VCR), 283  
 Varicella zoster virus (VZV), 157, 162t, 164t, 166t, 167  
 Variola, 173-174  
 Vasovagal reactions, donor, 104  
 VCS technology, 243  
 Vectors, 162, 163t  
 Velocardiofacial syndrome, 371, 423t  
 Verruga peruana, 161t, 229t, 231  
 Very low density lipoprotein (VLDL), 56, 57t  
*Vibrio*, 149-150, 172t, 212t, 217  
   *cholerae*, 150, 215t, 218, 223  
   *parahemolyticus*, 150, 223  
   *vulnificus*, 150, 160t  
 Viral load, 182-183  
 Viridans streptococci, 154-155  
 Virus, 162-166  
   cell cultures, 162-165, 167  
   cytopathic effect, 165  
   inclusions, 165t  
   shell vial technique, 165  
 Visceral larva migrans, 160t  
 Vitamin B<sub>12</sub>, 268-269, 269t, 301, 308  
 Vitamin D, 28, 28t  
 Vitamin K, 7, 332t, 336, 347, 356  
 Vitreous fluid, 82  
 Voges-Proskauer test, 217  
 Volume of distribution, 43  
 Voltage, 242  
 von Hippel-Lindau disease, 395  
 von Recklinghausen disease, 398  
 von Willebrand disease (vWD), 133, 325-326, 336-338, 337t, 338t, 345  
   platelet type, 339  
   type Vicenza, 339  
 von Willebrand factor (vWF), 133, 322, 335, 337, 343-344

## Waardenburg—Zygomycetes

---

### W

Waardenburg syndrome, 415  
*WAGR* syndrome, 402  
 Waived testing, 440  
 Waldenström macroglobulinemia, see Lymphoplasmacytic lymphoma.  
*Wangiella* dermatitidis, 161t, 198t, 207f, 208  
 Warfarin, see Coumadin.  
 Warm autoimmune hemolytic anemia (WAIHA), 122, 264t, 265  
 Warm-reacting antibodies, 118, 122  
 Warthin-Finkledy cells, 278  
 Washed cells, 134  
 Waterhouse-Friderichsen syndrome, 78  
 Waxy casts, 86  
 Weak D phenotype, 111  
 Wegener granulomatosis, 377, 379t  
 Weibel-Palade bodies, 337  
 Weil disease, 228  
 Weiner nomenclature, 50  
 Well syndrome, 274  
 West Nile virus, 157  
 Western blot, 181, 182f  
 Western equine encephalitis, 157, 160t  
 Westgard rules, 441  
 WHIM syndrome, 276t  
 Whipple disease, 277  
 Whipple triad, 62  
 Whipworm, 191-192  
 White blood cell casts, 86  
 White blood cell disorders, 273-308. See also specific named disorders.  
     benign, 273-278  
     malignant, 279-308  
 Whole blood, 130, 130t  
 Whooping cough, 160t  
 Wien-Penzing defect, 355  
 Williams syndrome, 423  
 Wilms tumor, 401-402

*WT1* gene, 401-402

*WT2* gene, 401

Wilson disease, 7f, 8, 19, 406, 413

'Window period', 175

Wiskott-Aldrich syndrome, 275, 336-337, 337t, 344t, 368, 372

    protein (WASP), 372

Wolf syndrome, 423

*Wucheria bancrofti*, 163t, 184, 193t, 193f, 310

### X

Xanthelasma, 59

Xanthochromia, 86

Xanthoma, 59, 59t

*Xanthomonas maltophilia*, 218t, 224

Xeroderma pigmentosum, 258, 423

X factor, 218t

X-linked disorders, 85, 169, 392

### Y

Yellow fever, 172t, 180

*Yersinia*, 172t, 222, 278

*enterocolitica*, 137, 150, 215t, 220t, 222

*pestis*, 161t, 172t, 212t, 222

*pseudotuberculosis*, 222

    Yolk sac tumor, 71

    York (Yka), 119

Yt, see Cartwright.

### Z

Zellweger syndrome, 418

Ziehl-Neelson, 214

Zinc protoporphyrin (ZPP), 268

Zoster, 167, see also Varicella zoster virus.

Zygomycetes, 198t, 199, 208-209, 212