

Index

Numbers in **boldface** refer to pages on which figures and tables appear.

A

ABC gene, 171-172

ABCD1 gene, 165

Abdominal wall defects

gastroschisis, 119

omphalocele (exomphalos), 119

Achondroplasia, **8**, 42-43, **42**

Acquired defects, 9

ACTA1 gene, 188

ACTN4 gene, 87, **87**

Activated protein C resistance, 59

Acute lymphoblastic leukemia (ALL)/lymphoma, 262-263

B-cell, **256**

classification, 262

molecular findings, 262

receptor gene rearrangement, **256**

structural/chromosomal anomalies, **263**

T-cell, **256**

Acute myeloid leukemia (AML), generally, 275-277, **276**

not otherwise categorized, 277

with $t(8;21)(q22;q22)$, 275

with $inv(16)(p13q22)$, 275

with $t(16;16)(p13;q22)$, 275

with $t(15;17)(q22;q21)$, 276

with anomalies of 11q23 (MLL), 276

with multilineage dysplasia, 276

with MDS, therapy-related, 276

ACVRL1 gene, 120

ADAMTS13 gene, 49

Addison disease, 111

Adenosine deaminase (ADA) deficiency, 140, **140**

ADTP3A gene, 47

Adrenoleukodystrophy, 107

Adult polycystic kidney disease, **8**

Adult T-cell leukemia/lymphoma (ATCL), 265

Afibrinogenemia, 56

Agnogenic myeloid metaplasia (AMM), 273

AIRE gene, 129

Alagille syndrome, **39**, 101, 122

ALAS2 gene, 80

Albright hereditary osteodystrophy, 109-110, **109**

Alder-Reilly anomaly, 145

Aldolase deficiency, 72

Alkaptonuria, **159**, 160

ALK-NPM gene, 266

Allele, 25

α IIb gene, 49

α -1—Ataxin

-
- α -1 antitrypsin (AAT) deficiency, **8**, 126-127, **127**
 associated alleles, **127**
 clinical presentations, **127**
- α -thalassemia, 22, 76
 mental retardation syndrome, 77
 syndromes, 76-78, 77
- Alport syndrome, 86
- Altered oxygen affinity hemoglobins, 75
- Alveolar rhabdomyosarcoma, **237**
- Alveolar soft part sarcoma, **237**
- Alzheimer disease, 178, **178**
 early-onset familial Alzheimer disease (EOFAD), 178
- Amino acid disorders, generally, 159, see also specific disorder
- Amino acid nomenclature, 7
- AML1* gene, 275
- Amniocentesis, 23
- Amyloidosis, generally, 98-100, **99**, 183, see also specific amyloidosis
- Amyotrophic lateral sclerosis (ALS), 184
- Anaplastic large cell lymphoma (ALCL), 266
- Anaplastic meningioma, 235
- Anderson disease, **162**
- Anderson-Tawil syndrome, 97, **97**
- Androgen insensitivity syndrome, 107
- Aneuploidy, 25
- Angelman syndrome, **10**, 38, **38**, **39**
- Angioimmunoblastic T-cell lymphoma (AITCL), 265
- Angiomatoid fibrous histiocytoma, **237**
- Angiomyolipoma, **230**
- Aniridia/WAGR syndrome, 221
- ANKB* gene, 97
- ANK1* gene, 70
- Antithrombin deficiency (antithrombin III deficiency), **58**, 60
- Anticipation, 11, 25
- APC-associated syndromes, 210
 clinicopathologic features, 245
 molecular features, 244
 molecular testing, 246
- APC* gene, 210-211, **243**, 246-247
- Apert syndrome, 119
- API2* gene, 259
- Aplastic anemia, **79**
- APO-B100* gene, 171
- APOE* gene, 172, 178
- Apolipoproteins, 169
- APP* gene, 178
- AR* gene, 107, **182**
- Arrhythmogenic right ventricular dysplasia (ARVD), 96
- Arteriohepatic dysplasia, 122
- Askin tumor, 236
- Aspergillus* species, 144, 150
- Asthma, **42**
- Astrocytoma, **234**
- Ataxia-telangiectasia (A-T), **10**, 108, 139, 146, **147**, 221
- Ataxin, **41**

ATK— β -chain*ATK* gene, 138*ATM* gene, 146*ATP7A* gene, 181*ATP7B* gene, 126Atransferrinemia, **125***ATRX* gene, 77

Atypical lipoma, 240

Autoimmune disorders, generally, 138-152, see also specific disorder

and inheritance, 150

enteric disease, 121

enteropathy, 121

liver disease, 128

cholangitis, 128

hepatitis, 128-9

primary biliary cirrhosis (PBC), 129

monogenetic conditions, 151

neutropenia, 144

polyglandular syndromes, 111, **111**

renal disease, 88

rheumatoid arthritis (RA), 152

seronegative spondyloarthropathies, 152

Sjogren syndrome, 151

systemic lupus erythematosus, 151

thyroid disease, 111

Autosomal, 25

Autosomal dominant (AD), generally, 9, **52**, **79**, **87**, see also specific disorderAutosomal recessive (AR), generally, 9, **52**, **72**, **79**, **87**, see also specific disorderin Ashkenazi jews, **24****B**

Bacillary angiomatosis, 205

Bacterial infection

antimicrobial resistance, 205

diagnosis, 205

Bannayan-Riley-Ruvalcaba syndrome, 214, 219

Bardet-Biedl syndrome, 122

Barth syndrome, **142**, 144*Bartonella henselae*, 203Bases, **2**

BAX gene, 245

B-cell and immunoglobulin defects, generally, 138-139, see also specific defect

B-cell neoplasms, generally, 256-262, see also specific neoplasm

gene rearrangement, 256

BCL1 gene, 258*BCL2* gene, 231, 258-259*BCL3* gene, 257*BCL6* gene, 260-262*BCL10* gene, 259*BCR* gene, 248, **263**, 271-272Becker muscular dystrophy, 98, 184, **185**Beckwith-Wiedemann syndrome, **10**, 120, 221

Benign familial hematuria, 86

Berlin syndrome, 148

Bernard-Soulier syndrome (BSS), 46, **46**, **47** β -chain variants, 74, 74

β-catenin—Cardiac

- β-*catenin* gene, 244
- β3 gene, 49
- β6glu...lys, 74
- β26glu...lys, 74
- β thalassemia, 22, 75
 syndromes, 76-78, **76**
- BHD* gene, 217
- Bilateral acoustic neuromas, 220
- Bilateral renal agenesis, 90
- Biliary atresia splenic malformation (BASM) syndrome, 123
- Biliary fibrocystic disease, 122
- Biliary tract diseases, generally, 122-123, see also specific disorder
- Bilirubin disorders
 of canalicular secretion, 128
 of conjugation, 127
- Binswanger disease, **178**
- Birt-Hogg-Dube syndrome, 217
- BKT* gene, 138
- Blackfan-Diamond syndrome, 78, **79**
- Blastic NK-cell lymphoma, 267
- BLM gene, 147, **147**
- Bloom syndrome, **10**, 14, **24**, 147, 210
- Blue diaper syndrome, **169**
- Blue rubber bleb nevus syndrome, 120
- BMPRIA* gene, 214
- Bordetella pertussis*, 205
- Borrelia burgdorferi*, 205, 259
- Bourneville disease, 217
- BRAF* gene, 245
- BRCA* gene mutations, 78, 215
- BRCA1* gene, 214-216, **215**, 232
- BRCA2* gene, 214-216, **215**, 232
- Breast cancer, generally, 240-242, see also specific tumor
- Breast cancer-associated mutations, 211, 216
- Brugada syndrome, 96
- Bruton (X-linked) agammaglobulinemia, **8**, 138
- Budd-Chiari syndrome, **58**, 273
- Burkholderia* species, 150
 cepacia, 129, 143
- Burkitt lymphoma/leukemi, 261, 278
- C**
- CACNA1S gene, 189
- CADASIL, **178**
- Canavan disease, **24**, **159**
- CAPN3* gene, **187**
- Carbohydrate disorders, 161-162, **162**, see also specific disorder
- Cardiac channelopathies, 96-98
- Cardiac
 conduction disorders, generally, 96-98, see also specific disorder
 structural disorders, generally, 100-101, see also specific disorder

Cardiomyopathy—Citrullinemia

- Cardiomyopathy, generally, 98, see also specific disorder
- Carney complex, 218-219
- Caroli disease, 122
- Carpenter-Waziri syndrome, 77
- Carrier testing, 21, 24
- Cartilage-hair hypoplasia (CHH) syndrome, 142
- CASQ2* gene, 98
- Castle disease, 239
- Castleman disease, 260
- Catch-22 syndrome, **39**
- Catecholamine-induced polymorphic ventricular tachycardia (CPVT), 98
- CAV3* gene, **187**
- CBS* gene, 160
- CCND1* gene, 258, 260
- CDH1* gene, 214
- CDKN1C* gene, 221
- Celiac sprue, 121
- Cell cycle, 4
- Central nervous system tumors, generally, 233-235, see also specific tumor
- Central neurodegenerative disease, generally, 178-181, **178**, see also specific disorder
- Cerebral amyloid angiopathy, 99, 183
- Cerebral autosomal dominant arteriopathy, 180
with subcortical infarcts and leukoencephalopathy (CADASIL), 180
- Cervical cancer, generally, 242, see also specific tumor
- CFTR gene, 129-131
common gene mutations, **130**
- Charcot-Marie-Tooth (CMT) disease, 182
- CHARGE sequence, **39**
- Chediak-Higashi syndrome, 46-47, **48**, 81, 141-142, **142**
- CHEK2* gene, 221
- Chlamydia* species
pneumoniae, 205
psittaci, 259z
trachomatis, 205
- CHN* gene, 240
- Chondrodysplasia, **42**
- Chorionic villus sampling (CVS), 23
- Christmas disease, 54
- Chromosomal breakage syndromes, generally, 26, 146, 221, see also specific syndrome
- Chromosomal disorders, 101
- Chromosome breakage analysis, 14
- Chromosome enumeration probes (CEPs), 233
- Chromosomes, 3, 12-14
- Chronic eosinophilic leukemia (CEL), **271**, 274, **278**
- Chronic granulomatous disease (CGD), **8**, 144
- Chronic idiopathic myelofibrosis (CIMF), 273
- Chronic lymphocytic leukemia (CLL/SLL), **278**
- Chronic mucocutaneous candidiasis, 142
- Chronic myelogenous leukemia (CML), 270, **271**, **278**
- Chronic neutrophilic leukemia (CNL), **271**, 274
- Chronic renal failure, **42**
- Citrullinemia, **159**

Clear—Cyclic

-
- Clear cell sarcoma, **237**
- CLCN5* gene, 88
- Clefts, **10**
- C-MET* gene, 217
- CMPL* gene, **79**
- Coexistent chronic eosinophilic leukemia and T-cell lymphoblastic lymphoma, 263
- Cohen syndrome, **142**
- COL4A3* gene, 86
- COL4A4* gene, 86
- COL4A5* gene, 86
- COL4A6* gene, 86
- Color blindness, **8**
- Colorectal cancer, generally, 243-247, **243**, see also specific tumor
- Common γ chain (C γ C) deficiency, **140**
- Common variable immunodeficiency (CVI), 138, **142**
- Complement component deficiencies, generally, 145
 - membrane attack complex components (C5-C9), 146
 - of classic pathway components (C1q, C2, C4), 145
 - of C3, 145
 - of terminal complement components, 146
 - of C1 esterase inhibitor (C1 Inh), 146
- Conformation-sensitive gel electrophoresis, 20
- Congenital diseases, generally, 26, see also specific disease
 - adrenal hyperplasia (CAH), **8**, 106
 - amegakaryocytic thrombocytopenia (CAMT), 49, **79**, 81
 - dyserythropoietic anemia (CDA), 80
 - heart disease, **10**, **42**
 - hepatic fibrosis (CHF), 122
 - hypothyroidism, 110
 - mesoblastic nephroma, **237**
 - nephrotic syndrome of the Finnish type, 86, **87**
 - night blindness, **109**
 - sideroblastic anemia, 80
- Conradi syndrome, 165
- Contiguous gene syndromes, 10, 27, 37-40, see also deletions and specific syndrome
- Copper disorders, 181
- Cori disease, **162**
- Cornelia de Lange syndrome, 119
- Coronary artery disorders, generally, 100, see also specific disorder
- Cowden syndrome, 214, **215**, 219
- Craniosynostosis, 192
- Creutzfeldt-Jacob disease (CJD), **178**, 181
- Cri-du-chat syndrome, 38
- Crigler-Najjar syndrome, 127-128, **128**
- Crohn disease, **42**, 121
- Cronkhite-Canada syndrome, 214
- Cryptosporidium* species, 149-150
- CTF β* gene, 275
- CTLA-4* gene, 111, 129
- Cushing syndrome, **42**
- CXCR4* gene, 143
- Cyclic neutropenia, 142, **142**

CYP11B1—Dilated

CYP11B1 gene, 106*CYP21* gene, 106Cystic fibrosis, **8**, 22, **24**, **42**, **169**

Cystic hygromas, 23

Cystic renal dysplasia, 90

Cystinosis, **159**Cystinuria, **159**, **169**

Cytochrome P-450 Enzymes

2D6, 286

and tamoxifen, 286

2C9, 286

and warfarin, 286

2C19, 286

and diazepam, 287

and omeprazole, 287

and phenytoin, 287

Cytogenetics, 12-14, **34****D***DBA1* gene, 79*DBH* gene, 184*DCC* gene, 244

Debrisoquine hydroxylase, 286

Deformational plagiocephaly, 192

Deletions, 27, 37-40, see also specific syndrome

Dentatorubral-pallidoluysian atrophy, **10**, **41**

Denaturing gradient gel electrophoresis (DGGE), 20

Denaturing high-pressure liquid chromatography (DHPLC),
20

Dent disease, 88

Denys-Drash syndrome, 87, **87**Dermatofibrosarcoma protuberans, **237**Desmoplastic smallround cell tumor, **237***DJ-1* gene, 179

deQuervain thyroiditis, 111

DMD gene, 184-185

DeSanctis-Cacchione syndrome, 148

DNA

index, 27

sequencing, 18

structure, 2-3

replication, 4

Diabetes mellitus, **10**, 112

type-1 (insulin-dependent DM), 112

type-2, 112

monogenetic causes of, 112

Diagnostic applications, generally, 21-24

carrier testing, 24

clinical diagnosis, 22

HLA typing, 24

neonatal screening, 23

prenatal diagnosis, 23

Diagnostic methods, generally, 12-21, see also specific
methodDiffuse large B-cell lymphoma (DLBCL), 259-261, **278**DiGeorge syndrome, 10, **39**, 100-101, 109, 139-140

Dilated cardiomyopathy, 98

Direct—env

-
- Direct mutation analysis, 22
- Direct sequence analysis, 18
- Disappearing bile duct syndrome, 123
- Disinhibition-dementia-parkinsonism-amyotrophy complex (DDPAC), 179
- DKC1* gene, 79, 80, 143
- Dominant negative mutation, 27
- Dopamine β -hydroxylase (DBH) deficiency, 184
- Down syndrome, 23, 34, 79, 191
 - ACOG screening recommendations, 35-36
 - Alzheimer disease, 179
 - human chorionic gonadotropin (hCG), 35
 - inhibin A, 35
 - integrated screen, 35
 - maternal serum α -fetoprotein (MSAFP), 35
 - pregnancy-associated protein (PAPP-A), 35
 - quadruple screen, 35
 - qualitative ultrasound, 35
 - short stature, 42
 - structural cardiac anomalies, 101
 - unconjugated estriol (uE), 35
- DSP* (ARVD8) gene, 96
- DTNBPI* gene, 47
- Dubin-Johnson syndrome, 128, 128
- Duncan disease, 8, 141
- Duplication, 27
- Duchenne muscular dystrophy, 8, 98, 184, 185
- Dwarfism, 42-43, see also specific syndrome
- DYSF* gene, 187
- Dysfibrinogenemia, 56-57, 58
- Dyskeratosis congenita, 79-80, 79, 81, 142, 143
- Dyspoiesis, 268
- Dystrophin muscular dystrophies, 184
- E**
- Eagle-Barrett syndrome, 91
- EDNRB* gene, 118, 190
- EDN3* gene, 190
- Edward syndrome, 36, 36
- EGFR* genes, 235, 241, 248
- EGR* gene, 182
- Ehlers-Danlos syndrome, 8
- 8p11-12 stem cell syndrome, 263
- ELA2* gene, 79, 143
- Elevated plasma Lp(a), 171
- Elevated plasminogen activator inhibitor type 1, 62
- 11-hydroxylase deficiency, 106
- Emden-Myerhoff pathway, 72
- Emery-Dreifuss muscular dystrophy (EDMD), 185, 188
- Endocardial fibroelastosis, 99, 99
- Endomyocardial fibrosis, 99, 99
- Endothelial nitric oxide synthase (eNOS) deficiency, 100
- ENG* gene, 120
- Enhancers, 7-8
- env* gene, 203

Epstein—Familial

- Epstein Barr virus, 141
- Ehrlichia chaffeensis*, 203
- Ehrlichiosis, 203
- Esophageal atresia, 118-119
- Essential fructosuria, **162**
- Essential thrombocythemia (ET), **271**, 273
- ETO* gene, 275
- Euchromatin, 4
- Ewing/PNET tumor, 236, **237**
- EWS* gene, 236
- Excision Repair Cross Complementation, Group 1 (ERCC1), 288
and non-small cell lung cancer, 288
- Expressivity, 9
- EXT1* gene, 220
- EXT2* gene, 220
- Extrahepatic biliary atresia (EHBA), 123
- Extranodal (nasal-type) NK/T-cell lymphoma, 267
- Extraskelatal myxoid chondrosarcoma, 240
- EYAI* gene, 190
- F**
- Fabry disease, **164**
- Facioscapulohumeral muscular dystrophy (FSHD), **185**, 187
- Factor I deficiency, **52**
- Factor II deficiency, **52**, **56**
- Factor V deficiency, **52**, 55
- Factor V Leiden, 55, **56**, 58, 59-60
- Factor VII deficiency, **52**, 54, **56**
- Factor VIII deficiency, **8**, 50-55, **50**, **52**, **56**
- Factor IX deficiency, **8**, **52**, 54
- Factor IX Leiden, 54, **56**
- Factor X deficiency, **52**, 55
- Factor XI deficiency, **52**, 55, **56**
- Factor XII deficiency, 62
- Factor XIII deficiency, **52**, 56
- Familial-type disorders
- adenomatous polyposis (FAP), **8**, 210
 - amyloidosis, 99
 - amyloid polyneuropathy, 99
 - apo C-II deficiency, **170**
 - atypical multiple mole and melanoma (FAMMM) syndrome, 215
 - autosomal recessive corticosteroid-resistant nephritic syndrome, 88
 - benign hypercalcemia, 110
 - benign thrombosis, 57
 - cardiac amyloidosis, 99
 - clear cell renal cell carcinoma, 217
 - combined factor deficiencies, 56, **56**
 - combined hyperlipidemia, **170**, 172
 - dysautonomia, **24**, 184
 - dysbetalipoproteinemia, **170**, 172
 - fatal insomnia, 181
 - FSGS, **87**
 - hemophagocytic lymphohistiocytosis (FHL), 141-142

Familial—FMR1

-
- hypocalciuric hypercalcemia, 109-110, **109**
 - hypophosphatemic rickets, **169**
 - hypercholesterolemia (FH), **8**, 170
 - hyperchylomicronemia, 171
 - hypertriglyceridemia, **170**, 171
 - lipoprotein lipase deficiency, **170**
 - Mediterranean fever, 151
 - medullary thyroid carcinoma (FMTC), 218
 - Pick disease, 179
 - prion disease, 181
 - spongiform encephalitis, 181
 - thrombotic thrombocytopenia purpura (TTP), 49
- FANC* genes
- A* gene, 78, **79**, **147**, 148
 - B* gene, 78, 148
 - C* gene, 78, **79**, **147**, 148
 - D1* gene, 78
 - D2* gene, 78
 - E* gene, 78
 - F* gene, 78
 - G* gene, 78, **79**, **147**, 148
- Fanconi anemia, **10**, 14, **24**, 78, **79**, 81, **142**, **147**, 148, 221, 268
- Fatal familial insomnia, 181
- Fatty acid oxidation disorders, 165, **166**
- carnitine deficiency, **166**
 - long-chain/very long chain acyl-CoA dehydrogenase (LCAD/VLCAD) deficiency, **166**
 - long-chain 3-hydroxyacyl-CoA dehydrogenase (LCHAD) deficiency, **166**
 - medium-chain acyl-CoA dehydrogenase (MCAD) deficiency, **166**
- Fecal DNA for colon cancer screening, 247
 - Fechtner syndrome, **46**
 - Feingold syndrome, 119
 - femA* gene, 206
 - Fetal hemoglobin, 78
 - FGA* gene, 56
 - FGB* gene, 56
 - FGFR1* gene, 263
 - FGFR2* gene, 192
 - FGFR3* gene, 43, 233
 - Fibrinogen deficiency, 56
 - Fibrous dysplasia, **109**
 - FIPIL1-PDGFR4* fusion gene, 274
 - First-degree relative, 27
 - 5,10-methylenetetrahydrofolate reductase (MTHFR), 288
 - FKHR* gene, 238
 - FLII* gene, 236
 - Fluorescence in situ hybridization (FISH) and derivatives, 14-15
 - centromeric probes, 14
 - chromogenic in situ hybridization, (CISH), 16
 - comparative genomic hybridization (CGH), 16
 - gene-specific probes, 14
 - locus-specific probes, 14
 - painting probes, 14
 - tissue microarray, 16
 - spectral karyotyping imaging (SKI, MFISH), 15
 - FMR1* gene, 40, **41**

FN1—GH1

-
- FNI* gene, 260
- Follicular lymphoma (FL), 258, **278**
- 45,X, 34, **34**, **36**
- 46,XY, 107
- 47,XXX, 23
- 47,XXY, 23, 37, 191
- Founder effect, 27
- Fragile X (FRAX) syndrome, **8**, **10**, 13, 40-41, **40**, **41**, 191
- FRDA* gene, **41**, 42
- Friedreich ataxia, **10**, **41**, 42
- Frontotemporal dementia, **178**, 179
- FTH1* gene, **124**
- Fulminant hemophagocytic syndrome, generally, 141, see also specific syndrome
- G**
- gag* gene, 203
- Galactosemia, 161, **162**
- Gallstone disease, 123
- GALT* gene, 163
- Gardner syndrome, 210
- Gastrointestinal stromal tumor (GIST), 238
- Gastrointestinal tract disorders, generally, 118-131, tumor syndromes, generally, 210-214 see also specific disorder/tumor
- Gastroschisis, 119-120, **120**
- GATA-1* gene, 277
- GATA-3* gene, 109
- GATA-4* gene, 100
- Gaucher disease, **24**, **164**
- GDAP1* gene, **182**
- GDNF* gene, 118
- Genes, generally, 5-7
- expression, 5, 7-8
 - rearrangement, 256-257, **256**
 - structure, 5
 - transcription, 5
 - translation, 6
- Genetic anomalies, generally, 8-12
- acquired defects, 9
 - autosomal dominant, 9
 - autosomal recessive, 9
 - inherited defects, 8
 - mutations, 11
 - numerical (structural), 12
 - X-linked recessive, 9
- Gene expression profiling (GEP), 20
- Genitourinary tumors, generally, 230-233, see also specific tumor
- Genomic imprinting, 11
- Genotype, 27
- Germline, 8, 27
- Gerstmann-Straussler-Scheinker disease, 181
- GFII* gene, 143
- GHB2* gene, 189
- GHI* gene, 108

GHRH—Hemoglobin

-
- GHRH* gene, 108
- Giant axonal neuropathy, 183
- Giant cell fibroblastoma, 237
- Giardia lamblia*, 138, 149-150
- Gilbert syndrome, 127, **128**
- GJB1* gene, **182**
- GJB2* gene, 189-190
- Glanzmann thrombasthenia, **47**, 48
- Gliomas, 233
- Glomerulocystic kidney disease (GCKD), 90
- Glucose-6-isomerase deficiency, 72
- Glucose-6-phosphate dehydrogenase (G6PD) deficiency, **8**, 71
- Glycogen storage diseases (glycogenoses), 163
 - type Ia, **162**
 - type Ib, **142**, **162**
 - type II, **162**
 - type III, **162**
 - type IV, **162**
 - type V, **162**
- Gangliosidoses (GM1-GM2), **164**
- GNAS1* gene, 109-110
- GNE gene, 188
 - Goodpasture syndrome, 88
- Glycoprotein (GP) complexes/polymorphisms, 46-48, **47**, 51, 57-59
- Gorlin syndrome, 219
- G protein coupled receptor-associated diseases, generally, 109-111, **109**, see also specific disorder
- Granulocyte defects, generally, 142-145, see also specific disorder
- Graves disease, 111
- Gray platelet syndrome, 47
- Growth hormone deficiency, **42**
- Griscelli syndrome, 141
- Guanasine monophosphate, **70**
- Guthrie test, 23
- gyrA* gene, 206
- H**
- Haemophilus influenzae*, 138, 150
- Hagemann factor deficiency, 62
- Hairy cell leukemia (HCL), 259
- Hallervorden-Spatz syndrome, 180
- HAMP gene, 124-125, **124**
- Hartnup disease, **159**, **169**
- Hashimoto thyroiditis, 111
- Haw River syndrome, **41**
- HBB* gene, 75
- HD* gene, 180
- Helicobacter pylori*, 259
- Hematopoietic cell proliferation, generally, 78-81, see also specific disorder
- Hemoglobin (Hi), 75
- Hemochromatosis, **8**, **17**, **99**, 124-125, **124**, **125**
- Hemoglobin Bart syndrome, 77
- Hemoglobin H disease, 77

Hemoglobin—Hereditary

- Hemoglobin disorders, generally, 72-75, see also specific disorder
- abnormal genotypes, **73**
 - altered oxygen affinity types, 75
 - Hb A, **72**
 - Hb A₂, **72**
 - Hb Beth Israel, **73**
 - Hb C, 73-74, **73**
 - Hb Chesapeake, **73**
 - Hb Constant Spring (CS), **73, 74**
 - Hb D, **74**
 - Hb Denver, **72**
 - Hb E, **73, 74**
 - Hb F, **72**
 - Hb G, **73, 74**
 - Hb Gower (1 & 2), **72**
 - Hb Hammersmith, **73**
 - Hb Hasharon, **73**
 - Hb Hyde Park, **73**
 - Hb Kansas, **73**
 - Hb Koln, **73**
 - Hb Lepore, **73, 74**
 - Hb M Boston, **73**
 - Hb M Iwate, **73**
 - Hb M Saskatoon, **73**
 - Hb Milwaukee, **73**
 - Hb S, **72, 73**
 - Hb Ypsilanti, **73**
 - Hb Zurich, **73**
 - unstable, 75
- Hemolytic disease of the newborn (HBN), 23
- Hemophilia, generally, see also specific disorder
- coagulation defects, 50-56
 - coagulation disorders, 59-62
 - inherited platelet defects, 46-49
 - platelet disorders, 57-58
- Hemophilia A, **8, 51-53**
- Hemophilia B, **8, 54**
- Hemosiderosis, 125, see also hemochromatosis
- Heparin cofactor II (HCII) deficiency, 61
- Hepatitis B (HBV), 200-201
- Hepatitis C (HCV), 201-202
- Hepatolenticular degeneration, 126
- Hepatic disorders, generally, 124-128, see also specific disorder
- Hepatosplenic T-cell lymphoma, 267
- Her1 (ERB-B1), 241
- Her2 (Neu, ERB-B2), 240-241, 248
- Hereditary-type disorders
- cystic fibrosis, 129-130
 - clinical presentation, **130**
 - diffuse gastric cancer, 214
 - elliptocytosis (HE), 70, **70**
 - erythroblast multinuclearity with positive acidified serum (HEMPAS), 80
 - fructose intolerance, **162**
 - hearing loss, 189-190
 - hemochromatosis (HH), 124, **125**
 - hemorrhagic teleangiectasia, 120

Hereditary—Hypercalcemia

- hyperbilirubinemia, 127-128, **128**
- multiple exostoses, 220
- neuropathy with liability to pressure palsies (HNPP), 183
- nonpolyposis colorectal carcinoma, 211-213
- ovalocytosis, 70, **70**
- pancreatitis, 129
- papillary renal cell carcinoma, 217
- persistence of fetal hemoglobin, 78
- pyropoikilocytosis (HPP), 70
- spherocytosis (HS), **8**, 70, **70**
- stomatocytosis, 7
- xerocytic, 71
- Hermansky-Pudlak syndrome, 46-47, **48**, **142**
- Hermaphroditism, 107
- Herpesvirus (HHV), 239
- HESX1* gene, 108
- Heterochromatin, 4
- Hexokinase deficiency, 72
- HFE* gene, 124-125, **124**
- HFE2* gene, **124**
- HGNC nomenclature, 3
- HGO* gene, 161
- HGPRT deficiency, 161-163, see also Lesch-Nyhan syndrome
- High pressure liquid chromatography (HPLC), 75, 77, see also methods
- HLA* gene, 111
- HLA typing, 24-25
- Hirschsprung disease, 34, **109**, 118-119, 218
- HJV gene, 124
- HNF1a* gene, 113
- HNF1b* gene, 113
- HNF4a* gene, 113
- H19 gene, 221
- Hodgkin lymphoma (classic, CHL), 267-268
- Holt-Oram syndrome, 100
- Homocystinuria (homocystinemia), **159**
- Horizontal transmission, 9
- HPRT1* gene, 163
- HPS1* gene, 47
- HPS3* gene, 47
- HPS4* gene, 47
- HPS5* gene, 47
- HPS6* gene, 47
- Human herpes virus type 8 (HHV8), 239
- Human immunodeficiency virus (HIV), generally, 203-204
- HIV-1, 203
- with Hodgkin lymphoma, 268
- Human papillomavirus (HPV), 242
- Human T-lymphocytic virus (HTLV), 265
- Hunter syndrome, **164**
- Huntington disease (chorea), **8**, **10**, **41**, **178**, 179
- Hurler syndrome, **164**
- Hyalinizing spindle tumor with giant rosettes (HSTGR), 239
- Hypercalcemia, **97**

Hypereosinophilic—Interleukin

- Hypereosinophilic syndrome (HES), 274
- Hyperhomocysteinemia, 60, 158, 160
- Hyper-IgE syndrome, 139, **142**
- Hyper-IgM syndrome, 139, **142**
- Hyperkalemic periodic paralysis (HPP), 189
- Hypertonic cardiomyopathy, 98
- Hypertonic pyloric stenosis, **10**
- Hypertrophic cardiomyopathy, 98
- Hypokalemia, **97**
- Hypochondroplasia, 43
- Hypofibrinogenemia, 56-57
- Hypomagnesemia, 97
- Hypophosphatemic rickets, **8**
- Hypothyroidism, 42
- I**
- Iba* gene, 46
- Ibβ* gene, 46
- cell disease, 163, **164**
- Idiopathic hypertrophic subaortic stenosis, 98
- IGF2* gene, 221
- IKBKAP* gene, **182**, 184
- Iminoglycinuria, **169**
- Immune dysregulation, 142
- Immune thrombocytic purpura, **46**
- Immunodeficiency syndromes, generally, 137-150, 222 see also specific disorder
- NIH/IUIS classification, 148-149
- Immunoglobulin
- β chain, 264
- δ chain, 264
- γ chain, 264
- heavy chain (IgH), 256-257, **256**
- variable region (IgVH), 258
- Inclusion body myositis (IBM), 187
- Incontinentia pigmenti type I, **8**
- Infantile fibrosarcoma, **237**
- Infantile polycystic kidney disease, **8**
- Inflammatory myofibroblastic tumor, **237**
- Inherited conditions
- that promote atherosclerosis, 100
- that promote thrombosis, 100
- Inherited-type disorders
- combined factor deficiency, 56
- hypoparathyroidism, 109
- nephritic syndromes, generally, 86, see also specific syndrome
- nephritic syndromes, generally, 86-88, see also specific syndrome
- neutropenia, 142-143, **142**
- pancreatic cancer, 214
- thrombocytopenia, 49
- thrombocytosis, 57
- tubular disorders, 88
- with neutropenia, **142**
- Insulinlike growth factor-I (*IGF-I*), 108
- Interleukin (IL) receptor family, 140

Intestinal—Lazy

Intestinal atresia, 119

Intestinal epithelial dysplasia, 121

Inversion, 28

Irinotecan, 288

Ischemia, **99**

Isochromosome, 28

Isoforms, 8

Isolated growth hormone (GH) deficiency, 108

Isolated thymic aplasia, 141

IT15 gene, 180

J

J gene class, 257

JAG1 gene, 101

JAK2 anomaly, 271

JAK2 gene, 273

JAK3 deficiency, **140**

Jervell-Lange-Nielsen syndrome, 97, **97**, 190, 221

Job syndrome, 139

Johanson-Blizzard syndrome, 131

Joubert syndrome, 122

Juberg-Marsidi syndrome, 77

Juvenil myelomonocytic leukemia, 100

Juvenile nephronophthisis, 90

Juvenile polyposis, 213

K

Kallman syndrome, **39**, 108

KAL1 gene, 108

Kaposi sarcoma (KS), 239, 260

Karyotype, 12-14, **13**

katG gene, 207

KCNE1 gene, 97

KCNE2 gene, 97

KCNH2 (formerly *HERG*) gene, 97

KCNJ2 gene, 98, 189

KCNQ1 gene, 97, 221

Kearns-Sayre syndrome, **10**, 167

Kennedy disease, **10**

KIF1B gene, **182**

KIT gene, 238-239

Klebsiella species, 150

Klinefelter syndrome, 37

Kostmann syndrome, **79**, 81, 142-143, **142**

Krabbe disease, **164**

KRAS gene, 100, **243**, 245

Kugelberg-Welander disease, 184

L

LAMB syndrome, 218

LAMB2 gene, 87, **87**

Large granular lymphocytic (LGL) leukemia, 266

Lazy leukocyte syndrome, 144

LDLR—Lyme

-
- LDLR* gene, 171
- Lecithin cholesterol acyl transferase (LCAT) deficiency, 172
- Leigh syndrome, 168
- LEOPARD syndrome, 37, 100
- Lesch-Nyhan syndrome, **8**, 161
- Leukemia in Down syndrome (Trisomy 21), 277
- Leukocyte adhesion deficiency (LAD), 144
- Lewy body disease, **178**, 179
- Lhermitte-Duclos syndrome, 219
- LHX3* gene, 108
- LHX4* gene, 108
- Li Fraumeni syndrome, **215**, 220
- Limb-girdle muscular dystrophies (LGMDs), **185**, 186
- α -sarcoglycanopathy, **187**
 - β -sarcoglycanopathy, **187**
 - calpainopathy, **187**
 - caveolinopathy, **187**
 - δ -sarcoglycanopathy, **187**
 - dysferlinopathy-Miyoshi distal myopathy (DYSF), **187**
 - γ -sarcoglycanopathy, **187**
 - LGMDs (1a & 1d), **187**
- Linkage analysis, 22
- Lipid disorders
- apo C-II deficiency, **170**
 - apolipoprotein E deficiency, **170**
 - dysbetalipoproteinemia, **170**, 172
 - elevated plasma Lp(a), 171
 - combined hyperlipidemia, **170**, 173
 - hypercholesterolemia, 170-171, **170**
 - hyperchylomicronemia, 171
 - hypertriglyceridemia, **170**, 171
 - lecithin cholesterol acyl transferase (LCAT), 172
 - lipoprotein lipase deficiency, **170**
 - Tangier disease, 172
- Lipoproteins, 169
- Liposarcoma, **237**, 239
- LITAF* gene, **182**
- LMAN1* gene, **56**
- LMNA* gene, **187**, 188
- LMO2* gene, 260
- LMX1B* gene, **87**
- Locus-specific indicator probes (LSIs), 233
- Loeffler endomyocarditis, **99**
- Long QT syndromes (LQTS), 96-98, **169**
- LQT1, 97
 - LQT2, 97
 - LQT3, 97
 - LQT4, 97
 - LQT5, 97
 - LQT6, 97
 - LQT7, 98
- Loss of heterozygosity (LOH), 14-15, 21
- Louis-Bar syndrome, 146
- Low-grade fibromyxoid sarcoma (LGFMS), **237**, 239
- LRRK2* gene, 179
- Lyme disease, 205

Lymphoplasmacytic—MEN2B

Lymphoplasmacytic lymphoma (LPL), 260, **278**

Lynch syndrome, 211-213

Lysosomal disorders, 163

Lysosomal storage disease, see also specific disease

acid phosphate deficiency, **164**

fucosidosis, **164**

glycogenoses, **164**

mannosidosis, **164**

mucopolidoses, **164**

mucopolysaccharidoses, **164**

sphingolipidoses, **164**

sulfatidoses, **164**

Lysosomes, 163-165, **164**

LYST gene, 141

M

Machado-Joseph disease, 41

MADH4/SMAD4 gene, 214

Malignant hyperthermia (MH), 188

MALT1 gene, 259

MALT lymphomas, 259-260, **260**, **278**

Mantle cell lymphoma (MCL), 258, **278**

Maple syrup urine disease, **159**

MAPT gene, 179

Marfan syndrome, **8**

Marginal zone lymphoma (MZL, also MALT), 259

Mast cell neoplasms, **271**, 274

Maturity-onset diabetes of the young (MODY), 112

May-Hegglin anomaly, **46**, 49, 145

McArdle syndrome, **162**

McLeod syndrome, 181

McCune-Albright syndrome, **109**, 110

MDR1 gene, 122

Meckel-Gruber syndrome, 90, 122

MecA gene, 205-205

MECP2 gene, 191

Medium-chain-acyl-coenzyme A dehydrogenase (MCAD) deficiency, 124

Medullary sponge kidney, 90

MEFV gene, 151

Meiosis, 4

Melting point analysis, 20

Mencke syndrome, **8**

Mendelian disorders, generally, 8-10, 28, see also specific disorder

autosomal dominant, **8**

autosomal recessive, **8**

diagnosis of, 24

X-linked dominant, **8**

X-linked recessive, **8**

Meningioma, 235

Menkes disease, 181

MEN1 gene, 218

MEN2A gene, 218

MEN2B gene, 218

Mental—MTTK

- Mental retardation and developmental delay, generally, 190-192, see also specific syndrome
- Metabolic disorders, generally, 168-172, see also specific disorder
- classification and approach to, 168
- Metabolizers
- poor (slow), 286
 - rapid, 286
 - ultrarapid, 286
- Metachromatic leukodystrophy, **164**
- Methemoglobin, 75
- Methylation assays, 21
- Microarrays, 20
- Microdeletions, generally, 10, 28, **39**, 40, see also specific syndrome
- Microvillus inclusion disease (MID), 120
- Miller-Dieker syndrome, **39**
- mink* gene, 97
- MiRP1* gene, 97
- MITF* gene, 190
- Mitochondria, 166-168
- Mitochondrial disorders, generally, 166-168, see also specific disorder
- caused by structural DNA defects, 167
 - encephalopathy with lactic acidosis and strokelike episodes (MELAS), 167
 - Leigh syndrome, 168
 - myoclonic epilepsy with ragged red fibers (MERRF), 168
 - myopathy, 189
 - neurogastrointestinal encephalomyopathy (MNGIE), 168
- Mitochondrial (maternal) inheritance, 10
- MLH1* gene, 212, **215**, 216, **243**, 245
- MLH3* gene, 212
- MLL* gene, 261-262, **263**
- MMR-associated syndromes, 211
- clinicopathologic features, 245
 - molecular features, 244
 - molecular testing, 243, 247
- MMR* gene, 244-247
- MODY1* gene, 113
- MODY3* gene, 113
- MODY4* gene, 113
- MODY5* gene, 113
- Monoclonal gammopathy of undetermined significance (MGUS), 263
- Monogenetic autoimmune conditions, 151
- Monosomy, 28
- Monosomy X (Turner syndrome), **34**, 36, **36**
- Motif, 8
- MPL* gene, 49, 81
- MPZ* gene, **182**
- MRP2* gene, 128
- MSH2* gene, 212, **215**, 216, **243**
- MSH3* gene, 212
- MSH6* gene, 212
- MTHFR* gene, 60, 160
- MTTK* gene, 167

MTTL—Myxoid

-
- MTTL1* gene, 167, 190
- Muir-Torre syndrome, 211, **215**
- Multicystic dysplastic kidney, 90
- Multifactorial inheritance, 10
- Multi-infarct dementia (MID), **178**
- Multiple carboxylase deficiency, **159**
- Multiple endocrine neoplasia syndromes, 217-218
- MEN1, 217, **218**
 - MEN2 (a&b), 218, **218**
- Multiple pituitary hormone deficiency, 108
- Multiple sulfatase deficiency, **164**
- Muscular dystrophies, generally, 184-189, **185**, see also specific disease
- Mutation, generally, 10-12
- conservative, 12
 - C1620A, 43
 - C1620G, 43
 - DMA, 22
 - frameshift, 12
 - missense, 12
 - scanning, 19, see also specific method
 - silent, 12
 - splice site, 12
- MYC* gene, 231
- Mycobacteria
- antimicrobial resistance, 207
 - species identification, 205-206
 - molecular typing, 206
- Mycobacterium* species
- avium* complex, 206
 - gordonae*, 206
 - kansasii*, 206
 - tuberculosis*, 206
- Mycoplasma* species
- pneumoniae*, 138, 205
- Myelodysplastic/myeloproliferative disorders (MD/MPD), 269
- Myelodysplastic syndrome (MDS), 78, 268-270, **270**
- Myelofibrosis with myeloid metaplasia (MMM), **271**, 273
- Myelokathexis, **142**, 143
- Myeloma, **278**
- Myeloperoxidase (MPO) deficiency, 145
- Myeloproliferative disorders (MPD), generally, 270-274, see also specific disorder
- molecular anomalies, **271**
- MYH7* gene, 98
- MYH9* gene, 49
- Myocardial disorders, generally, 98-100, **99**, see also specific disorder
- Myocarditis, **99**
- Myoclonic epilepsy with ragged red fibers (MERRF), **10**, 168
- Myotonic muscular dystrophy, **8**, **10**, **41**, **185**, 186
- Myxoid chondrosarcoma, **237**
- Myxoid liposarcoma, **237**

N-acetyltransferase—NOTCH3

N

N-acetyltransferase (NAT), 287

Nail-patella syndrome, 87, **87**

NAME syndrome, 218

Naxos disease, 96

NBS1 gene, 147-148*NEB* gene, 188

Nemaline rod myopathy, 188

Neisseria species*gonorrhoea*, 146*meningitidis*, 146

Neonatal screening, 23

Nephronophthisis, 90

Neural tube defect, **10**

Neuroacanthocytosis, 181

Neuroblastoma, 236, **237**

Neurofibromatosis

type 1 (NF1), **8**, 219type 2 (NF2), **8**, 220Neuropathies, 182-184, **182**HMSNs, **182**HSANS, **182**motor neuron disease, **182**

Neutropenia, 81

autoimmune, 144

congenital, 142

cyclic, 142

Nevoid basal cell carcinoma syndrome, 219

Nezelof syndrome (isolated thymic aplasia), 141

NFI gene, 220, 269*NF2* gene, 220Niemann-Pick disease, **24**, **164**Nijmegen breakage syndrome, **10**, **147**, 148, 221

19q13.1, 86

NKX2-5 gene, 100*Nocardia* species, 144

Nodular lymphocyte predominant Hodgkin lymphoma (NLPHL), 262

NOD2/CARD15 gene, 122

Non-Hodgkin lymphoma

B-cell, 256, **256**T-cell, 256, **256**

Non-Mendelian inherited disorders, generally, 10-12, see also specific disorder

chromosomal instability, **10**genomic imprinting, **10**mitochondrial, **10**multifactorial, **10**trinucleotide repeat, **10**

Noonan syndrome, 37, 55, 100

NOR1 gene, 240Normal pressure hydrocephalus (NPH), **178***NOTCH1* gene, 123*NOTCH2* gene, 123*NOTCH3* gene, 123, **178**, 180

NPH1—Pendred

NPH1 gene, **89**

NPH2 gene, **89**

NPH3 gene, **89**

NPHP1 gene, 90

NPHP2 gene, 90

NPHP3 gene, 90

NPHS1 gene, 86, **87**

NPHS2 gene, **87**, 88

Nucleic acid nomenclature, 3

Nucleotides, 2

 constituents, **2**

 double-stranded chains, 2-3

 polynucleotides, 2

Numerical disorders, 10, 34-37, see also specific disorder

O

Occipital horn syndrome, 181

Ochronosis, 160, see also Alkaptonuria

Okazaki fragments, 5

Oligodendroglioma, 233-235, **234**

Omenn syndrome, **140**

Omphalocele (exomphalos), 119-120, **120**

Oncocytoma, **230**

Organic acid disorders, 161

Osler-Weber-Rendu syndrome (hereditary hemorrhagic telangiectasia), **8**, 120

Osteochondromatosis, 220

Osteogenesis imperfecta, **8**, **42**

312

P

PAI-1 gene polymorphisms, 62

Pancreatic disorders, generally, 129-131, see also specific disorder

Pancreatic lipomatosis syndromes, 131

Panhypopituitarism, **42**

PANK2 gene, 180

Pantothenate kinase-associated neurodegeneration, 180

Parathyroid disorders, generally, 109-110

PARK1 (SCNA) gene, 179

PARK2 gene, 179

PARK5 (UCHL1) gene, 179

PARK6 (PINK1) gene, 179

PARK7 (DJ-1) gene, 179

PARK8 (LRRK2) gene, 179

Parkinson disease, **178**, 179

Paroxysmal nocturnal hemoglobinuria (PNH), 62, 80-81

Patau syndrome, 36, **36**

PAX3 gene, 190, 238

PAX5 gene, 260

PAX8 gene, 110

PBX1 gene, 263

PDGFR gene, 238-239

Pearson syndrome, **10**, 81, 167

Pedigrees, **26**

Pelger-Huet anomaly, 145

Pendred syndrome, 110

Penetrance—Polymerase

-
- Penetrance, 9
- Percutaneous umbilical blood sampling (PUBS), 23
- Peripheral neuropathy, generally, 182-184, see also specific disorder
- Peripheral T-cell lymphoma (PTCL), 265
- Peroxisomal disorders, generally, 163-166
- Peutz-Jeghers syndrome, **8**, 214, **215**
- PEX1* gene, 165
- P53* gene, 231
- Pharmacogenetics, 286
- Pharmacogenomics, 286
- Phenylketonuria (PKU), **8**, 23, 158-160, **159**
- Phosphofrukinase deficiency, 72
- Pick disease, **178**
- Pierson syndrome, 87, **87**
- PIG-A* gene, 81
- PINK1* gene, 179
- PIT1* gene, 108
- Pituitary disorders, generally, 108, see also specific disorder
 - aplasia, 108
 - hypoplasia, 108
- PKHD1* gene, 89, **89**, 122
- PKD1* gene, 89, **89**
- PKD2* gene, 89, **89**
- PKLR* gene, 72
- PKM* gene, 72
- PKP2* (ARVD9) gene, 96
- Plasma cell neoplasms
 - molecular findings, 263
 - multiple myeloma, 263
 - minimal residual disease, 264
- Platelet glycoprotein polymorphisms, 58
- Platelet granule disorders, generally, 46-47, see also specific disorder
- Platelet storage pool disorders, generally, 46-49, see also specific disorder
- PLZF* gene, 276
- PML* gene, 276
- PMP22* gene, **182**, 183
- PMS1* gene, 213
- PMS2* gene, 213
- pncA* gene, 207
- Pneumocystis carinii*, 139, 141, 149-150, 204
- Polycystic kidney disease, generally, 88-90, see also specific disorder
 - autosomal dominant (ADPKD), 89
 - autosomal recessive (ARPKD), 88
- Polycythemia vera (PV), **271**, 272
- Polyendocrinopathy, 142
- Polyglandular syndrome, 111
- Polymerase chain reaction (PCR) and derivatives, 16-17
 - allele-specific oligonucleotides (ASO), 17
 - multiplex, 17
 - nested, 16
 - real-time, 16, **17**
 - reverse-transcriptase (RT-PCR), 17

Polymorphism—Pure

-
- Polymorphism, generally, 19, 28
- C677T, 288
 - PAI-1, 62
 - pharmacologically significant, **287**
- Polynucleotides, 2
- Polyplody, 28
- Pompe disease, **162, 164**
- Porphyria cutanea tarda, **125**
- Posterior urethral valves, 91
- Posttransplant lymphoproliferative disorder (PTLD), 261
- Potter sequence, generally, 90-91, see also specific disorder
- POU1F1* gene, 108
- PRAD1* gene, 258
- Prader-Willi syndrome, **10, 38-39, 38, 39**
- Precocious puberty, **42**
- Premature truncation, 210, 246
- Prenatal diagnosis, 21, 23-24
- Presenilin (1 & 2) gene, **178**
- Primary effusion lymphoma (PEL), 261
- Primary immunodeficiency, 148
- laboratory screening for, 150
- Primer sequence, 5
- Prion disease, **178**
- PRKARIA* gene, 219
- PRNP* gene, 181
- Progressive external ophthalmoplegia, **10, 167**
- Progressive supranuclear palsy, **178**
- Promoters, 7-8
- PROPI* gene, 108
- Prostate cancer, 231
- Protein C deficiency, **8, 56, 58, 61**
- Protein S deficiency, **8, 56, 58, 61**
- Proteomics, 21, 61
- Proteus syndrome, 219
- Prothrombin deficiency, 56
- Prothrombin variant (prothrombin G20210A mutation), **58, 60**
- PRSS1* gene, 129, 131
- PRSS2* gene, 131
- PRSS3* gene, 131
- Prune belly syndrome, 91
- PSENI* gene, 178
- PSEN2* gene, 178
- Pseudohermaphroditism, 107
- Pseudohypoparathyroidism type IA, 109, **109**
- Pseudohypoparathyroidism type IB, **109**
- Pseudomonas aeruginosa*, 129
- Pseudo-pseudohypoparathyroidism, 109
- P16* tumor suppressor gene, 233
- p16INK4a* gene, 243, 245, 262
- PTEN* gene, 214-216, **215, 231**
- PTEN-related disorders, 219
- PTPN11* gene, 100
- Pure red cell aplasia (PRCA), 78

Purine—Riley-Day

Purine/pyrimidine metabolism disorders, 161

Pyloric stenosis, 119

Pyrimidine 5' nucleotidase deficiency, 72

Pyruvate kinase (PK) deficiency, 72

Q

Quebec platelet syndrome, 47, 48

R

Rabson-Mendenhall syndrome, 112

RAB7 gene, 182

RAB27A gene, 141

RAG1/RAG2 deficiency, 140

RAI-1 gene, 40

RARα gene, 276

RAS gene, 269

RBI gene, 235

Red blood cell disorders, generally, 70-78, see also specific disorders

cytoskeletal disorders, 70, 70

enzyme disorders, 71-72

Refractory anemia (RA), 270

with excess blasts (RAEB), 270

with ringed sideroblasts (RARS), 270

Refractory cytopenia

with multilineage dysplasia (RCMLD), 270

with multilineage dysplasia and ringed sideroblasts (RCMLD), 270

Refsum disease, 165

Reiter syndrome, 152

Renal cell carcinoma (RCC), 230-231

chromophobe, 230

clear cell, 230

collecting duct, 230

WHO classification of renal tumors, 230

Renal Fanconi syndrome, 88, 88

Renal medullary carcinoma, 230

Renal tubular acidosis (1 and 2), 169

Renal tumors, 230

Restriction enzymes, 19

Restriction fragment length polymorphisms (RFLPs), 19, 59

Restrictive cardiomyopathy, 98

RET-associated diseases

medullary thyroid carcinoma (FMTC), 218

MEN2A, 118, 218

MEN2B, 118, 218

RET gene, 118, 218, 248

Reticular dysgenesis, 79, 140, 140, 142

Retinoblastoma, 235

Rett syndrome, 191

Rhabdomyosarcoma (RMS), 238

Rheumatoid arthritis (RA), 152

Rickettsia rickettsii, 203

RIF gene, 207

Riley-Day syndrome, 184

Ring—Single-gene

-
- Ring chromosome, 28
- Rheumatoid arthritis (RA), 152
- RMRP* gene, 142
- RNASEL* gene, 231
- Rocky mountain spotted fever, 205
- Romano-Ward syndrome, 96-97, **97**, 221
- rosebud, 316
- Rotor syndrome, 128, **128**
- RPS19* gene, 78, **79**
- RYR1* gene, 98, 189
- RYR2* (ARVD2) gene, 96
- S**
- Salmonella* species, 144
- S- α thalassemia, 74
- Sanger reaction, 18
- Sandhoff disease, **164**
- Sarcoidosis, **99**
- SBDS* gene, **79**, 131, 143
- S- β thalassemia, 74
- Schmidt syndrome, 111
- SCNA* gene, 179
- SCN4A* gene, 189
- SCN5A* gene, 96
- Sebastian syndrome, **46**
- Seemanova syndrome, 148
- Selective IgA deficiency, 139
- 316
- Senile cardiac amyloidosis, 99, 183
- Seronegative spondyloarthropathies
- ankylosing spondylitis, 152
 - enteropathic arthritis, 152
 - psoriatic arthritis, 152
 - Reiter syndrome, 152
- SERPINA1* gene, 126
- SERPINC1* gene, 61
- SERPINE1* gene, 62
- Serratia* species, 144, 150
- 17-hydroxylase deficiency, 107
- 7q11.23 microdeletion syndrome, 101
- 17p-, 39-40
- Severe combined immunodeficiency (SCID), generally, 140, **140**, see also specific deficiency
- SGCA* gene, **187**
- SGCB* gene, **187**
- SGCD* gene, **187**
- SGCG* gene, **187**
- SCYA3* gene, 260
- Short stature, 42-43, see also specific disorder
- Shprintzen syndrome, 101
- SH2DIA* gene, 141
- Shwachman-Diamond syndrome, **79**, 81, 131, **142**, 143
- Shwachmann-Bodian-Diamond syndrome, 131, 143
- Sickle cell anemia, **8**, 22
- Silencers, 7-8
- Single-gene disorders, 100

Single-stranded—Tay-Sachs

-
- Single-stranded conformational polymorphism (SSCP), 20
- 69,XXY (triploidy), 34
- Sjogren syndrome, 151-152
- Skeletal muscle disorders, 100, 184-189, see also specific disorder
- SLC26A4* gene, 190
- SMAD2* gene, 244
- SMAD4* gene, 244
- Small lymphocytic lymphoma/chronic lymphocytic leukemia (SLL/CLL), 257-258
- Smith-Fineman-Myers syndrome, 77
- Smith-Lemli-Opitz syndrome, 118-119
- Smith-Magenis syndrome, 39-40, **39**
- SMN1* gene, **182**, 184
- SMN2* gene, 184
- SOD1* gene, **182**, 184
- Soft tissue tumors, generally, 236-240, see also specific tumor
- Somatic mutations, 9-11, 28
- Southeast Asian Ovalocytosis (SAO), 70
- Southern blot analysis (SBA), 18-19, **18**
- SOX2* gene, 108
- SOX3* gene, 108
- SOX10* gene, 190
- SPINK1* gene, 129, 131
- Spinobulbar muscular atrophy, **10**, **41**
- Spinocerebellar ataxia, **10**, **41**
- Spinomuscular atrophy (SMA), **8**, 184
- Spontaneous abortion, 34
- SPTLC1* gene, **182**
- SRY* gene, 107
- SSX1* gene, 238
- SSX2* gene, 238
- Staphylococcus* species
- aureus*, 129, 144, 205
- Steinert disease, 184
- Steroid hormones, 106-107
- Steroid receptor status, 242
- Steroid sulfatase deficiency (X-linked ichthyosis), 107
- Streptococcus pneumoniae*, 138, 150
- Structural disorders, generally, 100-102
- chromosomal disorders, 101
- multifactorial, 101
- single-gene disorders, 100
- Sticky platelet syndrome (SDS), 57
- STK11* gene, 214, **215**, 216
- STS* gene, 107
- Subtelomeric rearrangements, 28, 191
- SUDS, 96
- Synovial sarcoma (SS), **237**, 238
- Systemic lupus erythematosus, 151
- T**
- Tangier disease, 172
- tau* gene, **178**
- Tay-Sachs disease, **24**, **164**

TAZ—TTF1

-
- TAZ* gene, 144
- TBX1* gene, 100-101
- TBX5* gene, 100
- T-cell and combined defects, generally, 139-142, see also specific defect
- T-cell neoplasms, generally, 264, see also specific neoplasm
- T-cell receptor, 264
- TCR* genes, 257
- TEL* gene, 269
- TEL-AML1* gene, 262, **263**
- TEN* gene, 240
- TERC* gene, 79-80, 143
- Testicular feminization, 107
- TFEB* gene, 231
- TFE3* gene, 231
- ASPL* gene, 231
- PRCC* fusion gene, 231
- PSF gene, 231
- TFR2* gene, **124**
- TGFβRII* gene, 244-245
- Thalassemia, see particular chain variant
- Thanatophoric dysplasia, 43
- Thin basement membrane disease, 86
- Thiopurine methyltransferase (TPMT), 288
- 3β-hydroxysteroid dehydrogenase deficiency, 107
- Thrombocytopenia
- with absent radii (TAR) syndrome, 81
- Thrombocytosis, 57
- Thrombophilia, generally, 57-62, see also specific disorder
- coagulation disorders, 59-62
- platelet disorders, 57-58
- Thrombosis, **58**
- Thyroid hormones, 110-111
- TNNT1* gene, 188
- Tomaculous neuropathy, 183
- TP53* tumor suppressor gene, **215**, 216, 220-221, 235, 241
- TPIT* genes, 108
- TPM3* gene, 188
- Transcription, 5-6
- Transient myeloproliferative disorder (transient leukemia), 277
- Transitional cell carcinoma, 232
- Translation, 6-7
- Translocation, 28
- Transthyretin amyloidosis, 99
- Trinucleotide repeat disorders, 11, 40-42, see also specific disorder
- Trisomy, 29
- Trisomy 13 (Patau syndrome), 23, 36, **36**
- Trisomy 16, **34**
- Trisomy 18 (Edward syndrome), 23, 36, **36**, 119
- Trisomy 21 (Down syndrome), 10, 23, 34, **34**, 36, **36**, **79**, 179
- TRPC6* gene, 87, **87**
- TTF1* gene, 110

TTF2—von Willebrand

TTF2 gene, 110*TTID* gene, **187***TTR* gene, 99, 183Tuberous sclerosis, **8**, 217

Tufting enteropathy, 121

Tumor syndromes

breast, 215-216

gastrointestinal, 210-214

miscellaneous types, 217-222

renal cell carcinoma, 216-217

Turcot syndrome, 210

Turner syndrome (45X), 10, 23, 36-37, **36**, **42**, 53, 101, 119

21-hydroxylase deficiency, 106

22q11 microdeletion syndrome, 101

Tyrosine kinases, 247-248

Tyrosinemia, **159****U***UBE3A* gene, 39*UBR1* gene, 131*UCHL1* gene, 179*UGT1A1* gene, 127

Uhl anomaly, 96

Ulcerative colitis, 121

Uniparental disomy (UPD), 29, 191

Urea cycle disorders, **159**, 160-161

argininosuccinate synthetase (AS) deficiency, 160

carbamyl phosphate synthetase (CPS) deficiency, 160

ornithine transcarbamylase (OTC) deficiency, 160

Uridine diphosphoglucuronisyl transferase 1A1 (*UGT1A1*), 288

Urothelial carcinoma, 232

USH1A-G gene, 190

V

V gene class, 257

vanA gene, 205

Variable number tandem repeats (VNTR), 19

Vascular dementia, **178**, see also specific disease

Velocardiofacial syndrome, 101, 139-140

Vertical inheritance, 9

VHL tumor suppressor gene, 216-217

Viral hepatitis

HBV, 200

HCV, 201

Vitamin K, 54, **56**von Gierke disease, **162**

Von Hippel-Lindau (VHL) disease, 216

von Recklinghausen disease, 219

VWD gene, 50vWF antigen, 50-51, **50***VWF* gene, 50von Willebrand disease, **8**, **47**, 50-53, **50**

Waardenberg—Zinsser-Engman-Cole

W

Waardenberg syndrome, 118

WAGR syndrome, **39**

Waldenstrom macroglobulinemia, 260

WAS gene, 141

Wegener granulomatosis, 126

Well-differentiated liposarcoma, 240

Werdnig-Hoffmann disease, 184

Wermer syndrome, 217

WHIM syndrome, 81, **142**, 143

White platelet syndrome, 47, **48**

WHO classification of renal tumors, **230**

Whooping cough, 203

Wien-Penzing defect, 57

Wilhelmsen-Lynch disease, 179

Williams syndrome, **39**, 101

Wilms tumor, 233

Wilson disease, **8**, 126, **126**

Wiskott-Aldrich syndrome (WAS), 46-47, 141

Wolf syndrome, **39**

Wolf-Hirschhorn syndrome, 37-38

WT1 gene, 87, **87**, 233, 236

WT2 gene, 233

X

Xeroderma pigmentosum (XP), **10**, **147**, 148, 221

XK gene, 181

X-linked adrenoleukodystrophy, 165

X-linked dilated cardiomyopathy, 98

X-linked ichthyosis, 107

X-linked inheritance (IPEX) syndrome, 142

X-linked nephrogenic diabetes insipidus, **109**

X-linked recessive (XLR), generally, 9-10, **52**, 72, **79**, see also specific disorder

XPA gene, **147**, 148

XPC gene, **147**, 148

XPD gene, **147**, 148

Y

Y chromosome microdeletion (YCMD) syndrome, 40

Z

Zellweger syndrome, 119, 163-165

Zinsser-Engman-Cole syndrome, 79, 143