

Index

A

- ABC method. *See* avidin-biotin enzyme complex method.
- absolute alcohol
- and celloidin embedding, 40
 - for Luxol fast blue staining, 213
 - rapid processing with, 38
- absolute alcohol hematoxylin
- for Russell modification of the Movat pentachrome stain, 172
- absolute alcohol-chloroform solution
- for Holzer staining method, 209
- acetate buffer
- for peroxidase-antiperoxidase (PAP) immunohistochemical technique, 298, 300
 - for phosphorylase stain, 326
 - composition, 125
- acetate formalin, eosinophil fixation, **11**
- formulation, 12
- acetic acid, 9
- comparative characteristics, 18
 - composition, 125
 - for Gomori 1-step trichrome stain, 166
 - for Grimelius argyrophil stain, 264
 - for Luxol fast blue-cresyl echt violet staining, 214
 - for Masson trichrome staining, 163
 - pH control with, in eosin counterstaining, 114
 - preparation for alcian blue technique, 145
 - preparation for alcian blue-PAS-hematoxylin technique, 148
 - preparation for Müller-Mowry colloidal iron technique, 150
 - preparation for thioflavin T technique, 155
 - rate of penetration, 7
 - stability of, 100
 - for thioflavin S demonstration of Alzheimer disease, 206
 - for Turnbull blue stain preparation, 258
- acetic acid water
- for Giemsa staining with Diff-Quik solution, 233
- acetic alcohol
- for nucleic acid fixation, 8
- acetic water, composition, 127
- acetic zinc formalin
- in immunohistochemical studies, 280
- acetone
- for clearing, 36
 - comparative characteristics, 18
 - for dehydration, 34
 - as fixative, 22–23
 - in immunohistochemical studies, 279
 - and protein hardening, 3
- achromatic objectives
- of microscope, 54
- acid
- for decalcification, 47
- acid alcohol
- for Fite acid-fast staining technique, 228
 - for Kinyoun acid-fast stain, 224
 - for microwave auramine-rhodamine fluorescence technique, 230
 - for microwave variation of Ziehl-Neelsen method, 227
 - stability of, 100
 - for Ziehl-Neelsen method, 226
- acid dyes. *See* anionic dyes., 108
- acid fast bacilli, troubleshooting mounting, **131**
- acid fuchsin
- stability of, 100
 - for van Gieson staining, 167
- acid fuchsin-picric acid, stability of, **100**
- acid phosphatase reaction, marking of inflammatory muscle cells with, 320–322, **322**
- acid-fast bacilli, fluorescent dyeing, 56
- acid-fast bacteria
- demonstration with Fite staining technique, 228–230, **229**
 - demonstration with Kinyoun acid-fast stain, 224–226, **225**
 - demonstration with microwave variation of Ziehl-Neelsen method, 227–228, **228**
 - demonstration with Ziehl-Neelsen method, 226–228
 - detection with microwave auramine-rhodamine fluorescence technique, 230–231, **231**
- acid-fast stains
- for demonstration of bacteria, 222, 224–231, **225**
- acidic dichromate solution
- for PTAH staining without mercuric solutions, 181
- acidic potassium permanganate solution
- for PTAH staining without mercuric solutions, 181
- acidified water
- for Churulian-Schenk method, 265
- acidophilia, **106**
- acidulated water
- for Warthin-Starry technique, 244
- acquired immunodeficiency syndrome (AIDS). *See* AIDS, 82
- Actinomyces*, demonstration with Brown-Hopps method, **233**
- additive, fixation, 2
- adenocarcinoma
- Cam 5.2 staining of colon, **291**
 - subtypes, **290**
- adenosine triphosphatase (ATPase)
- demonstration of muscle types with, **319**
 - muscle atrophy demonstration, **320**
 - reaction in muscle, **320**
 - differentiation of muscle types and diseases with, 318–320, **319, 320**
 - pH histochemical reactions of human muscle types, **309**

- adhesion problems
 - with smears, 358
- adhesives
 - for slide mounting, 69
- adipose cells
 - connective tissue types and structures, 160
 - processing with water-soluble waxes, 40
- AEC
 - for peroxidase-antiperoxidase (PAP) immunohistochemical technique, 298, 300
- aerosols, infectious hazards from, 82–83
- agar
 - embedding with, 41
 - for slide mounting, 69
- agar method, loose cellular material prepared with, 360–361, **361**
- agranular endoplasmic reticulum, ultrastructure of, **105**
- AIDS (acquired immunodeficiency syndrome), infectious hazards, 82
- air bubbles
 - in liver section, **185**
 - trapped under section, 69, **71**
- air drying
 - of small intestine, **73**
- albumin
 - excess, on slide, **71**
 - for slide mounting, 69
- albumin method, loose cellular material prepared with, 360, **361**
- alcian blue staining, 145–149
 - demonstration of *C neoformans* and *B dermatitidis* with, 244
 - epithelial and connective tissue mucin demonstration, **147–148**
 - for Russell modification of the Movat pentachrome stain, 172
 - hyaluronidase digestion and, 147, **148**
 - mold demonstration with, 223
 - mucopolysaccharide demonstration with, 145–146
 - on intestinal specimen, **69**
 - pH 1.0, 146, **147**
 - pH 2.5, 145, **146**
 - stability of, 100
 - sulfated mucosubstance demonstration with, 146–147
 - with PAS and hematoxylin, 148, **149**
- alcian yellow solution
 - for alcian yellow-toluidine blue staining method, 234
- alcian yellow–toluidine blue staining method, 234–235, **235**
 - demonstration of *H pylori*, **235**
- alcohol, absolute, 40
 - rapid processing with, 38
- alcohol
 - as fixative, 22–23
 - in immunohistochemical studies, 279
 - for Luxol fast blue-cresyl echt violet staining, 214
- alcohol fixation, 66
 - with incomplete formalin fixation, 281
- alcohol, acid, stability of, **100**
- alcohol, saline, preparation for alkaline Congo red staining, 153
- alcoholic formalin, 13
 - overnight processing with, 38
- alcoholic hematoxylin
 - for Verhoeff elastic stain, 168
 - for Weil staining method, 211
- alcoholic safran solution
 - for Russell modification of the Movat pentachrome stain, 173
- alcoholic saline
 - for prefixation, 354
- alcoholic uranyl nitrate
 - for Dieterle staining method, 247
- alcoholic zinc chloride formalin, formulation and applications, 22
- alcohols
 - for dehydration, 33–34
 - denatured (or reagent), 33
 - for fixation, 3
 - overnight processing with, 38
 - rapid processing with, 38
 - See also* specific types.
- aldehyde fuchsin elastic stain
 - for pathologies of elastic tissue, 170, **171**
- aldehyde fuchsin solution
 - for aldehyde fuchsin elastic stain, 170, **171**
 - for Gridley staining, 238
- aldehyde fuchsin, stability of, **100**
- aldehydes, for fixation, 3
- aliphatic hydrocarbons
 - attribute comparisons, 37
 - for clearing, 36
- Alipia felis*, demonstration with microwave variation of Warthin-Starry technique, 246, **247**
- alizarin red, stability of, **100**
- alizarin red calcium stain
 - calcium demonstrated in kidney and artery with, **271**
 - calcium demonstration with, 270, **271**
- alkaline alcohol solution
 - for Russell modification of the Movat pentachrome stain, 172
- alkaline Congo red, staining of amyloid, 152–154
- alkaline phosphatase reaction
 - for immunohistochemical studies, 283
 - in muscle fiber regeneration, 322–323, **323**
- alkaline phosphatase red chromogen
 - breakdown of, **283**
 - on melanoma of the eye, **283**
- alkaline salt solution, preparation for alkaline Congo red staining, 153
- alkanes
 - for clearing, 36
- allergic reactions, diagnosis with toluidine blue, 188
- α -naphthyl acetate esterase stain
 - for muscle biopsies, 314–316, **316**
 - for skeletal muscle, **316**
- α -naphthyl acetate in acetone
 - for α -naphthyl acetate esterase stain, 315
- alum, defined, 110
- alveolar sacs, fixation illustrations, 6
- Alzheimer disease
 - demonstration with Bielschowsky-PAS staining, 202–204, **204**
 - demonstration with Sevier-Munger modification of Bielschowsky method, 204–205, **205**
 - demonstration with thioflavin S staining, 205–207, **207**
 - diagnosis with Bielschowsky-PAS staining, 200–205, **204**
 - senile plaques demonstrated, **204, 207**
- American Society of Clinical Oncology
 - guidelines for HER2 testing, 6, 67
 - fixation time, 6
 - microwave processing, 67
- amino acids, pH of, 107
- amino group
 - and cytoplasmic staining, **107**
 - and fixatives, 3
 - and stain charge, 10

- aminoalkylsilane
 - coating on slides, 70
 - for slide mounting, 69
- ammoniacal silver, explosive hazard, 86
- ammoniacal silver solution
 - for Bielschowsky-PAS staining, 201
 - for Gomori staining of reticulin, 175
 - for Gordon and Sweets staining technique, 178
 - for Sevier-Munger modification of Bielschowsky method, 204
- ammonium bromide formalin, formulation, 12
- ammonium hydroxide
 - for microwave variation of Bielschowsky-PAS staining, 203
 - for testing of decalcification, 48
- ammonium oxalate
 - for testing of decalcification, 48
- ammonium sulfide solution
 - for ATPase stain, 319
- amyloid
 - in crystal-violet-stained kidney section, 155
 - demonstration with Bielschowsky-PAS staining, 202
 - demonstration with thioflavin S staining, 207
 - demonstration with thioflavin T, 155–156, 155
 - fluorescent dyeing, 56
 - in kidney specimen, 55
 - in kidney stained with thioflavin T technique, 156
 - staining, 152–156, 153, 155
 - staining with Congo red, 153
 - staining with crystal violet, 154–155, 155
- anaplasia, defined, 289, 374
- anaplastic tumor workup, 290
- angle, bevel, 59
- angle, clearance, 59
 - of microtomes, 58
 - and ribbon formation problems, 60
- anhydrous substances, percentage solutions of, 96
- aniline blue
 - for Bodian staining method, 198
 - for counterstaining with Bodian method, 198
 - for Masson trichrome staining, 163
 - overstaining of cortex with, 199
 - stability of, 100
- aniline dyes, 108
- anionic dyes, 108
 - differentiation with, 109
- anionic heteroglycans, types, occurrence, and reactivity, 136
- anions. *See* ions.
- antibodies
 - defined and described, 278, 366
 - direct immunohistochemical staining with, 284
 - evaluation and validation, 285–289
 - for peroxidase-antiperoxidase (PAP) immunohistochemical technique, 298
 - quality control for, 290–291, 293
 - storage considerations, 285–286, 287
 - universal (multilink), 289
 - validation form, 288
 - and zinc formalin fixation, 16–17
- antibody control log, 293
- antigenicity restoration
 - in immunohistochemical studies, 280
- antigens
 - defined and described, 278, 366
 - for indirect immunohistochemical testing, 284
 - preservation with zinc sulfate fixation, 16
 - zinc formalin fixation advantages, 21
- anti-roll plate
 - of cryostat, 65
- aorta
 - incorrect orientation of, 45
 - Verhoeff-van Gieson staining of, 169
- apathy mounting medium, 154, 156
 - with crystal violet staining, 154
- apochromatic objectives
 - of microscope, 54
- appendix
 - hematoxylin and eosin staining of, 115
 - specimen orientation, 43, 44
- applicator stick
 - for embedding, 339
 - for ribbon handling, 70
 - specimen preparation with, 360
- aqua regia
 - for Bodian staining method, 197
- aqueous fixatives, 9–17
- aqueous formalin, formulation, 12
- aqueous mounting media, 129
- aqueous phosphomolybdic acid
 - for Holzer staining method, 209
- aqueous silver nitrate
 - for Bielschowsky-PAS staining, 201
 - for Holmes silver nitrate staining method, 199
 - for Luxol fast blue-Holmes silver nitrate staining, 216
- aqueous solutions
 - for fixation, 3
- Araldite, embedding with, 41
- argentaffin cells, 5, 262
- argentaffin granules
 - in colon and gastrointestinal tract stained with Schmorl technique, 260
 - demonstrated with Schmorl technique, 259–260
 - demonstration with Churukian-Schenk method, 266
 - demonstration with Fontana-Masson stain, 260–263, 262, 263
 - demonstration with Grimelius stain, 264
 - demonstration with microwave variation of Churukian-Schenk method, 267
 - demonstration with microwave variation of Fontana-Masson stain, 261–263, 263
- argyrophil granules, 263–267, 263–264, 266
 - demonstration with Churukian-Schenk method, 265–267
 - demonstration with microwave variation of Churukian-Schenk method, 267
 - in pancreas stained with microwave Churukian-Schenk method, 267
 - tumor demonstration with Grimelius stain, 264
- artery, calcification demonstrated with Dahl procedure, 271
- artery, Verhoeff-van Gieson staining of, 169
- asbestos birefringence, 254
- aspirations, fine needle
 - collection and handling of, 353
 - fine needle, smear preparation, 357

- astrocytes 194, 210-211
 demonstration with Cajal stain, 210-211, **210**
- ATPase. *See* adenosine triphosphatase (ATPase).
- atrophy, of muscle, demonstration with ATPase, 320
- auramine O-rhodamine B solution
 stability of, 100
 for microwave auramine-rhodamine fluorescence technique, 230
- auramine-rhodamine, fluorescent dyeing, 56
- auramine-rhodamine fluorescence technique,
 microwave variation, for mycobacteria detection, 230-231, 231
- autofluorescence, 56
- autoimmune disorders, diagnosis with toluidine blue, 188
- autolysis
 fixation troubleshooting, 24-26, 25
 Mayer mucicarmine staining after, **144**
 of tissue specimens, 2, 5
- autonomic nervous system, 194
- autopsies
 and fixation, 5
- auxochrome, role in staining, 108
- aviation gasoline
 as clearing agent, 37
- avidin-biotin complex-immunoperoxidase procedure, 299-301
- avidin-biotin enzyme complex method
 of immunohistochemical staining, 284, 285
- axons 194, 367
 demonstration in Luxol fast blue-Holmes silver nitrate staining, **217**
 demonstration of degeneration with Luxol fast blue, **212-213**
 demonstration with Bielschowsky-PAS staining, **202, 204**
 demonstration with Holmes silver nitrate method, **200**
- B**
- B-5 solution, B-5 vs formalin fixation, **19**
 and decalcification testing, 48
 for fixation, 16
 formulation and applications, 17-19
 in immunohistochemical studies, 280
- bacilli
 demonstration with Brown-Hopps method, 232
 demonstration with Giemsa staining, 234
- bacilli, acid fast, fluorescent dyeing, 56
- bacteria, 222, 367
 acid-fast, 222, 224-231
 demonstration with Fite staining technique, 228-230
 demonstration with Kinyoun acid-fast stain, 224-226, **225**
 demonstration with microwave variation of Ziehl-Neelsen method, 227-228, **229**
 demonstration with Ziehl-Neelsen method, 226-228, **228**
 detection with microwave auramine-rhodamine fluorescence technique, 230-231, **231**
 defined and classified, 222
 demonstration through staining, 222
 demonstration with Dieterle staining method, 248, **249**
 demonstration with Giemsa staining, 233-234, **234**
 demonstration with Kinyoun acid-fast stain, 224-226, **225**
 demonstration with microwave variation of Warthin-Starry technique, 245-247, **247**
 demonstration with Warthin-Starry technique, **245**
 fixative effect on, 2
 gram-negative, demonstration with Brown-Hopps method, 231-233, **232**
 gram-positive
 demonstration with Brown-Hopps method, 231-233, **232, 233**
- bag construction
 for cell suspensions, **347**
- balances, 74
- balsam-xylene mixture
 for cresyl echt violet staining, 195
- barbital acetate
 for ATPase stain, 318
- basement membranes, 161
 demonstration with Luxol fast blue-PAS-hematoxylin staining, 218-219
 demonstration with periodic acid-methenamine silver procedure, **183**
 PAS reaction testing for, 137-141
 perivascular feet of astrocytes on, **210**
 staining of, 182-185, **183, 184**
 Schiff reaction to stain, 201
 separation from by autolysis, 5
- basic (cationic) dyeing, 107, 108, 109
- basic fuchsin
 for aldehyde fuchsin elastic stain, 171
 for Brown-Hopps modification of gram staining, 232
 stability of, 100
- basophilia
 of plasma cell cytoplasm, **106**
- batch controls
 and quality control, 296
- baths, flotation, 69-71
- benign, defined, 289
- benzene
 flash point, 87
 for clearing, 35
- benzoyl peroxide, explosive hazard, 86
- Best carmine, glycogen demonstration, 141
- Biebrich scarlet-acid fuchsin solution
 for Masson trichrome staining, 163
- Bielschowsky-PAS staining, 200-205
 demonstration of plaques in cortex section, 204
 of nerve fibers and neurofibrillary plaques and tangles, 200-205
 Sevier-Munger modification, 204-205
- bile stain, 268-269
- bilirubin, 255
 demonstration with bile stain, 268-269, **269**
 Fouchet action on, **269**
- biliverdin, 255
 from bilirubin oxidation by Fouchet reagent, **269**
- biohazards. *See also* biological hazards.
 symbol, **90**
- biological hazards, 82-83
- biological waste disposal, 83
- birefringence
 after alkaline Congo red staining, 152, **153**
- bis-chloromethyl ether
 for decalcification, 47
- black acid hematin, 11
See also formalin pigment.

- blades
 - artifacts caused by, 59
 - disposable, 58
 - high- and low-profile, 65
 - microtome, 58
 - Blastomyces dermatitidis*
 - demonstration with Gridley staining, 239
 - demonstration with Mayer mucicarmine technique and alcian blue staining, 244
 - block holder
 - adjustment of, 60
 - overextension of, 63
 - and washboarding of section, 61, 62
 - blocking (embedding), 359–361
 - for electron microscopy, 340
 - blocking reactions, 287
 - blood cell, preparation for electron microscopy, 346–347
 - blood smears, methyl alcohol fixation for, 34
 - blood vessels, demonstration with Luxol fast blue-PAS-hematoxylin staining, 219
 - bloodborne pathogen standard, infectious hazards, 82
 - bloody specimens, smear preparation, 357–358
 - Bodian method
 - for staining nerve tissues, 197–198
 - white and gray matter demonstration, 198
 - body fluids
 - collection and handling of, 352
 - osmolality of, 7–8
 - body substance isolation, infectious hazards, 82
 - bone
 - decalcified, 48
 - plastic embedding, 41
 - specimen orientation, 43
 - undecalcified, 48–49
 - bone dust, troubleshooting, 49
 - bone marrow
 - Giemsa staining of, 128
 - iron demonstration with Prussian blue, 258
 - plastic embedding, 41
 - section thickness for, 58
 - borax
 - for Grocott staining, 240
 - for microwave variation of methenamine-silver nitrate staining, 242
 - for periodic acid-methenamine silver microwave procedure, 182
 - borax solution
 - for Holmes silver nitrate staining method, 199
 - for Luxol fast blue-Holmes silver nitrate staining, 216
 - boric acid solution
 - for Holmes silver nitrate staining method, 199
 - for Luxol fast blue-Holmes silver nitrate staining, 216
 - Bouin solution
 - and dye binding, 109
 - and fixative selection, 7
 - formulation and applications, 19
 - for Gomori 1-step trichrome stain, 165
 - in immunohistochemical studies, 279–280
 - for Masson trichrome staining, 163
 - protein fixation, 4
 - specimen removal from, 7
 - brain specimens
 - acetone fixation for, 22
 - autolysis in, 2
 - cryostat processing temperature, 64
 - holes caused by knife, 60–61
 - ice crystal artifact in, 51
 - infectious hazards from, 83
 - precipitate in, 121
 - SMI-31 staining pattern, 287
 - specimen orientation, 43
 - breast, adenocarcinoma in, 290
 - breast cancer, guidelines for HER2 testing, 6
 - breast discharges
 - collection and handling of, 352
 - smear adhesion problems, 358
 - Brij-35
 - in flotation bath processing, 70
 - bronchial specimens, collection and handling of, 352
 - bronchiole, fixation illustrations, 6
 - Brown-Hopps modification
 - Actinomyces demonstration with, 233
 - of gram staining, 231–233
 - S aureus*, *E coli*, and liver disease demonstration, 232
 - bubbles, artifact in liver section, 185
 - bubbling, nuclear
 - as drying artifact, 73
 - from excessive heat, 71
 - fixation troubleshooting, 24–26, 26
 - from formalin fixation, 6
 - buffer solutions, 289
 - defined, 98
 - for epithelial and connective tissue mucin demonstration, 147
 - pH monitoring, 295
 - buffered PAF, for electron microscopy, 336
 - buffered substrate solution, for HRP enzyme labeled polymer procedure, 302
 - butanol (butyl alcohol)
 - for clearing, 36
 - for dehydration, 34
- ## C
- Cajal stain, astrocyte demonstration with, 210–211, 210
 - calcium
 - demonstrated with von Kossa stain, 270
 - demonstration in artery with Dahl procedure, 271
 - demonstration with alizarin red, 270–271, 271
 - demonstration with Gomori methenamine-silver technique, 268
 - demonstration with von Kossa technique, 269–270
 - knife line caused by, 59
 - calcium chloride
 - for ATPase stain, 319
 - calcium-formalin solution, 12
 - for Sudan black B staining, 186
 - Cam 5.2
 - adenocarcinoma staining on colon, 291
 - anaplastic tumor workup, 290
 - normal colon staining, 291
 - cancer, demonstration on prostate with P504S antibody, 302
 - CAP. *See* College of American Pathologists.

- carbohydrates
 - fixative comparative characteristics, 18
 - fixative effect on, 2, 9
 - and formaldehyde fixation, 10
 - and glyoxal fixation, 14
 - types, characteristics, and staining methods, 136–152
- carbol fuchsin solution
 - for microwave variation of Ziehl-Neelsen method, 227
 - stability of, 100
 - for Ziehl-Neelsen method, 226
- carbon bisulfide
 - as clearing agent, 37
- carbon pigment, 254
- carbon tetrachloride
 - as clearing agent, 37
- Carbowax
 - for processing, 40
- carboxyl group
 - and cytoplasmic staining, 107
 - staining and, 3
- carcinogens, 86
- carcinoid tumors
 - demonstration with Fontana-Masson stain, 260–263
 - demonstration with Grimelius stain, 264
 - demonstration with microwave variation of Fontana-Masson stain, 261–263
- carcinoma
 - anaplastic tumor workup, 290
 - small cell neoplasm panel, 290
- carmine solution, preparation for glycogen demonstration, 141
- Carnoy solution, 358
 - formulation and applications, 23
 - in immunohistochemical studies, 279
 - for nucleic acid fixation, 8
- carryover, of tissue, troubleshooting embedding, 46
- cationic dyeing, 107, 108, 109
- cations. *See* ions.
- CD20 B-cell, normal lymph node staining, 291
- CD3 T-cell, normal lymph node staining, 291
- CD45RB LCA, anaplastic tumor workup, 290
- CD56, small cell neoplasm panel, 290
- cedarwood, oil of
 - and celloidin embedding, 40
 - for clearing, 36
- celestine blue, composition, 113
- cell blocks, 359–361
- cell membranes, fat demonstration with oil red O, 184
- cell suspensions
 - bag construction for, 347
 - preparation for electron microscopy, 347
- celloidin
 - embedding with, 40
 - for overdehydrated specimens, 70
- cells
 - fixative effect on, 2
 - reactions to fixatives, 8
 - ultrastructure of, 104–106, **104**
- cells, goblet. *See* goblet cells.
- Celsius, temperature, 97–98
- central nervous system, 194
 - celloidin embedding, 40
 - chatter on section, **63**
 - demonstration with Luxol fast blue-PAS-hematoxylin staining, 219
 - holes in section, **61**
 - knife lines in, 59
 - processing with water-soluble waxes, 40
- centriole, **104, 105, 106**
- cerebellum
 - with Bodian stain and aniline blue counterstain, 198
 - SMI-31 staining pattern, 287
- cerebrospinal fluids, collection and handling of, 352
- ceroid, 255
- cervix
 - demonstration of myelogenous leukemic cells in, 317
 - stained with alcian blue-PAS technique, 149
 - staining with Gill hematoxylin, 112
- charge, electrostatic
 - and slide mounting, 69
- charge. *See* ions.
- chatter
 - on immunohistochemical section, 281
 - on section, **61, 63**
- chelating agents
 - for decalcification, 47–48
- chemicals
 - disposal, 88
 - hazards, 85–91
 - spills, 87
 - storage, 87, 88
 - testing of decalcification, 48
- chemical fixation vs dehydration, 279
- chlorofluorocarbons, for frozen sectioning, 50
- chloroform
 - and celloidin embedding, 40
 - for clearing, 36
- chloromas, demonstration with naphthol AS-D chloroacetate esterase technique, 316–317
- chromaffin granules, demonstration with microwave variation of Fontana-Masson stain, 263
- chromatic aberration, of microscope, 54
- chromatin
 - as component of nucleus, 104
 - demonstration with Pap staining, 363
 - fixation troubleshooting, 24–26
 - formalin effect on, 8
 - methyl green-pyronin Y staining, 126
 - patterns with Giemsa staining, 128
 - staining of, 105
 - ultrastructure of, 104
- chrome pigment artifact, 254
- chromic acid
 - for chromic acid-Schiff stain, 237
 - for Gridley staining, 238
 - for Grocott staining, 240
 - for lipid fixation, 8
 - for microwave variation of methenamine-silver nitrate staining, 242
 - stability of, 100
- chromic acid-Schiff stain, demonstration of fungi with, 236–238
- chromidal substance, 194
- chromium potassium sulfate, coating on slides, 70
- chromium potassium sulfate alum, for slide mounting, 69

chromogen, for immunohistochemical studies, 283

chromophore, defined, 108

Churulian-Schenk method, demonstration of argyrophil granules in neurosecretory tumors, 265–267

cilia, demonstration with Pap staining, 363

circulating water bath
for temperature control of specimen, 72

cirrhosis, differential diagnosis with Gordon and Sweets staining, 177–179

citric acid
for Churulian-Schenk method, 265
for microwave variation of Churukian-Schenk method, 266
for Warthin-Starry technique, 244

CK20, adenocarcinoma panel, **290**

CK7, adenocarcinoma panel, **290**

clamping
of specimen, **61**, **62**

Clark fixative, 358

Clarke fluid, formulation and applications, 23

clearance angle, **59**, **342**
of microtomes, 58
and ribbon formation problems, 60

clearing, 35–37

Clinical and Laboratory Standards Institute
and CAP accreditation, 292

clots, specimen preparation with, **360**

clove, oil of, for clearing, 36

coagulant fixatives
effect on protein, 3, 4
rate of penetration, 7

cobaltous chloride
for ATPase stain, 319

Coccidioides immitis, demonstration with Gridley staining, 239

collagen, 160, 308
autofluorescence in, 56
demonstration with Gomori 1-step trichrome stain, **166**
demonstration with Gomori stain, **176**
demonstration with Mallory PTAH technique, **181**
demonstration with Masson trichrome staining, 163–165
demonstration with Russell modification of Movat pentachrome stain, 172–174, **173**
differentiation with Gomori 1-step trichrome stain, 165–166
poor differentiation of, 121
swelling of, and pH, 9
van Gieson staining, 167
in Verhoeff-van Gieson staining of aorta and artery, 169

collection, of specimens, 352–353

College of American Pathologists
guidelines for HER2 testing, 6
laboratory accreditation, 292–296

colon, adenocarcinoma staining with Cam 5.2, 291
argentaffin demonstration with Schmorl technique, 260
colloidal iron staining, 151
demonstration with Russell modification of Movat pentachrome stain, 173
lymphoma demonstrated with cytoplasmic IgA, 299
normal Cam 5.2 staining, 291
PAS staining of, 138
stained with alcian blue at pH 1, 147
staining with Congo red, 153

colorectal, adenocarcinoma, 290

columnar cells, of small intestine, Mayer mucicarmine staining of, **144**

compression, of section, **62**, **63**

concentrated antibodies, storage considerations, 286

concentration, of fixative, and penetration rate, 7

condenser, of microscope, 54

Congo red
on kidney specimen, 55

conidia, demonstration with Gridley staining, 239

connective tissue, Gomori trichrome procedure with, 328–329

connective tissue, mucin demonstration in, 147–148

connective tissue, staining techniques, 188–189

connective tissue, types, structures, and staining methods, 159–189

control slides, storage of, 292

controls
in immunohistochemical studies, 285
positive and negative, on microarray cores, 291
validation form, 288

copper
demonstration with microwave rhodanine method, 272–273, **273**
demonstration with rhodanine method, 271–273, **272**

cork, for freezing muscle specimens, 313–314, **313**

corn-flaking artifact, 130–131, **131**

corpora amylacea, demonstration with Luxol fast blue-PAS-hematoxylin staining, 218–219

corrosive substances, 86

corrosivity, description, 88

cortex
with Alzheimer disease, Bielschowsky-PAS-stained, 202
overstained with aniline blue, 199

counterstaining
with Feulgen reaction, 124
for Masson trichrome staining, 164

covalent bonding, 107

coverslippers, automated, **68**

coverslipping, safety precautions, 84

coverslips
compression artifact from, in liver section, 185
mounting with, 129
warping problems, 131

cresyl echt violet staining
combined with Luxol fast blue, 214–215, **215**
of neurons, 196
of Nissl substance, 195–197, **197**

Creutzfeldt-Jakob disease, infectious hazards from, 83

crocein scarlet-acid fuchsin solution
for Russell modification of the Movat pentachrome stain, 173

cross contamination
of cytology specimens, 364

crosshatch method
of smear preparation, **354**, **355**

cross-linking
by formaldehyde fixation, 10
with glutaraldehyde fixation, 13
with glyoxal fixation, 14
zinc formalin fixation advantages, 21

crush method
of smear preparation, **354**, **355**, **356**

cryogenic sprays, infectious hazards from, 82–83

cryostat, 64–65
for frozen sectioning, 50
maintenance of, 65

Cryptococcus neoformans

- demonstration with Mayer mucicarmine technique, 143, **144**
- demonstration with Mayer mucicarmine technique and alcian blue staining, 244
- demonstration with microwave Müller-Mowry colloidal iron technique, 151
- demonstration with Müller-Mowry colloidal iron technique, 151
- demonstration with Russell modification of Movat pentachrome stain, 174

crypts of Lieberkühn, 5

crystal size
and embedding, 44

crystal violet

- for Brown-Hopps modification of gram staining, 231
- kidney stained with, 155
- for rapid amyloid screening, 154–155
- stability of, 100

cubic centimeter, defined, 97

cumulative trauma disorders, 84

CyclinD1 mouse monoclonal antibody staining vs CyclinD1 rabbit monoclonal antibody staining, **279**

cysts, specimen orientation, 43

cytocentrifuge preparation of smears, **354**, **357**, **358**

cytokeratin AE1/AE3, anaplastic tumor workup, **290**

cytology

- gynecological, collection and handling of, 352
- liquid-based, 358–359
- nongynecological, collection and handling of, 352
- staining, 361

cytoplasm, demonstration with Diff-Quik Giemsa staining, 234

- demonstration with Gomori 1-step trichrome stain, 166
- demonstration with Masson trichrome staining, 163–165
- demonstration with Müller-Mowry colloidal iron technique, 151
- demonstration with Pap staining, 363
- methyl green-pyronin Y staining, 188–189, **189**
- in nerve cell, 194
- staining, 107–108
- troubleshooting hematoxylin and eosin staining, 120
- ultrastructural components, 105–106
- van Gieson staining, 167

cytoplasmic granules, 256

cytoplasmic IgA

- in colon lymphoma using PAP technique, 299

cytoplasmic neurofibrils, demonstration with Bielschowsky-PAS staining, 204

cytopreparatory techniques, 351–365, **359**

cytospin preparations, microwave variation of methenamine-silver nitrate staining for, 242–244

D

DAB (3,3'-diaminobenzidine chromogen)

- demonstration of cancer on prostate, 302
- for HRP enzyme labeled polymer procedure, 302
- trapped beneath specimen tissue, 281

DAB reaction, 289

Dahl alizarin red procedure, demonstration of calcium in artery with, 271

dealcoholization. *See* clearing.

decalcification, 46–50

- in bone specimen, 48
- electrolytic, 47
- safety precautions, 47
- testing, 48
- troubleshooting, 49–50

decay

- of tissue specimens, 2

dehydration, 33–35. *See also* drying.

- accidental, troubleshooting, 42
- vs chemical fixation, 279
- for electron microscopy, 337
- incomplete, **122**
- troubleshooting, 41–42

dehydrogenases, 312

Delafield hematoxylin, composition, 111

demineralization, 46–51

denaturation

- of protein, by fixatives, 2

denatured alcohol, 33

dendrites, 194

denervation

- of muscle tissue, demonstration with α -naphthyl acetate esterase stain, 316

denervation

- of muscle tissue, 316

deoxyribonucleic acid. *See* DNA.

deparaffination

- and hematoxylin and eosin staining, 118

dermis,

- connective tissue types and structures, 160
- demonstration with Gomori aldehyde fuchsin procedure, 171

desiccation. *See* dehydration; drying.

desmin, small cell neoplasm panel, **290**

developer solution

- for Bielschowsky-PAS staining, 201
- for Dieterle staining method, 248
- for microwave variation of Bielschowsky-PAS staining, 203
- for Warthin-Starry technique, 245

diagnosis, 352

diamond knives

- for electron microscopy, 341–342

diaphorases, 312

diaphragm, iris, of microscope, 54

diastase digestion

- with PAS reaction, 139–141

diastase of malt

- preparation for PAS reaction with diastase digestion, 140
- stability of, 100

Dieterle staining method

- demonstration of *L pneumophila* with, 247–249
- demonstration of spirochetes with, 247–248

differentiating solution

- for Holzer staining method, 209
- for Weil staining method, 211

differentiation

- defined, 289
- staining methods for, 109
- troubleshooting hematoxylin and eosin staining, 120–121, **121**

Diff-Quik Giemsa stain, demonstration of *H pylori*, 233–234, **234**

digestion, proteolytic enzyme, 282

dilution

- of acids, 9
- percentage calculations, 94–97

dioxane

- for clearing, 36
- for dehydration, 34

- disposal
 - of biological waste, 83
 - of chemicals, 88
 - xylene, limonene, and aliphatic carbon comparisons, 37
- DNA
 - demonstration with Feulgen reaction, 123
 - methyl green-pyronin Y staining, **126**,
 - and picric acid fixation, 15
 - and potassium dichromate fixation, 16
 - reactions to fixatives, 8
 - and zinc formalin fixation, 16–17
- documentation, and quality control, 289–290
- Drierite, 33
- dry ice, for frozen sectioning, 50, 65
- dryers, 71
- drying, as fixation method, 3. *See also* dehydration.
- duration, of fixation, for electron microscopy, 335
- dye content, gravimetric factor and, 95
- dyes
 - fixative effect on, 2
 - for staining, 108–116
- dystrophic neurites, demonstration with Bielschowsky-PAS staining, 202

- E**
- EA counterstain, 362
 - for Pap staining, 363
- ectocervix, glycogen demonstration in alcian blue-PAS technique, 149
- egg white, fixative effect on, **3, 4**
- Ehrlich hematoxylin, composition, 111
- EIER. *See* enzyme-induced epitope retrieval.
- elastic fibers
 - connective tissue types and structures, 160
 - demonstration with Gridley staining, 239
- elastic tissue
 - demonstration with aldehyde fuchsin elastic stain, 171
 - demonstration with alkaline Congo red staining, 153
 - demonstration with Gomori aldehyde fuchsin procedure, 171
 - demonstration with Russell modification of Movat pentachrome stain, 172–174, **173**
- electrocautery, and heat artifact, **122**
- electrolytic decalcification, **47**
- electron microscopy, 333–350
 - fixative comparative characteristics, 18
 - and glutaraldehyde fixation, 13–14
- electrostatically charged, slides, 69
- Elmer's glue, for slide mounting, 69
- embedding, 37–41, 42–46
 - applicator stick for, 339
 - centers, 74–75
 - Epon, 339–340
 - media for electron microscopy, 337–340
 - safety precautions, 84
 - Spurr, 337–339
 - troubleshooting, 44–46
- emboli, fatty, oil red O detection of, 184
- endocervix, mucin demonstration in alcian blue-PAS technique, 149
- endocrine cells
 - Bouin solution for, 19
 - fixation with Hollande solution, 20
- endogenous deposits, 255–256
- endogenous pigments, classes and formation, **254**
- endometrial scrapings, cryostat processing temperature, 64
- endometrium, fixation troubleshooting, 25
- endoplasmic reticulum, 106
- endospores, demonstration with Gridley staining, **239**
- enzyme digestion, proteolytic, 282
- enzyme histochemistry, 307–332
- enzyme immune complex immunohistochemical staining, 284
- enzyme immunohistochemistry, 283
- enzyme-induced epitope retrieval, 282–283
- enzymes
 - attack of specimens, 2
 - classification of, 310–312
 - fixative comparative characteristics, 18
 - fixative effect on, 2
 - preservation of, 310
 - properties of, 310–312
- eosin
 - and amino acid staining, 10
 - counterstain on intestine, 114
 - formulas for, 113
 - and potassium dichromate fixation, 16
- eosin Y
 - for Pap staining, 363
 - stability of, 100
- eosinophil
 - fixation with Hollande solution, 20
 - formalin fixation, 11
- eosinophilia, 106
- eosin-phloxine counterstain
 - composition, 114
 - overstaining, 121
- ependymal cells, 195
- epidermis, demonstration with Gomori aldehyde fuchsin procedure, 171
- epithelial cells
 - mucin demonstration in, 147–148
 - ultrastructure of, 104
- epithelium
 - corn-flaking artifact on, 131
 - defined and illustrated, 5
 - fixation troubleshooting, 25
 - of lung, 6
 - tumor demonstration with Grimelius stain, **264**
- epitope, 278
 - retrieval, 281–283
- Epon embedding, 41, 339
- epoxy resin block, 41
 - for electron microscopy, 340
- ergonomics, 84
- eriochrome black
 - for microwave auramine-rhodamine fluorescence technique, 230
- erythrocytes
 - Carnoy solution lysing of, 23
 - demonstration with microwave variation of Ziehl-Neelsen method, **228**
 - demonstration with microwave variation of Warthin-Starry technique, **247**
 - and endogenous pigments, 255
 - poor differentiation of, 121
 - Zenker solution lysing of, 20

- Escherichia coli*, demonstration with Brown-Hopps method, **232**
- esophageal specimens, collection and handling of, 352
- essential oils, for clearing, 36
- esterase solution, 311
for naphthol AS-D chloroacetate esterase technique, 316
- ethanol. *See* ethyl alcohol.
- ether
and celloidin embedding, 40
- ether, bis-chloromethyl
for decalcification, 47
- ethyl alcohol
in Best carmine demonstration of glycogen, 142
comparative characteristics, 18
for dehydration, 33
and dye binding, 109
effect on protein, 3, 8
flash point, 87
rate of penetration, 7
- euchromatin, ultrastructure of, 104
- evaluation, of antibodies, 285–286
- evaporation, xylene, limonene, and aliphatic carbon comparisons, 37
- examinations
and quality control, 294
- exogenous pigments, 254
- explosion hazard, 16, 86
- eyepiece, of microscope, 54
- F**
- Fahrenheit, temperature, 97
- fallopian tube
fixation troubleshooting, 26
good vs poor differential staining, **122**
incorrect orientation of, 45
specimen orientation, 43, 44
troubleshooting hematoxylin and eosin staining, 119, 120
- fast green
for chromic acid-Schiff stain, **237**
for Hotchkiss-McManus PAS reaction, **236**
- fast-twitch muscle, 308
- fats
demonstration with oil red O, **185**
demonstration with osmium tetroxide paraffin procedure, **187**
demonstration with Sudan black B, **186**
frozen sectioning, 49–50
- fats. *See also* lipids.
- fatty tissue, incompletely processed, 66
- ferric ammonium sulfate
for Gomori staining of reticulin, 175
for Gordon and Sweets staining technique, 178
for Weil staining method, 211
- ferric chloride
for bile stain, 269
preparation for Müller-Mowry colloidal iron technique, 150
for Russell modification of the Movat pentachrome stain, 172
for Schmorl technique, 259
stability of, 100
for Verhoeff elastic stain, 168
- ferric ions, absorption by carboxylated and sulfated mucosubstances, 149
- ferric iron
in bone marrow section stained with Prussian blue, **258**
demonstration with Prussian blue stain, **256–258**
- ferrous iron, demonstration with Turnbull blue stain, **258–259**
in spleen stained with Turnbull blue, **259**
- Feulgen reaction, 123–124, **124**
- fibrin
demonstration with Mallory PTAH technique, 179–181
demonstration with Russell modification of Movat pentachrome stain, 172–174, **173**
- fibrinoid, demonstration with Russell modification of Movat pentachrome stain, 173
- fibroblasts, connective tissue types and structures, 160
- filters, in fluorescence microscope, 56
- fine needle aspirations
collection and handling of, 353
smear preparation, 357
- fire, classification, 87
- fire, hazards, 86
- fire class, xylene, limonene, and aliphatic carbon comparisons, 37
- fire extinguishers, 86
- FITC (fluorescein isothiocyanate), 56
direct immunohistochemical staining with, 284
for immunohistochemical studies, 283
- Fite acid-fast staining technique, demonstration of mycobacteria with, 228–230
- fixation, 1–29
definition, 2
for diagnostic cytology, 353–354
with electron microscopy, 334–337
microwave, 2
troubleshooting, 24–26
chemical vs dehydration, 279
for immunohistochemical studies, 279–280
and quality control, 294
- fixatives, effect on protein, 8
additive, 2, 3, 4
for alcian blue technique, 145–147
for alcian blue-PAS-hematoxylin technique, 148
for alcian yellow-toluidine blue staining method, 234
for aldehyde fuchsin elastic stain, 170
for alizarin red calcium stain, 270
for alkaline red staining, 152
for α -naphthyl acetate esterase stain, 315
for Best carmine demonstration of glycogen, 141
for Bielschowsky-PAS staining, 201
for bile stain, 268
for Bodian staining method, 197
for Brown-Hopps modification of gram staining, 231
cell reactions to, 8

- fixatives. *See also* specific types.
- aqueous, 9–18
 - choosing, 7
 - for chromic acid-Schiff stain, 237
 - for Churulian-Schenk method, 265
 - coagulant, 3, 4
 - effect on protein, 8
 - rate of penetration, 7
 - comparative characteristics, 18
 - for cresyl echt violet staining, 195, 196
 - for crystal violet staining, 154
 - definition, 2
 - for Dieterle staining method, 247
 - for electron microscopy, 334–337
 - factors affecting, 4–8
 - for Fite acid-fast staining technique, 228
 - for Fontana-Masson stain preparation, 261
 - for Giemsa staining with Diff-Quik solution, 233
 - for Gomori 1-step trichrome stain, 165
 - for Gomori methenamine-silver technique for urates, 267
 - for Gomori staining of reticulin, 174
 - for Gordon and Sweets staining technique, 178
 - for Gridley staining, 238
 - for Grimelius argyrophil stain, 263
 - for Grocott staining, 239
 - for Holmes silver nitrate staining method, 199
 - for Holzer staining method, 208
 - for Hotchkiss-McManus PAS reaction, 235
 - for HRP enzyme labeled polymer procedure, 301
 - in immunohistochemical studies, 279–280
 - for Kinyoun acid-fast stain, 224
 - for Luxol fast blue staining, 213
 - for Luxol fast blue-cresyl echt violet staining, 214
 - for Luxol fast blue-Holmes silver nitrate staining, 215
 - for Luxol fast blue-PAS-hematoxylin staining, 218
 - for Mallory PTAH technique, 180, 207
 - for Masson trichrome staining, 162, 164
 - for Mayer mucicarmine technique, 142
 - for microwave auramine-rhodamine fluorescence technique, 230
 - for microwave variation of Bielschowsky-PAS staining, 202
 - for microwave variation of Churukian-Schenk method, 266
 - for microwave variation of Fontana-Masson stain, 262
 - for microwave variation of methenamine-silver nitrate staining, 242
 - for microwave variation of rhodanine method, 273
 - for microwave variation of Warthin-Starry technique, 245
 - for microwave variation of Ziehl-Neelsen method, 227
 - for mineral deposit demonstration, 256
 - for Müller-Mowry colloidal iron technique, 150
 - for naphthol AS-D chloroacetate esterase technique, 316
 - nonadditive, 2, 8
 - noncoagulant, 3, 4
 - for oil red O lipid demonstration, 184
 - for osmium tetroxide paraffin procedure, 187
 - for Pap staining, 362
 - for PAS reaction testing, 137
 - for periodic acid-methenamine silver microwave procedure, 182
 - for peroxidase-antiperoxidase (PAP) immunohistochemical technique, 297, 299
 - for phosphorylase stain, 326
 - for Prussian blue stain preparation, 257
 - for rhodanine copper demonstration, 272
 - for Russell modification of the Movat pentachrome stain, 172
 - for Schmorl technique, 259
 - for Steiner and Steiner procedure, 249
 - for Sudan black B staining, 186
 - for thioflavin S demonstration of Alzheimer disease, 205
 - for thioflavin T technique, 155
 - for toluidine blue wet film technique, 364
 - for Turnbull blue stain preparation, 258
 - urate crystal preservation with absolute alcohol, 256
 - for Verhoeff elastic stain, 168
 - for von Kossa calcium stain, 269
 - for Warthin-Starry technique, 244
 - for Weil staining method, 211
 - for Ziehl-Neelsen method, 226
- flammable material
- classification, 87
 - symbol, **90**
- flash points, **87**
- flotation, of section
- and water-soluble waxes, 40
- flotation baths, 69–71
- fluids
- preparation of, 355
 - transitional
 - and plastic embedding, 41
- fluorescein isothiocyanate (FITC), 56
- direct immunohistochemical staining with, 284
 - for immunohistochemical studies, 283
- fluorescence, 56
- fluorocarbon sprays, and parched earth artifact, 69
- fluorochrome, 56
- for immunohistochemical studies, 283
- flying, of sections, troubleshooting, 64
- focus irregularities, troubleshooting mounting, 130
- folds, in section, from flotation baths, 69
- Fontana-Masson stain, demonstration of cytoplasmic granules with, 260–263, **262**
- forced air dryer, 72
- overdehydration from, **73**
- forceps artifact, compression artifact from, in liver section, 185
- forceps metastasis, 43
- formaldehyde, 9–11. *See also* formalin.
- comparative characteristics, 18
 - for decalcification, 47
 - and dye binding, 109
 - in immunohistochemical studies, 279
 - morphologic preservation with, 17
 - for nucleic acid fixation, 8
 - with phosphate buffer, for electron microscopy, 335
 - rate of penetration, 7
 - warning sign, 85
- formaldehyde standard, 85–86
- formaldehyde-glutaraldehyde, for electron microscopy, 336
- formalin. *See also* formaldehyde.
- acetate, 11, 12
 - alcoholic, 13, 38
 - and protein hardening, 4
 - ammonium bromide, formulation, 12
 - aqueous, formulation, 12
 - calcium, formulation, 12
 - fixation of gastrointestinal tract, kidney, and spleen, 10
 - and fixative selection, 7
 - for Gomori staining of reticulin, 175
 - for Gordon and Sweets staining technique, 178
 - in immunohistochemical studies, 280

- incomplete fixation on lymph node, 281
- and lipid demonstration in liver section, 185
- Millonig, 11, 12
- neutral buffered, 11
 - and bubbling artifact, 6
 - fixation with, 11
 - formulation, 12
 - in immunological studies, 280
 - and lymphoma fixation, 19
 - and protein hardening, 4
 - and tissue storage, 7
- nuclear bubbling from, 8
- overnight processing with, 38
- personal protective equipment with, 13
- pigment, 11, 12
- safety precautions, 13
- saline, formulation, 12
- for Sevier-Munger modification of Bielschowsky method, 204
- stability of, 100
- storage of, 13
- unsuitability for immunohistochemistry, 279
- zinc, and decalcification testing, 48
- zinc, for immunohistochemical studies, 16–17
- formalin pigment, **10, 254**
 - demonstrated with Schmorl technique, 259
 - on Gomori-stained muscle, 329
- formaline-saline solution
 - for succinic dehydrogenase (SDH) reaction, 326
- formic acid
 - for decalcification, 47
 - for Dieterle staining method, 248
- formulas
 - for percentage solutions, 94–95
- Fouchet reagent
 - action on bilirubin, 269
 - for bile stain, 269
 - stability of, 100
- freeze thaw artifact
 - from frozen sectioning, 65
- freezers, for reagent storage, 72
- freezing
 - of antibody stocks, 286
 - of muscle biopsy specimens, 312–314, **313, 314**
- freezing artifact, troubleshooting, 50–51, **50, 51**
- frozen sectioning, 47, 49–50, **50**
 - for immunohistochemical studies, 279
 - troubleshooting, 50–51, **50**
- frozen sections, staining, 117–118
- fuchsin, acid, stability of, **100**
- fuchsin, basic
 - for aldehyde fuchsin elastic stain, 171
 - stability of, 100
- fuchsin, carbol, stability of, **100**
- fungi
 - defined and classified, 222–223
 - demonstration with chromic acid-Schiff stain, **236–238**
 - demonstration with Gridley staining, **238**
 - demonstration with Grocott staining, 239–242, **241**
 - demonstration with Hotchkiss-McManus PAS reaction, 235–236, **236**
 - demonstration with Luxol fast blue-PAS-hematoxylin staining, 218–219
 - demonstration with microwave variation of methenamine-silver nitrate staining, 242–244, **243, 244**
 - pathologic, stains for demonstrating, 223
- G**
- gall bladder, specimen orientation, 43
- Gallego solution
 - for Brown-Hopps modification of gram staining, 232
- gasoline, aviation
 - as clearing agent, 37
- gastric section
 - with microwave variation of Warthin-Starry technique, 247
 - with Steiner and Steiner microwave method, 250
- gastric specimens, collection and handling of, 352
- gastrointestinal tract, argentaffin demonstration with Schmorl technique, 260
 - Bouin solution for, 19
 - fixation troubleshooting, 24–26, 25
 - fixation with Hollande solution, 20
 - fixed in formalin, 10
 - incorrect orientation of, **45**
 - muscle of, 162
 - specimen orientation, **43, 44**
 - Zenker solution fixation of, 21
- gelatin
 - embedding with, 41
 - in flotation bath processing, 70
 - for microwave variation of Warthin-Starry technique, 246
 - for slide mounting, 69
 - for Warthin-Starry technique, 245
- Gendre solution, formulation and applications, 19
- GFAP, anaplastic tumor workup, 290
- Giemsa stains
 - application and procedure, 127–128
 - on bone marrow, 128
 - composition, 127
 - for demonstration of bacteria, **222**
 - for demonstration of bacteria, rickettsia, and *T gondii*, **233–234**
 - stability of, 100
- Gill hematoxylin
 - cervix stained with, 112
 - composition, 112
 - for Pap staining, 361
- glass knives
 - for electron microscopy, 341
- glia, 194–195
 - cresyl echt violet staining, 196
 - demonstration with Holzer method, 208–209, **209**
 - demonstration with Mallory PTAH technique, 207–208, **208**
- glial fibers, demonstration with Mallory PTAH technique, 179–181
- glioma, anaplastic tumor workup, 290
- gliosis
 - demonstration with Holzer method, 208–209
 - demonstration with Mallory PTAH technique, 207–208
- glomerular basement membrane, detection with periodic acid-methenamine silver microwave procedure, 182
- glomeruli
 - through electron microscope, **57**
 - in kidney blocked for electron microscopy, **340**
 - in kidney stained with thioflavine T technique, **156**
 - staining with periodic acid-methenamine procedure, **184**

- glues, for slide mounting, 69
- glutaraldehyde, 13–14
 comparative characteristics, 18
 phosphate-buffered, formulation, 14
 safety precautions, 14
 specimen removal from, 7
- glycine
 for microwave variation of Churukian-Schenk method, 266
- glycine-acetic acid solution
 for microwave variation of Warthin-Starry technique, 246
- glycogen
 α-0 glucose unit, 136
 demonstration in cervix with alcian blue-PAS technique, 149
 demonstration with Best carmine, 141, 142
 demonstration with PAS reaction and diastase digestion, 141
 PAS reaction with diastase digestion, 139–141
 and picric acid fixation, 15
 storage sites and staining methods, 136–152
 trapping with formaldehyde, 10
- glycol methacrylate
 embedding with, 41
 for undecalcified bone, 48–49
- glycolipids, types, occurrence, and reactivity, 136–137
- glycoproteins,
 demonstration with Müller-Mowry colloidal iron technique, 149–152
 PAS reaction, 138
 stained with alcian blue at pH 1, 147
 types, occurrence, and reactivity, 136
- glyoxal, 14, 18
- GMA. *See* glycol methacrylate
- goblet cells, 5
 argentaffin demonstration with Schmorl technique, 260
 demonstration with Russell modification of Movat pentachrome stain, 173
 demonstration with Schmorl technique, 260
 Mayer mucicarmine staining of, **144**
 methyl green-pyronin Y staining, 126
 staining with Gill hematoxylin, 112
- gold chloride
 for Bielschowsky-PAS staining, 201
 for Bodian staining method, 197
 for Fontana-Masson stain preparation, 261
 for Gomori staining of reticulin, 175
 for Gordon and Sweets staining technique, 178
 for Grocott staining, 240
 for Holmes silver nitrate staining method, 200
 for Luxol fast blue-Holmes silver nitrate staining, 216
 for microwave variation of Fontana-Masson stain, 262
 for microwave variation of methenamine-silver nitrate staining, 243
 for periodic acid-methenamine silver microwave procedure, 182
 for periodic acid-methenamine silver procedure without microwave, 183
 stability of, 100
- Golgi complex, 104, 106
- Gomori 1-step trichrome stain
 for collagen and smooth muscle differentiation, 165–166
- Gomori aldehyde fuchsin procedure, skin stained with, 171
- Gomori methenamine-silver technique
 urate crystal demonstration with, 256
 for urate demonstration, 267–268
- Gomori stain
 for reticular fibers, 174–179
 reticulin demonstration in liver section, 176
- Gomori trichrome
 stability of, 100
 for detection of morphology changes in muscle and connective tissue, 328–329
 for detection of morphology changes in muscle and connective tissue, 329
- Gomori variation, oxidizer, sensitizer, impregnating solution, and reducing solution, 175
- Gordon and Sweets variation
 for differential diagnosis of liver diseases, 177–179
 oxidizer, sensitizer, impregnating solution, and reducing solution, 175
 reticulin demonstration in liver section, 179
- gouty tophi, 255–256
- gram iodine
 for Brown-Hopps modification of gram staining, 231
 for Mallory PTAH technique, 180
 for phosphorylase stain, 327
 stability of, 100
- gram molecular weight, 96
- gram stains
 Actinomyces demonstration with, 233
 Brown-Hopps modification, 231–233
 for demonstration of bacteria, 222
 mold demonstration with, 223
S aureus, *E coli*, and liver disease demonstration, 232
- gram-equivalent weight, 96
- gram-negative and gram-positive bacteria, demonstration with Brown-Hopps method, 231–233, **232**, **233**
- granules, argentaffin. *See* argentaffin granules.
- granules, argyrophil, 263–264
 demonstration with Churukian-Schenk method, 265–267
 demonstration with microwave variation of Churukian-Schenk method, 267
 in pancreas stained with microwave Churukian-Schenk method, 267
 tumor demonstration with Grimelius stain, 264
- granules, cytoplasmic, 256
- granules, neurosecretory
 demonstration with Fontana-Masson stain, 260–263
 demonstration with microwave variation of Fontana-Masson stain, 261–263
- granulocytes
 demonstration with Mayer hematoxylin, **317–318**
 demonstration with naphthol AS-D chloroacetate esterase technique, 316, **317**
- gravimetric factor, 95
- gray matter
 demonstration with Bodian staining method, **198**
 demonstration with Luxol fast blue, **213**
 demonstration with Weil method, **212**
 indistinct differentiation with Luxol fast blue, **214**
- green birefringence
 after alkaline Congo red staining, 152, **153**
- Gridley staining
 demonstration of *C immitis* and *B dermatitidis*, 239
 demonstration of fungi with, 238
 mold demonstration with, 223
- Grimelius argyrophil stain, 263–264
 tumor demonstration in intestine, 264
- Grocott staining
 demonstration of fungi with, **239–242**
 demonstration of *P jirovecii*, 243, **244**
H capsulatum demonstration with, **241**
 mold demonstration with, **223**
- ground substance, demonstration with Russell modification of Movat pentachrome stain, **173**

- gum mastic
 for Dieterle staining method, 248
 stability of, 100
 for Steiner and Steiner procedure, 249
- gum tragacanth, for freezing muscle specimens, 313–314, **313**
- H**
- H&E staining. *See* hematoxylin and eosin staining.
- handling, of solutions, 98
- Hansen's disease
 demonstration with Fite staining technique, 228–230
 demonstration with Kinyoun acid-fast stain, 225
- hardening by fixative, 2
- Harris hematoxylin
 composition, 110
 demonstration of muscle fiber regeneration, 322
 for Pap staining, 361
- hazards
 biological or infectious, 82–83
 chemical, 84–90
 explosive, 86
 fire, 86
 mechanical, 83–85
 symbols for, 90
- hazy water, troubleshooting hematoxylin and eosin staining, 121
- heat
 and penetration by fixatives, 7
 for protein stabilization, 2
 artifact on specimen, **122**
- heat-induced epitope retrieval, 282
- HEIR artifact
 on brain biopsy, 287
- Helicobacter pylori*, demonstration with alcian yellow-toluidine blue staining, 234–235, **235**
- Helicobacter pylori*, demonstration with Giemsa staining, 233–234, **234**
- Helicobacter pylori*, demonstration with microwave variation of Warthin-Starry technique, 246, **247**
- Helicobacter pylori*, demonstration with Steiner and Steiner microwave method, 249–250, **250**
- Helly solution
 formulation and applications, 20
 labeling, 89
 specimen removal from, 7
- hemopoietic tissue, and B-5 solution, 19
- hematein vs hematoxylin, 110
- hematin, black acid, 11
- hematoidin, 255
- hematoxylin
 combined with Luxol fast blue and PAS, 218–219
 counterstain for PAS reaction, 138
 vs hematein, 110
 for immunohistochemical studies, 283
 for Pap staining, 361
 stability of, 100
 staining, 109–113
- hematoxylin, alcoholic, for Verhoeff elastic stain, 168
- hematoxylin and eosin stained tissue, processing for electron microscopy, 347–348
- hematoxylin and eosin staining, 114–123
 with automatic stainers, 67
 dehydration preparation, 71
 demonstration of phagocytosis in muscle, 309
 of diseased muscle, 309
 fixation troubleshooting, 26
 of normal muscle, 308
 processing problems, 42
 section thickness for, 58
 troubleshooting, 118–123
 with urate crystals, 256
- hematoxylin solution, for Movat pentachrome stain, 172
- hemochromatosis, ferrous iron in spleen stained with Turnbull blue, 259
- hemofuchsin, demonstration with Prussian blue stain, 257
- hemosiderin
 in bone marrow fixed with Zenker solution, 258
 demonstration with Prussian blue stain, 257
 in spleen stained with Turnbull blue, 259
- hepatitis, infectious hazards from, 83
- hepatocellular fibrosis, with Gordon and Sweets staining, 177–179
- HER2, guidelines for testing, 6
- heterochromatin, 104, 105
- HIER. *See* heat-induced epitope retrieval.
- histiocytes, connective tissue types and structures, 160
- histochemical reactions, of human muscle types, 309
- Histoplasma capsulatum*, demonstration with Grocott staining, 241
- HIV (human immunodeficiency virus), infectious hazards from, 83
- HMB-45/MART-1, anaplastic tumor workup, 290
- holes in section, troubleshooting, **60, 61**
- Hollande solution, formulation and applications, 20
- Holmes silver nitrate staining method
 combined with Luxol fast blue, 215–217, **217**
 nerve fiber and neurofibril demonstration, **199–200**
- Holzer staining method
 demonstration of gliosis with, 208–209, **209**
- horseradish peroxidase, for immunohistochemical studies, 283
- Hotchkiss-McManus PAS reaction, demonstration of fungi with, 235–236, **236**
- HRP enzyme labeled polymer procedure, 301–302
- human epidermal growth factor receptor 2. *See* HER2.
- human immunodeficiency virus. *See* HIV.
- hyaluronic acid, alcian blue demonstration of, 145
- hyaluronidase, epithelial and connective tissue mucin demonstration, 147–148, **147**
- hydrates, percentage solutions of, 96
- hydrochloric acid
 for acid phosphatase detection in muscle, 321
 for α -naphthyl acetate esterase stain, 315
 for chromic acid-Schiff stain, 237
 for decalcification, 47
 demonstration of muscle fiber regeneration, 322
 in Feulgen reaction, 123
 for Hotchkiss-McManus PAS reaction, 236
 for naphthol AS-D chloroacetate esterase technique, 316
 preparation for alcian blue technique, 146
 preparation for Müller-Mowry colloidal iron technique, 150
 preparation for PAS reaction testing, 137
 preparation for PAS reaction with diastase digestion, 140
 Prussian blue stain preparation, 257
 stability of, 100
 for Turnbull blue stain preparation, 258

- hydrochlorofluorocarbon refrigerants, for frozen sectioning, 65
 - hydrogen bonding, 107
 - hydrogen peroxide
 - for blocking reactions, 287
 - for HRP enzyme labeled polymer procedure, 302
 - for thioflavin S demonstration of Alzheimer disease, 206
 - hydrolases, 311
 - hydronium ions, 74
 - hydroquinone
 - for microwave variation of Warthin-Starry technique, 246
 - for Steiner and Steiner procedure, 249
 - for Warthin-Starry technique, 245
 - hydroxyl ions, 74
 - hypertonicity
 - and fixative selection, 7–8, 8
- I**
- ice crystal artifact, preventing, in muscle, 312–314
 - ice crystals
 - in brain section, 51
 - from frozen sectioning, 50, 65
 - troubleshooting, 50–51, 50
 - ignitability, description, 88
 - illumination, of microscope, 54
 - imidazole, 289
 - immunoblasts
 - methyl green-pyronin Y staining, 126, 188–189, **189**
 - immunofluorescence, 56
 - in frozen sectioning, 50
 - for immunohistochemical studies, 283
 - obsolescence as method, 279
 - PBS-sucrose preservation of, 23
 - immunohistochemical studies
 - PBS-sucrose transport solution for, 23
 - staining techniques, 297–302
 - zinc formalin fixation advantages, 21
 - zinc salt fixatives for, 16–17
 - immunohistochemistry, 277–305
 - quality control for, 292
 - slides, dehydration of, 71
 - immunolabeling, with LR white, 339–340
 - immunology, 278–279
 - immunoperoxidase techniques, troubleshooting, 296–297
 - impregnating solution
 - for Holmes silver nitrate staining method, 199
 - for Luxol fast blue-Holmes silver nitrate staining, 216
 - variations for reticulin staining, 175
 - infectious hazards, 82–83
 - infiltration, 37–41
 - inflammation
 - in muscle cells, acid phosphatase reaction in, 320–322, 322
 - instrumentation, 53–80
 - quality control, 75–79
 - interalveolar septa, fixation illustrations, 6
 - intermyofibrillar sarcoplasm, demonstration with Gomori trichrome procedure, 329
 - interstitial connective tissue, demonstration with Gomori trichrome procedure, 329
 - intestinal metaplasia, detection with alcian blue-PAS-hematoxylin, 148
 - intestine, **63**
 - alcian blue stain on, 69
 - colloidal iron staining with hematoxylin counterstaining, 152
 - demonstrating cytoplasmic granules with Fontana-Masson staining, 262
 - demonstration of argentaffin in, with microwave Fontana-Masson technique, 263
 - eosin-counterstained, 114
 - incorrect orientation of, 45
 - incorrect polychromatic staining, 127
 - Mayer mucicarmine staining of, **144**
 - overdehydration from forced air dryer, 73
 - overstaining, with eosin-phloxine, **121**
 - specimen orientation, 43
 - troubleshooting hematoxylin and eosin staining, 120
 - tumor demonstration with Grimelius stain, 264
 - iodine-glycerine mounting medium, for phosphorylase stain, 327
 - iodine-iodide solution, for Russell modification of the Movat pentachrome stain, 172
 - ion-exchange resins, for decalcification, 47
 - ions, 74
 - and fixation, 3
 - and staining, 10, 11, 107
 - iris diaphragm
 - of microscope, 54
 - iron hematoxylin staining, differentiation with, 109
 - iron, ferric
 - in bone marrow section stained with Prussian blue, 258
 - demonstration with Prussian blue stain, 256–258
 - iron, ferrous
 - demonstration with Turnbull blue stain, 258–259
 - in spleen stained with Turnbull blue, 259
 - irritants, xylene, limonene, and aliphatic carbon comparisons, 37
 - isoelectric point, 108
 - isopentane, 313, 314
 - flash point, 87
 - for freezing muscle specimens, 313–314
 - in frozen sectioning, 50, 65
 - isopropyl alcohol (isopropanol)
 - flash point, 87
 - for dehydration, 33, 34
 - isotonicity, and fixative selection, 7–8
- J**
- jamming, during sectioning, troubleshooting, 62
 - Jenner solution, composition, 127
 - juxtannuclear region, ultrastructure of, 105
- K**
- keratin
 - demonstration with Gomori 1-step trichrome stain, 166
 - demonstration with Masson trichrome staining, 163–165
 - demonstration with Pap staining, 363
 - HMW small cell neoplasm panel, 290
 - Kernechtrot solution
 - for Churulian-Schenk method, 265
 - for Gomori staining of reticulin, 176
 - for Gordon and Sweets staining technique, 178
 - for Grimelius argyrophil stain, 264
 - for microwave variation of Churukian-Schenk method, 266
 - for microwave variation of Fontana-Masson stain, 263
 - preparation for alcian blue technique, 145
 - Prussian blue stain preparation, 257
 - for Turnbull blue stain preparation, 258
 - for von Kossa calcium stain, 270

- kidney
 basement membrane in, 161
 biopsy examination with immunofluorescence, 283
 blocked for electron microscopy, 340
 calcium demonstration with alizarin red stain, 271
 calcium demonstration with von Kossa stain, 270
 crystal violet staining, 155
 through electron microscope, 57
 fixed in formalin, 10
 incomplete differentiation of eosin staining, **121**
 through light microscope, 55
 PAS reaction with fresh vs old Schiff reagent, 139
 plastic embedding, 41
 through polarizing microscope, 55
 section thickness for, 58
 stained with thioflavin T technique, 156
 staining with periodic acid-methenamine procedure, 184
- killing, of tissue specimens, by fixative, 2
- Kinyoun acid-fast stain
 acid-fast bacteria demonstration in lung section, 225
 leprosy demonstration with, 225
 on lung section, **73**
 mast cell demonstration, 189
 mycobacteria demonstration with, 224–226
- Kinyoun carbol-fuchsin solution, for Kinyoun acid-fast stain, 224
- knife guard, 84
- knives
 artifacts caused by, 59
 diamond, for electron microscopy, 341–342
 for electron microscopy, 341–343
 glass for electron microscopy, 341
- knives, glass, 58
- knives, Ralph, 58
- knives. *See also* microtomes.
- L**
- labeling, 85
 of hazardous materials, 89
 and quality control, 295
 of Zenker and Helly solutions, 89
- laboratory standard, 84
- Laidlaw variation, oxidizer, sensitizer, impregnating solution, and reducing solution, 175
- lake, defined, 110
- lamina propria
 defined and illustrated, 5
 pseudomelanin in colon stained with Schmorl technique, 260
- latex sensitivity, 82
- LCA, small cell neoplasm panel, 290
- Legionella pneumophila*
 demonstration with Dieterle staining method, 247–248, **249**
 demonstration with microwave variation of Warthin-Starry technique, 246
 demonstration with Steiner and Steiner microwave method, 249–250
- lens, of microscope, 54
- leprosy
 demonstration with Fite staining technique, 228–230
 demonstration with Kinyoun acid-fast stain, 225
- leukemias, demonstration with naphthol AS-D chloroacetate esterase technique, 316, 317
- leukocyte precursors, Giemsa staining of, 128
- leukocytes, connective tissue types and structures, 160
- light green solution
 for aldehyde fuchsin elastic stain, 170
 for Gomori methenamine-silver technique for urates, 268
 for Grocott staining, 240
 for microwave variation of methenamine-silver nitrate staining, 243
 for Masson trichrome staining, 164
 for Pap staining, 363
 for periodic acid-methenamine silver microwave procedure, 183
- limonene reagents
 attribute comparisons, 37
 for clearing, 36
- Lindquist rhodanine method, copper demonstration with, 272
- lipid stains, 108
- lipids. *See also* fats.
 demonstration with oil red O, 185
 demonstration with osmium tetroxide paraffin procedure, **187**
 demonstration with Sudan black B, 186
 fixative comparative characteristics, 18
 fixative effect on, 2, 8
 and formaldehyde fixation, 10
 osmium tetroxide fixation, 15
 and potassium dichromate fixation, 16
 processing with water-soluble waxes, 40
 staining techniques, 184–188
 ultrastructure of, 105
- lipofuscin, 106, 255
 demonstration with Bielschowsky-PAS staining, 202, 204
- lipid capsule
 demonstration with Fite staining technique, 228–230
 demonstration with Kinyoun acid-fast stain, 225
- liposarcomas, fat demonstration with oil red O, 184
- liquid nitrogen
 for freezing muscle specimens, 313–314, **313, 314**
 for frozen sectioning, 50, 65
 for freezing antibodies, 72, 286
- liquid-based cytology, 358–359
- liter, defined, 97
- lithium carbonate
 in decalcification processing, 48
 for Luxol fast blue staining, 213
 for Luxol fast blue-cresyl echt violet staining, 214
 for Luxol fast blue-Holmes silver nitrate staining, 216
 for Luxol fast blue-PAS-hematoxylin staining, 218
 for picric acid neutralization, 15
 stability of, 100
- liver, autolysis in, 2
 Best carmine demonstration of glycogen in von Gierke disease, 142
 copper demonstration with microwave rhodanine method, 272–273
 cryostat processing temperature, 64
 demonstrating bilirubin from bile staining, 269
 holes caused by knife, 60
 Masson trichrome staining of, 162
 necrotic
 Brown-Hopps gram stain on, 232
 differential diagnosis with Gordon and Sweets staining, 177–179
 oil red O staining of, 185
 PAS reaction with and without diastase digestion, 141
 reticulin demonstration with Gomori stain, 176
 reticulin demonstration with Gordon and Sweets staining, 179
 reticulin staining with Snook variation, 177
 staining with osmium tetroxide paraffin procedure, 187
 Sudan black B staining, 186
 Wilson disease diagnosis with rhodanine method, 271–273, **272, 273**

liver diseases
 differential diagnosis with Gordon and Sweets staining, 177–179
 silver staining techniques for, 174–179

log, antibody control, 293

LR white processing
 for electron microscopy, 339–340

lugol iodine solution
 formulation and applications, 24
 for Mallory PTAH staining of glia, 207
 stability of, 100
 for Verhoeff elastic stain, 168

lung
 adenocarcinoma in, 290
 colloidal iron staining, 151
 demonstration with Hotchkiss-McManus PAS reaction, 236
 detection with microwave auramine-rhodamine fluorescence technique, 231
 fixation illustrations, 6
 Kinyoun acid-fast technique on, 73

Luxol fast blue
 on central nervous system specimen, 59
 combined with cresyl echt violet, 214–215, **215**
 combined with Holmes silver nitrate staining, 215–217, **217**
 combined with PAS and hematoxylin, 218–219
 demonstration of myelin sheath, 212–213, **214**
 stability of, 100
 staining on medulla, olivary nucleus, 213

Luxol fast blue-PAS-hematoxylin staining, demonstration with Luxol fast blue-PAS-hematoxylin staining, 219

lymph nodes
 alcohol fixation in, 66
 cryostat processing temperature, 64
 Feulgen reaction on, 124
 fixation troubleshooting, 25, 26
 hematoxylin and eosin staining of, 115
 holes caused by knife, 60
 incomplete formalin fixation, 281
 melanin demonstration with Schmorl technique, 260
 methyl green-pyronin Y staining, 189
 with microwave variation of Warthin-Starry technique, 247
 normal CD20 B-cell staining, 291
 normal CD3 T-cell staining, 291
 plastic embedding, 41
 showing melanin with Fontana-Masson stain, 262
 specimen orientation, 44

lymphocytes, hematoxylin and eosin staining of, 105

lymphoma
 anaplastic tumor workup, 290
 B-5 vs formalin fixation, 19
 on colon demonstrated with cytoplasmic IgA, 299
 small cell neoplasm panel, 290

lymphoreticular tissue
 and B-5 solution, 19

lyophilized antibodies, storage of, 287

lysosomes, 106
 acid phosphatase as marker for, 320
 demonstration with α -naphthyl acetate esterase stain, 316
 ultrastructure of, 105

M

macrophages
 connective tissue types and structures, 160
 demonstration with α -naphthyl acetate esterase stain, 316

maintenance
 of balances, 74
 of cryostat, 65
 history chart, **78–79**
 of microscope, 54
 of tissue processors, 66

malignant, defined, 289

Mallory PTAH technique
 demonstration with Mallory PTAH technique, 208
 gliosis demonstration with, 207–208
 for muscle staining, 179–181

malt diastase solution
 preparation for PAS reaction with diastase digestion, 140
 stability of, 100

marrow
 Giemsa staining of, 128
 plastic embedding, 41
 section thickness for, 58

Masson trichrome stain
 with osmium tetroxide paraffin procedure, 187
 in tumor differentiation and collagenous tissue identification, 162–165

mast cells, connective tissue types and structures, 160
 demonstration with Mayer hematoxylin, 317–318
 demonstration with microwave variation of Ziehl-Neelsen method, 228
 demonstration with toluidine blue, 188, 188
 methylene blue counterstaining in Kinyoun acid-fast technique, 189
 in skin tumor, 189

mastocytomas
 demonstration with toluidine blue, 188
 diagnosis with toluidine blue, 188

Material Safety Data Sheets (MSDSs), 85

mathematics, laboratory, 93–102

Mayer hematoxylin
 composition of, 111
 demonstration of granulocytes and mast cells, **317–318**
 demonstration of muscle fiber regeneration, **322**
 for immunohistochemical studies, 283
 for microwave variation of rhodanine method, 273
 preparation for thioflavin T technique, 155
 for rhodanine copper demonstration, 272

Mayer mucicarmine
 demonstration of *C neoformans* and *B dermatitidis* with, **244**
 epithelial mucin demonstration with, 142–144, **144**
 mold demonstration with, **223**
 on small intestine, **144**
 for Schmorl technique, 259

May-Grunwald Giemsa stain, application and procedure, 127–128

measuring technique, 94

mechanical hazards, 83–85

mechanical testing of decalcification, 48

media, aqueous mounting, 129

medulla
 demonstration with Luxol fast blue, **213**
 demonstration with Weil method, **212**

- melanin, 255
 demonstrated with Schmorl technique, 259, **260**
 demonstration with Fontana-Masson stain, 260–263, **262**
 demonstration with microwave variation of Fontana-Masson stain, 261–263
 in lymph node section stained with Fontana-Masson technique, **262**
 in lymph node section stained with Schmorl technique, **260**
- melanoma
 anaplastic tumor workup, 290
 in lymph node section stained with Fontana-Masson technique, **262**
 in lymph node section stained with Schmorl technique, **260**
 on eye, marked with alkaline phosphatase red chromogen, 283
- melting point
 and embedding technique, 42
 and ribbon formation problems, 60
- mercuric chloride, 14–15, **18**
 comparative characteristics, 18
 and dye binding, 109
 in immunohistochemical studies, 279, 280
 rate of penetration, 7
- mercury pigment artifact, 254
- mesenchymal cells, connective tissue types and structures, 160
- mesothelioma, birefringence, 254
- metal mordants, in nuclear staining, 107
- metanil yellow
 for Gridley staining, 238
 Mayer mucicarmine staining of, **144**
 preparation for Mayer mucicarmine technique, 143
 for Schmorl technique, 259
 stability of, 100
- metastasis, defined, 289
- methacarn solution
 in immunohistochemical studies, 279
 formulation and applications, 23
- methanol. *See* methyl alcohol.
- methenamine silver nitrate
 for periodic acid-methenamine silver microwave procedure, 182
 for periodic acid-methenamine silver procedure without microwave, 183
 stability of, 100
- methenamine solution
 for Gomori methenamine-silver technique for urates, 267
 for Grocott staining, 240
 for microwave variation of methenamine-silver nitrate staining, 242
- methenamine-silver nitrate staining, demonstration of fungi with, 239–244
- methyl alcohol
 in Best carmine demonstration of glycogen, 142
 comparative characteristics, 18
 for dehydration, 34
 effect on protein, 8
 flash point, 87
 rate of penetration, 7
- methyl green solution
 for acid phosphatase detection in muscle, 321
 composition, 125
- methyl green-pyronin Y staining, 124–126, **125**, **126**
 of mast cell tumor of skin, 189
 plasma cell staining, in lymph node, 189
 plasma staining with, 188–189
 solution composition, 125
- methylene blue
 acid-fast bacteria demonstration in lung section, 225
 counterstain for mast cell demonstration, 189
 for demonstration of bacteria, 222
 for Fite acid-fast staining technique, 229
 for Kinyoun acid-fast stain, 224
 for microwave variation of Ziehl-Neelsen method, 227
 stability of, 100
 for Ziehl-Neelsen method, 226
- metric system, 97–98
- metric units, US equivalents, **97**
- Michel transport solution
 formulation and applications, 23
 for specimen storage, 8
- microglia, 195
- microliter, defined, 97
- micrometer pipettes, 75
- micrometry, with microscope, 54
- microorganisms, 221–249
- microscopes, 54–57
 darkfield, 55
 electron, 56–57
 fluorescence, 56
 light, 54, 55
 phase-contrast, 55
 polarizing, 55, 55
- microtomes, 57–64. *See also* knives.
 chatter from, 281
 clinical freezing, 57–58
 diamond for electron microscopy, 341–342
 for electron microscopy, 341–343
 glass for electron microscopy, 341
 rotary, 57
 safety precautions, 58, 84
 sliding, 57
- microtomy, 314
 for electron microscopy, 341–343
 for immunohistochemical studies, 280–281
 troubleshooting, 58–64
- microwave auramine-rhodamine fluorescence technique, demonstration of *M tuberculosis*, 230–231, **231**
- microwave oven processing, 2, 39
 of rectal tumor specimen, 40
- microwave processors, 66–67
- microwave rhodanine method, copper demonstration with, 273
- microwave staining oven, 67–68
- microwave variation
 of Bielschowsky-PAS staining, 202–204
 of Churulian-Schenk method, 266–267
 pancreatic islet stained with, 267
 of Fontana-Masson technique, 261–263
 argentaffin in intestine demonstrated with, 263
 of Masson trichrome staining, 164–165
 of methenamine-silver nitrate staining, demonstration of *P jirovecii*, 243, 244
 of methenamine-silver nitrate staining, 242–244
 of Müller-Mowry colloidal iron technique, 151–152
 of periodic acid-methenamine silver microwave procedure, 182–187
 of rhodanine copper demonstration, 272–273
 of Warthin-Starry technique, 245–247
 bacteria demonstration with, **247**
 of Ziehl-Neelsen method, 227–228

microwaves
 for protein stabilization, 2

milky water, troubleshooting hematoxylin and eosin staining, 121

Miller technique, 171

milliliter, defined, 97

Millipore-filtered deionized water
 for flotation bath processing, 70

Millonig fixative, modified
 for electron microscopy, 335

Millonig formalin, eosinophil fixation, 11

Millonig formalin, formulation, 12

minerals, 255–256

mitochondria, abnormality demonstration with Gomori trichrome procedure, 329, **329**

mitochondria, abnormality demonstration with NADH diaphorase reaction, 323–325, **324**

mitochondria, 105
 and potassium dichromate fixation, 16
 succinic dehydrogenase (SDH) reaction with, 325–326, **326**
 ultrastructure of, 104, 105

modified Millonig fixative
 for electron microscopy, 335

molar solutions, 96

molds, 222–223
 fixative effect on, 2

monoclonal antibodies, defined and described, 278–279

monocytes, connective tissue types and structures, 160

mordant dyes
 for differentiation, 109

mordanting
 and fixative selection, 7
 for Masson trichrome staining, 164
 of muscle section in Mallory PTAH staining, 181

mordants
 fixatives as, 2
 metal
 composition, 110–113
 in nuclear staining, 107

motor endplates, demonstration with α -naphthyl acetate esterase stain, 316, **316**

mounting
 stained sections, 128–131
 troubleshooting, 130–131, **130**

mounting medium retraction, 131, **131**

Movat pentachrome stain, Russell modification of, 172–174

MSDSs (Material Safety Data Sheets), 85

Müller colloidal iron solution, preparation for Müller-Mowry colloidal iron technique, 150

Müller-Mowry colloidal iron, carboxylated and sulfated mucopolysaccharide demonstration with, 149–152

mucicarmine
 stability of, 100
 for Mayer mucicarmine technique, 143

mucins, demonstration with alcian yellow-toluidine blue staining, 235, **235**
 demonstration in cervix with alcian blue-PAS technique, 149
 demonstration with Gomori 1-step trichrome stain, 166
 demonstration with Gridley staining, 239
 demonstration with Grocott staining, 241
 demonstration with Masson trichrome staining, 163–165
 demonstration with Mayer mucicarmine technique, 143
 demonstration with Russell modification of Movat pentachrome stain, 172–174, **173**
 demonstration with Schmorl technique, 260
 staining with Gill hematoxylin, 112
 types, occurrence, and reactivity, **136**

mucoïd specimens, smear preparation, 355

mucopolysaccharides, alcian blue demonstration of, 145–146
 demonstration with Müller-Mowry colloidal iron technique, 149–152
 stained with alcian blue at pH 1, 147
 types, occurrence, and reactivity, 136

mucoproteins, types, occurrence, and reactivity, 136

mucosa, defined and illustrated, 5, 5

mucosubstances
 absorption of ferric ions, 149
 differentiating neutral and acidic, 148
 PAS reaction testing for, 137–141
 types, occurrence, and reactivity, 136
 sulfated alcian blue demonstration of, 146–147

mucus, cellular material trapped in, 360

multilink biotinylated secondary antisera, 289

muscle
 acid phosphatase reaction in, 320, 322
 demonstration with Masson trichrome staining, 163–165
 demonstration with Russell modification of Movat pentachrome stain, 172–174, 173
 fast-twitch, 308
 of gastrointestinal tract, 162
 Gomori trichrome procedure with, 328–329, **329**
 histology, 308
 holes in section, **61**
 Mallory PTAH staining in, 181
 pathology, 308
 periodic acid-Schiff technique on, 328
 phagocytosis demonstration with hematoxylin and eosin staining, 309
 phosphorylase stain, 326–328, **327**
 poor differentiation of, 121
 sectioning of, 314
 skeletal, 308
 α -naphthyl acetate esterase stain, 316
 atrophy demonstration with ATPase, 320
 demonstration of normal pattern with ATPase, 319
 demonstration with α -naphthyl acetate esterase stain, 316
 frozen sectioning of, 65
 hematoxylin and eosin staining of, 308
 neuropathic disease in, 309
 vs cardiac, 161
 slow-twitch, 308
 smooth
 demonstration with Russell modification of Movat pentachrome stain, 173
 differentiation with Gomori 1-step trichrome stain, 165–166
 in Verhoeff-van Gieson staining of aorta and artery, 169
 stained with oil red O, 328
 staining techniques, 179–181
 types and characteristics, 161
 van Gieson staining, 167

muscle biopsy specimens
 α -naphthyl acetate esterase stain, 314–316
 freezing, 312–314, **313**, **314**

muscle fibers, demonstration with Gomori 1-step trichrome stain, 166

muscle regeneration, alkaline phosphatase reaction in, 322–323, **323**

muscle type differentiation
 with ATPase, 318–320

muscularis mucosa, defined and illustrated, 5

musculoskeletal disorders, 84

mushy tissue, troubleshooting, 44–45, **45**, 58

- mycelia, demonstration with Gridley staining, 239
- mycobacteria
- demonstration with Fite staining technique, 228–230
 - demonstration with Kinyoun acid-fast stain, 224–226
 - demonstration with microwave variation of Ziehl-Neelsen method, 227–228
 - demonstration with Ziehl-Neelsen method, 226–228
 - detection with microwave auramine-rhodamine fluorescence technique, 230–231, **231**
- Mycobacterium leprae*
- demonstration with Fite staining technique, 228–230
 - demonstration with Kinyoun acid-fast stain, 225
- Mycobacterium tuberculosis*, detection with microwave auramine-rhodamine fluorescence technique, 230–231
- myelin, 195
- demonstration with Luxol fast blue, 213
 - demonstration with Luxol fast blue-PAS-hematoxylin staining, 219
 - demonstration with Mallory PTAH technique, 179–181, **208**
 - fat demonstration with oil red O, 184
 - indistinct differentiation with Luxol fast blue, 214
- myelin sheath, 194
- demonstration with Luxol fast blue, 212–213
 - demonstration with Luxol fast blue-PAS-hematoxylin staining, 218–219
 - demonstration with Weil method, 211, **212**
 - simultaneous demonstration with nerve fibers, 215–217, **217**
 - simultaneous demonstration with Nissl substance, 214–215, **215**
- myelinated nerve twigs, demonstration with Gomori trichrome procedure, 329
- myelogenous leukemic cells, in cervix, demonstrated with naphthol AS-D chloroacetate esterase technique, 317
- myofibrils, demonstration with Gomori trichrome procedure, 329
- myopathic disease, ATPase stain to distinguish from neuropathy, 318–320
- N**
- NADH, histochemical reactions of human muscle types, 309
- naphthol AS-D chloroacetate esterase technique, demonstration of myelogenous leukemic cells with, 317
- naphthol AS-D chloroacetate esterase technique, 316, **317**
- Nasher and Shankin variation, oxidizer, sensitizer, impregnating solution, and reducing solution, 175
- National Fire Protection Association (NFPA), hazard rating system, 89
- NBT solution
- for NADH diaphorase reaction, 324
 - for succinic dehydrogenase (SDH) reaction, 325
- necrotic liver disease, differential diagnosis with Gordon and Sweets staining, 177–179
- nemaline rods
- demonstration with Gomori trichrome procedure, 329
 - demonstration with Mallory PTAH technique, 179–181
- neoplasm panel, small cell, 290
- nephrocalcinosis
- demonstrated with alizarin red stain, 271
 - demonstrated with von Kossa stain, 270
- nerve endings
- Bodian staining method, 197–198
 - demonstration with Sevier-Munger modification of Bielschowsky method, 205
- nerve fibers
- Bodian staining method, 197–198
 - demonstration with Bielschowsky-PAS staining, 200–205
 - demonstration with Bodian staining method, 198
 - demonstration with Holmes silver nitrate method, 200
 - demonstration with Sevier-Munger modification of Bielschowsky method, 204
 - Holmes silver nitrate staining method, 199–200
 - simultaneous demonstration with myelin sheath, 215–217, **217**
- nerve tissue, 194–220
- staining techniques, 195–219
- nervous system, 194–195
- neurites, dystrophic, demonstration with Bielschowsky-PAS staining, 202
- neurites, peripheral
- demonstration with Bielschowsky-PAS staining, 202
 - demonstration with Sevier-Munger modification of Bielschowsky method, 205
- neuroblastoma, small cell neoplasm panel, 290
- neurofibrillary plaques and tangles
- demonstration with Bielschowsky-PAS staining, 200–205, **202, 204**
 - demonstration with Luxol fast blue-PAS-hematoxylin staining, 218–219
 - demonstration with Sevier-Munger modification of Bielschowsky method, 204–205, **205**
 - demonstration with thioflavin S staining, 205–207, **207**
 - fluorescent dyeing, 56
- neurofibrils, 194
- Bodian staining method, 197–198
 - demonstration with Bielschowsky-PAS staining, 204
 - demonstration with Holmes silver nitrate method, 200
 - demonstration with Sevier-Munger modification of Bielschowsky method, 205
 - Holmes silver nitrate staining method, 199–200
- neurofilament, small cell neoplasm panel, 290
- neuroglia, 194–195
- neurologic effects, xylene, limonene, and aliphatic carbon comparisons, 37
- neuromelanin, demonstration with Bielschowsky-PAS staining, 204
- neuronal nuclei, hematoxylin and eosin staining of, 105
- neurons, 194
- cresyl echt violet staining, 196
 - demonstration with Holmes silver nitrate method, 200
 - demonstration with Mallory PTAH technique, **208**
 - staining of, 105
- neuropathic disease
- ATPase stain to distinguish from myopathy, 318–320
 - in muscle, 316
- neurosecretory granules
- demonstration with Fontana-Masson stain, 260–263
 - demonstration with microwave variation of Fontana-Masson stain, 261–263
- neurosecretory tumors, demonstration with Churukian-Schenk method, 265–267
- neutral buffered formalin. *See* formalin, neutral buffered.
- neutralization, of picric acid, 15
- NFPA (National Fire Protection Association), hazard rating system, 89
- nickel method, of smear preparation, **354**
- nicotinamide adenine dinucleotide phosphate tetrazolium reductase (NADH diaphorase) reaction, abnormality demonstration in muscle with, 323–325, **324**
- nipple discharges, collection and handling of, 352

- Nissl substance, **194**
 demonstration with cresyl echt violet staining, 195–197, **197**
 simultaneous demonstration with myelin sheath, 214–215, **215**
- nitric acid
 for decalcification, 47
 for microwave variation of Bielschowsky-PAS staining, 203
- nitrocellulose, embedding with, 40
- nitrogen, liquid, **313, 314**
 for freezing muscle specimens, 313–314
 for frozen sectioning, 50, 65
- Nocardia*, Fite technique variation for, 229
- Nocardia asteroides*, demonstration with microwave variation of Warthin-Starry technique, 246
- node of Ranvier, 194
- nonadditive fixation, 2
- nonaqueous fixatives, 22–23
- noncoagulant fixatives, 3, 4
- nonionic homoglycans, types, occurrence, and reactivity, 136
- normal solutions, 96
- NSE, small cell neoplasm panel, 290
- nuclear basophilia
 from acid decalcification, 47
 in decalcified bone, 48
- nuclear bubbling
 as drying artifact, 73
 from excessive heat, 71
 fixation troubleshooting, 24–26, **26**
 from formalin fixation, 6
- nuclear dyes, 109–113
- nuclear envelope, ultrastructure of, 105
- nuclear fast red
 for Churulian-Schenk method, 265
 for Gomori staining of reticulin, 176
 for Gordon and Sweets staining technique, 178
 for Grimelius argyrophil stain, 264
 for microwave variation of Churukian-Schenk method, 266
 for microwave variation of Fontana-Masson stain, 263
 preparation for alcian blue technique, 145
 Prussian blue stain preparation, 257
 stability of, 100
 for Turnbull blue stain preparation, 258
 for von Kossa calcium stain, 270
- nuclear membrane
 as component of nucleus, 104
- nuclear pores, 104, 105
- nuclear staining, 103–134, **107**
- nuclei, 104–106, **104, 105**
 alcian blue demonstration of, 145, **147**
 cresyl echt violet staining, **196**
 demonstration with alcian yellow-toluidine blue staining, **235**
 demonstration with alkaline Congo red staining, **153**
 demonstration with Best carmine technique, **142**
 demonstration with Bodian staining method, **198**
 demonstration with Brown-Hopps method, **232**
 demonstration with chromic acid-Schiff stain, **238**
 demonstration with Churukian-Schenk method, **266**
 demonstration with cresyl echt violet staining, **196**
 demonstration with Diff-Quik Giemsa staining, **234**
 demonstration with Fontana-Masson stain, **261**
 demonstration with Gomori 1-step trichrome stain, **166**
 demonstration with Gomori trichrome procedure, **329**
 demonstration with Grimelius stain, **264**
 demonstration with Masson trichrome staining, 163–165
 demonstration with Mayer hematoxylin, 317–318
 demonstration with Mayer mucicarmine technique, **143**
 demonstration with microwave rhodanine method, **273**
 demonstration with microwave variation of Fontana-Masson stain, **263**
 demonstration with microwave variation of Warthin-Starry technique, **247**
 demonstration with Müller-Mowry colloidal iron technique, **151**
 demonstration with Prussian blue stain, **257**
 demonstration with rhodanine method, **272**
 demonstration with Russell modification of Movat pentachrome stain, **173**
 demonstration with Sudan black B, **186**
 Luxol fast blue-cresyl echt violet staining, **215**
 methyl green-pyronin Y staining, 126, 126, **189**
 of muscles, 308, 308
 in nerve cell, 194
 demonstration with Luxol fast blue-PAS-hematoxylin staining, **219**
 Mallory PTAH staining, **208**
 reactions to fixatives, 8
 troubleshooting hematoxylin and eosin staining, 119–120, **119, 120**
 van Gieson staining, 167
- nucleic acids
 fixative comparative characteristics, 18
 reactions to fixatives, 8
 staining of, 123–126
- nucleoli, 104
 demonstration with Pap staining, 363
 methyl green-pyronin Y staining, 126, 189
 in nerve cell, 194
 staining of, 105
 ultrastructure of, 104
- nucleoproteins
 acetic acid and, 9
 and picric acid fixation, 15
- nucleus. *See* nuclei.
- O**
- objective lens, of microscope, 54
- Occupational Exposure to Hazardous Chemicals in the Laboratories, 84
- ocular lens, of microscope, 54
- odor, xylene, limonene, and aliphatic carbon comparisons, 37
- OG-6 counterstain, 362
- oil red O, stability of, **100**
- oil red O staining
 of lipids, 184–186, **185**
 on muscle, 328
- oligodendroglia, 194
- olivary nuclei, demonstration with Luxol fast blue, 213
- orange G, for Pap staining, 362
- orcein fuchsin stain, 171
- organ capsules, connective tissue types and structures, 160
- organelles, demonstration in liver with Gomori stain, 176
- orientation, of specimen, 42–43, **43**
 in frozen sectioning, 51
 troubleshooting, 45
- origanum, oil of
 for clearing, 36
- Orth solution, formulation and applications, 21

- OSHA Hazard Communication Standard, 84
- osmium tetroxide, 289
 - with cacodylate buffer, for electron microscopy, 336
 - comparative characteristics, 18
 - and dye binding, 109
 - for electron microscopy, 334
 - in frozen sectioning, 50
 - for lipid fixation, 8
 - morphologic preservation with, 17
 - with phosphate buffer, for electron microscopy, 336
 - rate of penetration, 7
 - safety precautions, 15
- osmium tetroxide paraffin procedure, lipid demonstration with, 187
- osmolality, and fixative selection, 7–8, 8
- ovarian, adenocarcinoma, 290
- ovens, 71
- overdecalcification, troubleshooting, 49
- overdehydration
 - holes in section from, 61
 - troubleshooting, 41–42
- overfixation, and washboarding of section, 61
- overstaining, with eosin-phloxine counterstain, 121
- oxalic acid
 - for Bodian staining method, 197
 - for Gordon and Sweets staining technique, 178
 - for Holmes silver nitrate staining method, 200
 - for Luxol fast blue-Holmes silver nitrate staining, 216
 - for Mallory PTAH staining of glia, 208
 - for Mallory PTAH technique, 180
 - for PTAH staining without mercuric solutions, 181
 - stability of, 100
 - for thioflavin S demonstration of Alzheimer disease, 206
- oxidases, 312
- oxidation
 - defined, 310
 - of hematoxylin, 110
- oxidizer variations for reticulin staining, 175
- oxidizers, for differentiation, 109
- oxireductases, 312
- P**
- P504S, demonstration of cancer on prostate, 302
- PAF. *See* Zamboni solution.
- pancreas
 - adenocarcinoma, 290
 - autolysis in, 2
 - stained with microwave Churukian-Schenk method, 267
- pancreatic duct, ultrastructure of, 104
- Paneth cells, defined and illustrated, 5
- PAP (peroxidase-antiperoxidase) immunohistochemical technique, lymphoma demonstrated on colon with cytoplasmic IgA, 299
- PAP (peroxidase-antiperoxidase) immunohistochemical technique, 284, 297–299
- Pap smears, 352, 359
- Pap (Papanicolaou) stain, 361–362
 - composition and technique, 362–363
 - on cytoplasm and neutrophils, 362
- paraffin
 - for embedding, 37–40, 42
 - melting point for immunohistochemical studies, 280
 - processing with water-soluble waxes, 40
 - rapid processing with, 38
 - artifacts, 71
 - paraffin-processed tissue, fixatives for, 280
- paraformaldehyde
 - with cacodylate buffer, for electron microscopy, 335
 - comparative characteristics, 18
 - with phosphate buffer, for electron microscopy, 335
- pararosaniline solution
 - for acid phosphatase detection in muscle, 321
 - for α -naphthyl acetate esterase stain, 315
- parched earth artifact, 69
- parfocality
 - of microscope, 54
- Parlodion, embedding with, 40
- PAS staining (PAS reaction). *See also* alcian blue-PAS-hematoxylin technique; Bielschowsky-PAS staining; Hotchkiss-McManus PAS reaction
 - of carbohydrates, 137–141
 - on central nervous system specimen, 59
 - in colon section, 138
 - combined with Luxol fast blue and hematoxylin, 218–219
 - on kidney section, 139
 - mold demonstration with, 223
 - on muscle, 328
- pathology, in muscles, 308
- PBS buffer
 - for peroxidase-antiperoxidase (PAP) immunohistochemical technique, 297, 300
- PBS solutions, formulation and applications, 23
- penetration
 - by fixative, 2
 - fixative comparative characteristics, 18
 - by formaldehyde fixation, 10
 - of glutaraldehyde fixation, 13
 - osmium tetroxide fixation, 15
 - rate of, by fixatives, 7
 - with zinc formalin fixation, 17
- percentage, calculation, for solutions, 94–97
- perikaryon, demonstration with Bielschowsky-PAS staining, 202
- periodic acid
 - for alcian yellow-toluidine blue staining method, 234
 - for Bielschowsky-PAS staining, 201
 - for Hotchkiss-McManus PAS reaction, 235
 - for Luxol fast blue-PAS-hematoxylin staining, 218
 - for osmium tetroxide paraffin procedure, 187
 - for periodic acid-methenamine silver microwave procedure, 182
 - preparation for alcian blue-PAS-hematoxylin technique, 149
 - preparation for PAS reaction testing, 137
 - preparation for PAS reaction with diastase digestion, 140
 - stability of, 100
- periodic acid-methenamine silver microwave procedure
 - for basement member delineation, 182–186
- periodic acid-methenamine silver procedure, kidney section stained with, 184
- periodic acid-Schiff stain. *See* PAS reaction.
- peripheral nervous system, 194
- peripheral neurites
 - demonstration with Bielschowsky-PAS staining, 202
 - demonstration with Sevier-Munger modification of Bielschowsky method, 205
- peroxidase effects, on red blood cell specimen, 287
- peroxidase-antiperoxidase (PAP) immunohistochemical technique, 284, 297–299
 - lymphoma demonstrated on colon with cytoplasmic IgA, 299

- peroxidases, 312
- personal protective equipment
with formalin, 13
for infectious hazards, 82
- pH, 74
of amino acids, 107
and dye binding, 109
and fixation for electron microscopy, 335
of fixatives, 7
meters, 72–73
monitoring of buffers, 295
and quality control, 294
and tissue swelling with acetic acid, 9
- phagocytosis
in muscle, 309
- phosphatase, 311
- phosphate buffer
for α -naphthyl acetate esterase stain, 315
for NADH diaphorase reaction, 324
preparation for PAS reaction with diastase digestion, 140
for succinic dehydrogenase (SDH) reaction, 325
- phosphate-buffered glutaraldehyde, formulation, 14
- phosphate-buffered saline. *See* PBS.
- phosphomolybdic acid-alcohol solution, for Holzer staining method, 209
- phosphomolybdic-phosphotungstic acid solution, for Masson trichrome staining, 163
- phosphorylase, histochemical reactions of human muscle types, 309
- phosphorylase, 312
- phosphorylase stain
for muscle, 326–328, 327
- phosphotungstic acid
for Russell modification of the Movat pentachrome stain, 173
stability of, 100
- phosphotungstic acid hematoxylin. *See* PTAH.
- phosphotungstic acid-hematoxylin technique. *See* PTAH technique.
- physiological saline, for succinic dehydrogenase (SDH) reaction, 326
- picric acid, 15–16
comparative characteristics, 18
and dye binding, 109
explosion hazard, 16, 86
neutralization, 15
rate of penetration, 7
safe storage, 88
safety precautions, 16
saturated aqueous, stability of, 100
for van Gieson staining, 167
- picric acid-acetone
for Brown-Hopps modification of gram staining, 232
- picric acid-acetone, stability of, 100
- pigment artifact, 254
fixation troubleshooting, 26
with formalin, 12
with mercuric chloride, 15
with potassium dichromate fixation, 16
removal of, 23–24
with Zenker and Helly solutions, 20
with zinc formalin fixation, 21
- pigments, 254–255
- pipettes, micrometer, 75
- placenta, Brown-Hopps gram stain on, 232
- plaques, neurofibrillary. *See* neurofibrillary plaques and tangles; senile plaques.
- plasma cell cytoplasm, methyl green-pyronin Y staining, 126
- plasma cells
basophilia of, 106
connective tissue types and structures, 160
methyl green-pyronin Y staining, 188–189, 189
- plasma stains, 113–114
- plasmalemma, 105
- plastics, embedding with, 41
- Pneumocystis jirovecii*, demonstration with microwave variation of methenamine-silver nitrate staining, 242–244, 243, 244
- poison, symbol, 90
- polarization
with mercuric chloride, 14
and Zenker solution, 15
- polarized light
on kidney specimen, 55
- polychrome methylene blue, 127
- polychromic staining, 126–128
- polyclonal antisera, defined and described, 278
- polyethylene glycol, for processing, 40
- poly-L-lysine, coating on slides, 70
- polymeric detection in immunohistochemical staining, 285
- polyp, PAS staining of, 138
- polysaccharides
as marker for fungi, 235, 236, 239
PAS reaction testing for, 137–141, 138
types, occurrence, and reactivity, 136
- portal vein, Masson trichrome staining of, 162
- postfixation, and fixative selection, 7
- potassium bromide solution
for Holzer staining method, 209
- potassium dichromate
comparative characteristics, 18
and dye binding, 109
safety precautions, 16
- potassium ferrocyanide
preparation for Müller-Mowry colloidal iron technique, 150
Prussian blue stain preparation, 257
for Schmorl technique, 259
stability of, 100
for Turnbull blue stain preparation, 258
- potassium hydroxide
for Gomori staining of reticulin, 175
- potassium metabisulfite
for Gomori staining of reticulin, 175
preparation for PAS reaction testing, 138
preparation for PAS reaction with diastase digestion, 140
stability of, 100
for thioflavin S demonstration of Alzheimer disease, 206
- potassium permanganate
for enhancing silver staining of nuclei, 177
for Gomori staining of reticulin, 175
for Gordon and Sweets staining technique, 178
for Mallory PTAH staining of glia, 208
for Mallory PTAH technique, 180
stability of, 100
for thioflavin S demonstration of Alzheimer disease, 206

potassium phosphate
for epithelial and connective tissue mucin demonstration, 147

power setting, on microwave staining oven, 68

precipitate
troubleshooting, 41
troubleshooting hematoxylin and eosin staining, 121

prediluted antibodies, storage considerations, 285–286

prefixatives, 354

preparation, of solutions, 98

preservatives vs fixatives, 17

primary aldehyde fixation, for electron microscopy, 334

primary buffered aldehyde fixation, for electron microscopy, 334

primary buffered PAF fixation, for electron microscopy, 334

primary fluorescence, 56

primary site, defined, 289

proargol, for Bodian staining method, 197

procedures, standards for, 292–296

processing, 31–52
for electron microscopy, 337–340
for immunohistochemical studies, 280
troubleshooting, 41–42

processors, microwave, 66–67

processors, tissue, 65–67

progressive staining, with hematoxylin and eosin staining, 114–115

propylene glycol, for Sudan black B staining, 186

propylene oxide, and plastic embedding, 41

prostate, cancer demonstrated with P504S antibody, 302

protein solution, for blocking reactions, 287

proteins
coagulation with mercuric chloride fixation, 14
fixative effect on, 2
fixative comparative characteristics, 18
and formaldehyde fixation, 10
and glyoxal fixation, 14
pH of, 107
reactions to fixatives, 8

protocols
and quality control, 294

protozoans, defined, 224

Prussian blue stain
on bone marrow with iron, 258
demonstration of ferric iron with, 256–258

pseudomelanin
in colon and gastrointestinal tract stained with Schmorl technique, 260

PTAH solution
for Mallory PTAH staining of glia, 207
Mallory variation, 179–181, **180**
without mercuric solutions, 181

pull-apart method
of smear preparation, 354, 355

pyridine
for Holmes silver nitrate staining method, 199
for Luxol fast blue-Holmes silver nitrate staining, 216

Q

quality control, 289–296
for antibody, 290–291
antibody log, 293
chart, equipment, 77
chart, reagents, 39
for immunohistochemistry, 292
of instrumentation, 75–76
of paraffin processing, 39
for tissue block, 292

R

rabbit monoclonal antibodies, 279

rabbit PAP, for peroxidase-antiperoxidase (PAP) immunohistochemical technique, 298

radiation hazard, symbol, 90

radiographic, testing of decalcification, 48

Ralph knives, 58

RBCs. *See* red blood cells.

reactions, blocking of, 287

reactivity, description, 88

reagent alcohol, 33

reagents, limonene, for clearing, 36

rectum, fixed in formalin and microwave processed, 40

red blood cells
Bouin solution lysing of, 19
demonstration with Pap staining, 363
fixation with Hollande solution, 20
lysing by acetic acid, 9
peroxidase effects on specimen, 287

reduction, defined, 310

reducing rinse, preparation for alcian blue-PAS-hematoxylin technique, 149

reducing solution
for Bodian staining method, 197
for Churulian-Schenk method, 265
for Grimelius argyrophil stain, 264
for Holmes silver nitrate staining method, 200,
for Luxol fast blue-Holmes silver nitrate staining, 216
for microwave variation of Churukian-Schenk method, 266
for Steiner and Steiner procedure, 249
variations for reticulin staining, 175

reducing substances in tissue, demonstrated with Schmorl technique, 259–260

refractive index, fixative effect on, 2

refrigerators, for reagent storage, 72

regressive staining
for differentiation, 109
with hematoxylin, 112
with hematoxylin and eosin staining, 115–116

regulations, safety, 82

renal cell, adenocarcinoma in, **290**

repetitive stress injuries, 84

reproductive toxins, 86

RER. *See* rough endoplasmic reticulum.

resolving power, of microscope, 54

resorcin fuchsin stain, 171

reticular fibers
connective tissue types and structures, 160
demonstration with Gordon and Sweets staining, 177–179, **179**
silver staining techniques for, 174–179
staining variations, 175

- reticulin, demonstration in liver with Gomori stain, 176
 - demonstration in liver with Snook variation, 177
 - demonstration with Gomori stain, 176
 - demonstration with Gordon and Sweets staining, 179
 - rhabdomyosarcoma
 - demonstration with Mallory PTAH technique, 179–181, **181**
 - small cell neoplasm panel, 290
 - Rhinosporidium seeberi*, demonstration with Mayer mucicarminic technique and alcian blue staining, 244
 - rhodamine, for immunohistochemical studies, 283
 - rhodanine method, copper demonstration with, 271–273, **272**
 - rhodanine solution, for microwave variation of rhodanine method, 273
 - ribbon formation
 - on flotation baths, 69
 - optimal, 64
 - with paraffin, 37
 - and paraffin melting point, 42
 - specimen orientation, 44
 - troubleshooting, 59, 60
 - ribonucleic acid. *See* RNA.
 - ribosomes, 105, **105**
 - Rickettsia*, demonstration with Giemsa staining, 233
 - right to know, 85, 89
 - ripening, of hematoxylin, 110
 - RNA, methyl green-pyronin Y staining, **126**
 - RNA
 - and picric acid fixation, 15
 - reactions to fixatives, 8
 - and zinc formalin fixation, 16–17
 - Romanowski-type stains, 127
 - rosebud, 396
 - rough endoplasmic reticulum, 194
 - basophilia of, 106
 - methyl green-pyronin Y staining, 126, 188–189
 - ultrastructure of, **104, 105**
 - Russell modification of the Movat pentachrome stain, for demonstration of mucin and other elastic fibers, 172–174, **173**
- S**
- Saccomano fluid, for prefixation, 354
 - Saccomano method of smear preparation, 356
 - safety, 81–92
 - with alcohols and universal solvents, 34
 - with decalcification, 47
 - with formalin, 13
 - with glutaraldehyde fixation, 14
 - with mercuric chloride, 14
 - with microtome blades, 58
 - with osmium tetroxide, 15
 - with picric acid, 16
 - with potassium dichromate, 16
 - with zinc salt fixatives, 17
 - saline alcohol, preparation for alkaline Congo red staining, 153
 - saline solution
 - for NADH diaphorase reaction, 323
 - for specimen storage, 8
 - saline, physiological, for succinic dehydrogenase (SDH) reaction, 326
 - salt linkage, 107
 - salts, and dye binding, 109
 - sandalwood, oil of, for clearing, 36
 - sarcoma, anaplastic tumor workup, **290**
 - sarcoplasmic reticulum, abnormality demonstration with NADH diaphorase reaction, 323–325
 - scales, 74
 - Schiff reagent
 - for Bielschowsky-PAS staining, 201
 - for chromic acid-Schiff stain, 237
 - in Feulgen reaction, 123
 - and glutaraldehyde fixation, 13
 - for Gridley staining, 238
 - for Hotchkiss-McManus PAS reaction, 235
 - for Luxol fast blue-PAS-hematoxylin staining, 218
 - preparation for PAS reaction testing, 137
 - preparation for PAS reaction with diastase digestion, 140
 - Schmorl technique
 - demonstration of reducing substances in tissue, 259–260
 - melanin demonstration with, 260
 - Schwann cell, 194
 - Scott solution, composition, 112
 - scratches, troubleshooting microtomy, 58
 - SDH, histochemical reactions of human muscle types, 309
 - secretory granules, 106,
 - sectioning, 314
 - for electron microscopy, 340–341
 - troubleshooting, 342–343
 - uneven, 60
 - senile plaques
 - demonstration with Bielschowsky-PAS staining, 200–205, **202, 204**
 - demonstration with Luxol fast blue-PAS-hematoxylin staining, 218–219
 - demonstration with Sevier-Munger modification of Bielschowsky method, 204–205
 - demonstration with thioflavin S staining, 205–207, 207
 - sensitizer variations for reticulin staining, 175
 - sensitizers, xylene, limonene, and aliphatic carbon comparisons, 37
 - SER. *See* smooth endoplasmic reticulum.
 - serosal surfaces, defined, 5
 - sharps containers, 83
 - shelf life, of solutions, 99, **100**
 - short term exposure limit (STEL), 85
 - shrinkage
 - with formaldehyde fixation, 10
 - sialomucins
 - alcian blue demonstration of, 145
 - demonstration with Müller-Mowry colloidal iron technique, 151
 - stained with alcian blue at pH 1, 147
 - silver nitrate
 - for Churulian-Schenk method, 265
 - for Dieterle staining method, 248
 - for Fontana-Masson stain preparation, 261
 - for Gomori methenamine-silver technique for urates, 267
 - for Gomori staining of reticulin, 175
 - for Gordon and Sweets staining technique, 178
 - for Grimelius argyrophil stain, 264
 - for Grocott staining, 240
 - for microwave variation of Bielschowsky-PAS staining, 203
 - for microwave variation of Churukian-Schenk method, 266
 - for microwave variation of Fontana-Masson stain, 262
 - for microwave variation of methenamine-silver nitrate staining, 242
 - for microwave variation of Warthin-Starry technique, 246
 - for Sevier-Munger modification of Bielschowsky method, **204**
 - for Steiner and Steiner procedure, 249
 - for von Kossa calcium stain, 270
 - for Warthin-Starry technique, 244

silver staining techniques, for reticular fibers, 174, 175

sinusoids, demonstration with Gordon and Sweets staining, 179, **176**

size, of specimen, and fixation, 4

skeletal muscle, 308

- α-naphthyl acetate esterase stain, **316**
- atrophy demonstration with ATPase, **320**
- demonstration of normal pattern with ATPase, **319**
- demonstration with α-naphthyl acetate esterase stain, **316**
- frozen sectioning of, 65
- hematoxylin and eosin staining of, 308
- neuropathic disease in, 309
- staining with Mallory PTAH technique, 181

skin

- biopsy examination with immunofluorescence, 283
- demonstrating cytoplasmic granules with Fontana-Masson staining, 262
- mast cell demonstration, **188, 189**
- specimen orientation, 43
- stained with Gomori aldehyde fuchsin procedure, 171
- troubleshooting hematoxylin and eosin staining, 119
- Verhoeff-van Gieson staining of, **169**
- waviness in, **73**

slides

- coatings for, 70
- electrostatically charged, 69
- control, storage of, 292

slow-twitch muscle, 308

small cell neoplasm panel, 290

smear preparation, methods, 354–355

SMI-31 antibody, staining pattern on brain biopsies, 287

smooth endoplasmic reticulum, ultrastructure of, 105

smooth muscle, in Verhoeff-van Gieson staining of aorta and artery, 169

Snook variation

- oxidizer, sensitizer, impregnating solution, and reducing solution, 175
- reticulin demonstration in liver section, 177

sodium acetate

- composition, 125
- for Grimelius argyrophil stain, 264

sodium acetate-formalin solution

- for microwave variation of rhodanine method, 273

sodium barbital

- for ATPase stain, 318
- for naphthol AS-D chloroacetate esterase technique, 316

sodium bisulfite

- for Grocott staining, 240
- for microwave variation of methenamine-silver nitrate staining, 243
- stability of, 100

sodium borate

- for Gomori methenamine-silver technique for urates, 268
- for microwave variation of rhodanine method, 273
- for periodic acid-methenamine silver microwave procedure, 182
- for rhodanine copper demonstration, 272
- stability of, 100

sodium carbonate

- for Sevier-Munger modification of Bielschowsky method, 204

sodium hydroxide

- for α-naphthyl acetate esterase stain, 315
- for Gordon and Sweets staining technique, 178
- for thioflavin S demonstration of Alzheimer disease, 206

sodium metabisulfite

- for alcian yellow-toluidine blue staining method, 235
- for Hotchkiss-McManus PAS reaction, 236
- preparation for alcian blue-PAS-hematoxylin technique, 149

sodium nitrite

- for acid phosphatase detection in muscle, 321
- for α-naphthyl acetate esterase stain, 315

sodium phosphate

- for epithelial and connective tissue mucin demonstration, 147

sodium thiosulfate

- for Bielschowsky-PAS staining, 201
- for Bodian staining method, 197
- for Gomori methenamine-silver technique for urates, 268
- for Gomori staining of reticulin, 176
- for Gordon and Sweets staining technique, 178
- for Grocott staining, 240
- for Holmes silver nitrate staining method, 200
- for Luxol fast blue-Holmes silver nitrate staining, 216
- for Mallory PTAH technique, 180
- for microwave variation of Bielschowsky-PAS staining, 203
- for microwave variation of Fontana-Masson stain, 262
- for microwave variation of methenamine-silver nitrate staining, 243
- for periodic acid-methenamine silver microwave procedure, 182
- for Russell modification of the Movat pentachrome stain, 172
- for Sevier-Munger modification of Bielschowsky method, 205
- stability of, 100
- for Verhoeff elastic stain, 168
- for von Kossa calcium stain, 270

soft mushy tissue, troubleshooting, 44–45, **45, 58**

solution preparation, 93–102

solutions, molar, 96

solutions, stability of, 99, **100**

solvent power, xylene, limonene, and aliphatic carbon comparisons, 37

solvent recycler, 75

solvents, transitional, for electron microscopy, 337

somatic nervous system, 194

sparsely cellular specimens, smear preparation, 356

specification sheet, antibody, 286

specimen, collection, 352–353

specimen orientation, in frozen sectioning, 51

spherule, demonstration with Gridley staining, **239**

spills, chemical, 87

spinal cord, demonstration with Weil method, 212

spirochetes

- demonstration with Dieterle staining method, **247–248**
- demonstration with microwave variation of Warthin-Starry technique, **245–247**
- demonstration with Steiner and Steiner microwave method, **249–250**
- demonstration with Warthin-Starry technique, 244–247, **245**

spleen

- cryostat processing temperature, 64
- ferrous iron in, demonstrated with Turnbull blue stain, **259**
- fixed in formalin, 10
- M leprae* demonstration in, with Fite staining technique, **229**

splits, troubleshooting microtomy, 58

sponge artifact, troubleshooting, 42

Spurr embedding, 41, 337–339

squamous cell

- contamination in flotation bath, 70
- demonstration with Pap staining, **363**

- stability of solutions, 99, **100**
- stabilization of specimens, 2
- stage, of microscope, 54
- staining
- automated, 67–68, 116–117
 - of basement membranes, 182–184
 - of carbohydrates, 137–152
 - of connective tissue cells, 188–189
 - of connective tissues, 162–189
 - cytoplasmic, 107–108
 - fixative effect on, 2
 - of frozen sections, 117–118
 - and ions, 10
 - of lipids, 184–188
 - of nerve tissue, 195–219
 - nuclear, 107
 - of nucleic acids, 123–126
 - of plasmas, 113–114
 - principles and methods, 107, 129
- staining techniques
- for electron microscopy, 343
 - immunohistochemical, 284–285
 - for immunohistochemical studies, 297–302
 - for molds, 223
 - for thin sections, 345–346, 345
- staining, cytology, 361
- staining. *See also* specific methods and stains.
- stains, ionic bonding of, 107
- standards, for immunohistochemical procedures, 292–296
- Staphylococcus aureus*, demonstration with Brown-Hopps method, **232**
- static electricity, troubleshooting sectioning problems, 64
- Steiner and Steiner procedure
- demonstration of *H pylori* with, **250**
 - demonstration of spirochetes, *H pylori*, and *L pneumophila* with, **249–250**
- STEL (short term exposure limit), 85
- sticking, of sections, troubleshooting, 64
- storage
- of acetic acid, 9
 - of antibodies, 287
 - of B-5 solution, 19
 - of chemicals, 87, 88
 - of control slides, 292
 - of formalin, 13
 - with glyoxal fixation, 14
 - and quality control, 294
 - of solutions, 98
 - solutions and fixatives for, 8
 - of specimens, 7
- striations, in muscle, demonstrated with Mallory PTAH technique, 179–181, **181**
- submucosa
- hematoxylin and eosin staining of, 115
 - tumor demonstration with Grimelius stain, 264
- substage, of microscope, 54
- succinic dehydrogenase (SDH) reaction, for narrowing diagnosis of NADH reaction, 325–326, **326**
- sucrose, embedding with, 41
- Sudan black B, lipid demonstration with, **186**
- Sudan black B, liver staining with, **186**
- sulfated acid mucopolysaccharides, stained with alcian blue at pH 1, 147
- sulfurous acid
- for chromic acid-Schiff stain, 237
 - in Feulgen reaction, 123
 - for Hotchkiss-McManus PAS reaction, 236
- SurePath System, 359, **359, 360**
- swine antirabbit linking serum, for peroxidase-antiperoxidase (PAP) immunohistochemical technique, 298
- symbols, for hazardous materials, **90**
- synapse, 194
- T**
- talc, in frozen sectioning, 50
- tangles, neurofibrillary. *See* neurofibrillary plaques and tangles.
- tattoo ink, specimen marking, 43
- tattoo pigments, 254
- tears, in section, 64
- temperature
- for control slide storage, 292
 - and dye binding, 109
 - and fixation, 4
 - for electron microscopy, 335
 - metric, 97–98
 - and quality control, 77
 - and ribbon formation problems, 60
- tendons, connective tissue types and structures, 160
- tertiary butanol
- for clearing, 36
 - for dehydration, 34
- testing, decalcification, 48
- tetrahydrofuran
- for clearing, 36
 - for firming soft mushy tissue, 46
 - for dehydration, 34
- thickness, of section
- troubleshooting, 62
 - and fixation, 4
- thin sections, staining techniques, 345–346, **345**
- ThinPrep System, 359, **359, 360**
- thioflavin S, fluorescent dyeing, 56
- thioflavin S staining, demonstration of neurofibrillary plaques and tangles, 205–207, **207**
- thioflavin T, fluorescent dyeing, 56
- for amyloid demonstration, 155–156
- 3,3'-diaminobenzidine chromogen. *See* DAB (3,3'-diaminobenzidine chromogen).
- threshold limit value, xylene, limonene, and aliphatic carbon comparisons, 37
- thyroid, adenocarcinoma, 290
- tigroid substance, 194
- time, and fixation, 5, 6
- for electron microscopy, 335
- tissue, fixative effect on, 2
- tissue block, quality control for, 292
- tissue fixation, for immunohistochemical studies, 279–280
- tissue handling, 279–283
- tissue microarray cores, with positive and negative controls, 291
- tissue processors, 65–67
- maintenance of, 66
- tissue waste, handling, 83

tissue, soft mushy, troubleshooting, 44–45, **45**, 58
TLV. *See* threshold limit value.

toluene
for clearing, 35
flash point, 87
for testing water content, 33

toluidine blue staining
for alcian yellow-toluidine blue staining method, 235
for electron microscopy, 344
of kidney under electron microscope, 345
for mast cell demonstration, 188
mast cell demonstration, 188
mold demonstration with, 223

toluidine blue wet film, for determining cellularity, 363–364

toluidine blue-basic fuchsin procedure
for electron microscopy, 343–344
of kidney under electron microscope, 344

tonicity, and fixation for electron microscopy, 335

toxicity, description, 88
Toxoplasma gondii, demonstration with Giemsa staining, 233

training and quality control, 294

transferases, 312

transitional fluids, and plastic embedding, 41

transport solutions, 23

trapping of chromogen beneath specimen, 281

Tris buffer, demonstration of muscle fiber regeneration, 322

tris-buffered saline solution, for HRP enzyme labeled polymer procedure, 301

Triton X-100, in flotation bath processing, 70

Trizma base, demonstration of muscle fiber regeneration, 322

troubleshooting, autolysis from fixation, 25
chromatin autolysis, 24–26
decalcification, 49–50
embedding, 44–46
fixation, 24–26
frozen sectioning, 50–51
hematoxylin and eosin staining, 118–123
immunoperoxidase techniques, 296–297
microtomy, 58–64
mounting, 130–131, **130**
nuclear bubbling, 24–26, 26
pigment artifact, 26
processing, 41–42
sectioning, 342–343

TTF-1, adenocarcinoma panel, 290

tuberculosis exposure, 82

tubular structures, specimen orientation, 44

tumors
B-5 vs formalin fixation, 19
defined, 289
differential diagnosis with Gordon and Sweets staining, 177–179
carcinoid, demonstration with Fontana-Masson stain, 260–263
carcinoid, demonstration with Grimelius stain, 264
carcinoid, demonstration with microwave variation of Fontana-Masson stain, 261–263
fixation illustrations, 6
fixed in formalin and microwave processed, 40
neurosecretory, demonstration with Churukian-Schenk method, 265–267
silver staining techniques for, 174–179

tunica media, in Verhoeff-van Gieson staining of aorta and artery, 169

Turnbull blue stain, demonstration of ferrous iron with, 258–259, **259**

Tzank smears, collection and handling of, 352

U

ultrastructure, of cells, **104–106**

umbilical cord, alcian blue staining with and without hyaluronidase digestion, 148

underdecalcification, troubleshooting, 49, **49**

undulations, in section, **61, 62**

universal precautions, with infectious hazards, 82

universal secondary antibodies, 289

universal solvents
for dehydration, 34
for clearing, 36

uranyl nitrate
stability of, 100
for Steiner and Steiner procedure, 249

urates, 255–256

urates
demonstration with Gomori methenamine-silver technique, 267–268
hematoxylin and eosin staining of, 256

urine specimens
collection and handling of, 353
smear adhesion problems, 358

uterus
fixation troubleshooting, 25
washboarding in, **61, 62**

V

vacuum
for decalcification, 47
for paraffin embedding, 38

validation
of antibodies, 286
form for antibodies and controls, 288

Van der Waals forces, 107

van Gieson picric acid-acid fuchsin stain, counterstaining with, 166–167

van Gieson solution
for bile stain, 269
solution, composition, 167
for Verhoeff elastic stain, 168

vein
Masson trichrome staining of, 162
van Gieson staining, 167

Verhoeff elastic stain
for pathologies of elastic tissue, 168–169
stability of, 100

veronal acetate buffer, for acid phosphatase detection in muscle, 321

villi, of small intestine, defined and illustrated, 5

Vimentin
anaplastic tumor workup, 290
small cell neoplasm panel, 290

viral lesion scrapings, collection and handling of, 352

viruses, defined, 223

volume, of specimen
and fixation, 4
and fixation, 5

volumetric glassware, 94

von Gierke disease
and Best carmine demonstration of glycogen, 142

von Kossa calcium stain, calcium demonstration with, 269–270, **270**

W

- warning sign, for formaldehyde, 85
- Warthin-Starry technique, demonstration of spirochetes with, 244–247, **245**
- washboarding, of section, **61, 62**
- water, Millipore-filtered deionized, for flotation bath processing, 70
- water bath, circulating, for temperature control of specimen, 72
- water beads, on mounted section, 69
- water content, testing for, 33
- wattage setting, on microwave staining oven, 68
- waviness, in section, **73**
- waxes, water-soluble, for processing, 40
- Weigert hematoxylin, composition, 113
- Weigert iron hematoxylin
 - for Gomori 1-step trichrome stain, 165
 - for Masson trichrome staining, 163
 - preparation for Mayer mucicarmine technique, 143
 - for van Gieson staining, 167
- Weil staining method
 - myelin sheath demonstration with, 211
 - on spinal cord and medulla, 212
- white matter, demonstration with Bodian staining method, **198**
 - demonstration with Luxol fast blue, **213**
 - demonstration with Weil method, **212**
 - indistinct differentiation with Luxol fast blue, **214**
- Wilder variation, oxidizer, sensitizer, impregnating solution, and reducing solution, 175
- Wilms tumor, small cell neoplasm panel, 290
- Wilson disease
 - copper demonstration with microwave rhodanine method, 272–273, **273**
 - copper demonstration with rhodanine method, 271–273, **272**
- Wright staining
 - differentiation with, 109
 - drying preparation for, 3
- wrinkling, of section
 - from flotation bath processing, **69**
 - on lung section, **73**
 - troubleshooting, 62
- WT-1, small cell neoplasm panel, 290

X

- xylene
 - attribute comparisons, 37
 - for clearing, 35
 - for dehydrating soft mushy tissue, 45
 - flash point, 87
 - for microscope maintenance, 54
 - overnight processing with, 38
 - rapid processing with, 38
 - for testing water content, 33
- xylene-peanut oil
 - for Fite acid-fast staining technique, 228

Y

- yeasts, **223**

Z

- Zamboni solution
 - for electron microscopy, 334, 336
 - formulation and applications, 21
- Zenker solution
 - on bone marrow section stained with Prussian blue, 258
 - and decalcification testing, 48
 - and dye binding, 109
 - as fixative in Mallory PTAH-stained muscle, 181
 - and fixative selection, 7
 - formulation and applications, 20
 - for gastrointestinal tract, 21
 - in immunohistochemical studies, 279
 - labeling, 89
 - and nuclear staining, 15
 - and polarized light, 15
 - specimen removal from, 7
 - stability of, 100
- Ziehl-Neelsen carbol-fuchsin solution
 - for Fite acid-fast staining technique, 229
- Ziehl-Neelsen method, mycobacteria demonstration with, 226–228
- zinc chloride
 - for fixation, 16
- zinc formalin
 - and decalcification testing, 48
- zinc formalin, effect on protein, 4
- zinc formalin, formulation and applications, 21–22
- zinc formalin
 - for immunohistochemical studies, 16–17
- zinc formalin
 - in immunohistochemical studies, 280
- zinc salts, comparative characteristics, 18
- zinc salts
 - for fixation, 16–17
- zinc salts, safety precautions, 17
- zinc sulfate
 - for fixation, 16–17